

DAFTAR PUSTAKA

1. Sitohang I, Wasitatmadja S. Acne Vulgaris. In: Menaldi S, Bramono K, Indriatmi W, editors. Ilmu Penyakit Kulit dan Kelamin. 7th ed. Jakarta: Badan Penerbit FKUI; 2015. p. 288.
2. Moradi Tuchayi S, Makrantonaki E, Ganceviciene R, Dessinioti C, Feldman SR, Zouboulis CC. Acne vulgaris. Nat Rev Dis Prim [Internet]. 2015;1:15029. Available from: <http://dx.doi.org/10.1038/nrdp.2015.29>
3. Afriyanti RN. Akne Vulgaris Pada Remaja. Med Fac Lampung Univ. 2015;4(6):102–9.
4. Tan JKL, Bhate K. A global perspective on the epidemiology of acne. Br J Dermatol. 2015;172(S1):3–12.
5. McCarty M. Evaluation and Management of Refractory Acne Vulgaris in Adolescent and Adult Men. Dermatol Clin [Internet]. 2016;34(2):203–6. Available from: <http://dx.doi.org/10.1016/j.det.2015.11.007>
6. Rocha MA, Bagatin E. Skin barrier and microbiome in acne. Arch Dermatol Res [Internet]. 2018;310(3):181–5. Available from: <http://dx.doi.org/10.1007/s00403-017-1795-3>
7. Sachdeva M, Tan J, Lim J, Kim M, Nadeem I, Bismil R. The prevalence, risk factors, and psychosocial impacts of acne vulgaris in medical students: a literature review. Int J Dermatol. 2020;1–7.
8. Claudel JP, Auffret N, Leccia MT, Poli F, Dréno B. Acne and nutrition: hypotheses, myths and facts. J Eur Acad Dermatology Venereol. 2018;32(10):1631–7.
9. Araviiskaia E, Lopez Estebaranz JL, Pincelli C. Dermocosmetics: beneficial adjuncts in the treatment of acne vulgaris. J Dermatolog Treat [Internet]. 2021;32(1):3–10. Available from: <https://doi.org/10.1080/09546634.2019.1628173>
10. Williams HC, Dellavalle RP, Garner S. Acne vulgaris. Lancet [Internet]. 2012;379(9813):361–72. Available from: [http://dx.doi.org/10.1016/S0140-6736\(11\)60321-8](http://dx.doi.org/10.1016/S0140-6736(11)60321-8)
11. Dawson AL, Dellavalle RP. Acne vulgaris. BMJ. 2013;346(7907):1–7.
12. Goodman G. Cleansing and moisturizing in acne patients. Am J Clin Dermatol. 2009;10(SUPPL. 1):1–6.
13. Alshammari S, Alamri Y, Alanazi A, Almuhanna S, Pinjabi L, Alsnaidi N. Prevalence and associated risk factors of acne relapse among Saudi acne vulgaris patients using isotretinoin. Saudi Pharm J [Internet]. 2020;28(3):374–9. Available from: <https://doi.org/10.1016/j.jsp.2020.01.019>
14. Purvis D, Robinson E, Merry S, Watson P. Acne, anxiety, depression and suicide in teenagers: A cross-sectional survey of New Zealand secondary school students. J Paediatr Child Health. 2006;42(12):793–6.
15. Zhang L, Adique A, Sarkar P, Shenai V, Sampath M, Lai R, et al. The Impact of Routine Skin Care on the Quality of Life. Cosmetics. 2020;7(3):59.
16. BPOM RI. Peraturan Badan Pengawas Obat dan Makanan Nomor 23 Tahun 2019 Tentang Persyaratan Teknis Bahan Kosmetik. Bpom Ri. 2019;2010:1–

- 16.
17. FDA. Federal Food, Drug, and Cosmetic Act (FDCA) 21 U.S.C. §321. (i):1–13.
18. Tranggono RI, Latifah F. Buku Pegangan Ilmu Pengetahuan Kosmetik [Internet]. Jakarta: Gramedia Pustaka Utama; 2007. Available from: <https://books.google.co.id/books?id=Zg5hDwAAQBAJ>
19. Rodan K, Fields K, Majewski G, Falla T. Meeting Proceedings. 2016;(July):1–6.
20. Junaid A Bin, Nasreen R. Determination of Consumer Behaviour amongst Millennials in Dermaceuticals (Skin Care Products). *Int J Mark Stud.* 2012;4(3):88–99.
21. Mohanapriya A, Padmavathi M, Prasathkumar A. A comparative study on the impact of skin care products on the self-esteem of women users and non-users in Coimbatore city. *Int J Recent Technol Eng.* 2019;7(5):421–4.
22. Hassan SH, Teo SZ, Ramayah T, Al-Kumaim NH. The credibility of social media beauty gurus in young millennials' cosmetic product choice. *PLoS One* [Internet]. 2021;16(3 March):1–17. Available from: <http://dx.doi.org/10.1371/journal.pone.0249286>
23. Decker A, Gruber EM. Over-the-counter acne treatments: A review. *J Clin Aesthet Dermatol.* 2012;5(5):32–40.
24. Andriana R, Effendi A, Berawi K. Hubungan Antara Penggunaan Kosmetik Wajah Terhadap Kejadian Akne Vulgaris Pada Mahasiswa Fakultas Kedokteran Universitas Lampung. *Univ Lampung.* 2014;142–8.
25. KABAU S. Hubungan Antara Pemakaian Jenis Kosmetik Dengan Kejadian Akne Vulgaris. *J Kedokt Diponegoro.* 2012;1(1):137774.
26. Fox L, Csongradi C, Aucamp M, Du Plessis J, Gerber M. Treatment modalities for acne. *Molecules.* 2016;21(8):1–20.
27. Tan AU, Schlosser BJ, Paller AS. A review of diagnosis and treatment of acne in adult female patients. *Int J Women's Dermatology* [Internet]. 2018;4(2):56–71. Available from: <https://doi.org/10.1016/j.ijwd.2017.10.006>
28. Vos T, Flaxman AD, Naghavi M, Lozano R, Michaud C, Ezzati M, et al. Years lived with disability (YLDs) for 1160 sequelae of 289 diseases and injuries 1990-2010: A systematic analysis for the Global Burden of Disease Study 2010. *Lancet.* 2012;380(9859):2163–96.
29. Heng AHS, Chew FT. Systematic review of the epidemiology of acne vulgaris. *Sci Rep.* 2020;10(1):1–29.
30. Lynn D, Umari T, Dellavalle R, Dunnick C. The epidemiology of acne vulgaris in late adolescence. *Adolesc Health Med Ther.* 2016;13.
31. Ayudianti P, Indramaya DM. Studi Retrospektif: Faktor Pencetus Akne Vulgaris (Retrospective Study : Factors Aggravating Acne Vulgaris). *Fakt Pencetus Akne Vulgaris.* 2014;26/No. 1:41–7.
32. Bojar RA, Holland KT. Acne and propionibacterium acnes. *Clin Dermatol.* 2004;22(5):375–9.
33. Dessinioti C, Katsambas A. Propionibacterium acnes and antimicrobial resistance in acne. *Clin Dermatol* [Internet]. 2017;35(2):163–7. Available from: <https://doi.org/10.1016/j.cld.2017.01.011>

- from: <http://dx.doi.org/10.1016/j.clindermatol.2016.10.008>
- 34. Bhate K, Williams HC. Epidemiology of acne vulgaris. *Br J Dermatol.* 2013;168(3):474–85.
 - 35. Walton SH, Wyatt EH, Cunliffe WJ. (7) Genetic control of sebum excretion and acne—a twin study. *Br J Dermatol.* 1987;117:35–35.
 - 36. Arora MK, Yadav A, Saini V. Role of hormones in acne vulgaris. *Clin Biochem* [Internet]. 2011;44(13):1035–40. Available from: <http://dx.doi.org/10.1016/j.clinbiochem.2011.06.984>
 - 37. Dréno B. What is new in the pathophysiology of acne, an overview. *J Eur Acad Dermatology Venereol.* 2017;31:8–12.
 - 38. Jusuf NK, Putra IB, Sutrisno AR. Correlation between stress scale and serum substance p level in acne vulgaris. *Int J Gen Med.* 2021;14:681–6.
 - 39. Baldwin H, Tan J. Effects of Diet on Acne and Its Response to Treatment. *Am J Clin Dermatol* [Internet]. 2021;22(1):55–65. Available from: <https://doi.org/10.1007/s40257-020-00542-y>
 - 40. Knutsen-Larson S, Dawson AL, Dunnick CA, Dellavalle RP. Acne Vulgaris: Pathogenesis, Treatment, and Needs Assessment. *Dermatol Clin.* 2012;30(1):99–106.
 - 41. Schäfer T, Nienhaus A, Vieluf D, Berger J, Ring J. Epidemiology of acne in the general population: The risk of smoking. *Br J Dermatol.* 2001;145(1):100–4.
 - 42. Wolkenstein P, Misery L, Amici JM, Maghia R, Branchoux S, Cazeau C, et al. Smoking and dietary factors associated with moderate-to-severe acne in french adolescents and young adults: Results of a survey using a representative sample. *Dermatology.* 2015;230(1):34–9.
 - 43. Klaz I, Kochba I, Shohat T, Zarka S, Brenner S. Severe acne vulgaris and tobacco smoking in young men. *J Invest Dermatol.* 2006;126(8):1749–52.
 - 44. Rombouts S, Nijsten T, Lambert J. Cigarette smoking and acne in adolescents: Results from a cross-sectional study. *J Eur Acad Dermatology Venereol.* 2007;21(3):326–33.
 - 45. Dessinioti C, Katsambas AD. The role of *Propionibacterium acnes* in acne pathogenesis: facts and controversies. *Clin Dermatol* [Internet]. 2010;28(1):2–7. Available from: <http://dx.doi.org/10.1016/j.clindermatol.2009.03.012>
 - 46. Wolff K, Goldsmith L, Katz S, Gilchrest B, Paller A, Leffell D. Fitzpatrick's Dermatology in General Medicine, 8th Ed, vol 2. In: Fitzpatrick's Dermatology in General Medicine, 8th Edition, Volume 2. 8th ed. New York: McGraw-Hill; 2011. p. 897–914.
 - 47. Sakuma TH, Maibach HI. Oily skin: An overview. *Skin Pharmacol Physiol.* 2012;25(5):227–35.
 - 48. Dréno B, Pécastaings S, Corvec S, Veraldi S, Khammari A, Roques C. *Cutibacterium acnes* (*Propionibacterium acnes*) and acne vulgaris: a brief look at the latest updates. *J Eur Acad Dermatology Venereol.* 2018;32:5–14.
 - 49. Beylot C, Auffret N, Poli F, Claudel JP, Leccia MT, Del Giudice P, et al. *Propionibacterium acnes*: An update on its role in the pathogenesis of acne. *J Eur Acad Dermatology Venereol.* 2014;28(3):271–8.

50. Lee SE, Kim JM, Jeong SK, Jeon JE, Yoon HJ, Jeong MK, et al. Protease-activated receptor-2 mediates the expression of inflammatory cytokines, antimicrobial peptides, and matrix metalloproteinases in keratinocytes in response to *Propionibacterium acnes*. *Arch Dermatol Res.* 2010;302(10):745–56.
51. Awojolu AO, Gallo MF, Lopez LM, Grimes DA, Garner SE. Combined oral contraceptive pills for treatment of acne. *Cochrane Database Syst Rev.* 2009;(3).
52. Ganceviciene R, Graziene V, Fimmel S, Zouboulis CC. Involvement of the corticotropin-releasing hormone system in the pathogenesis of acne vulgaris. *Br J Dermatol.* 2009;160(2):345–52.
53. Zouboulis CC, Seltmann H, Hiroi N, Chen W, Young M, Oeff M, et al. PNAS-2002-Zouboulis-7148-53. 2002;99(10).
54. Burris J, Shikany JM, Rietkerk W, Woolf K. A Low Glycemic Index and Glycemic Load Diet Decreases Insulin-like Growth Factor-1 among Adults with Moderate and Severe Acne: A Short-Duration, 2-Week Randomized Controlled Trial. *J Acad Nutr Diet [Internet].* 2018;118(10):1874–85. Available from: <https://doi.org/10.1016/j.jand.2018.02.009>
55. Smith RN, Mann NJ, Braue A, Mäkeläinen H, Varigos GA. The effect of a high-protein, low glycemic-load diet versus a conventional, high glycemic-load diet on biochemical parameters associated with acne vulgaris: A randomized, investigator-masked, controlled trial. *J Am Acad Dermatol.* 2007;57(2):247–56.
56. Adebamowo CA, Spiegelman D, Danby FW, Frazier AL, Willett WC, Holmes MD. High school dietary dairy intake and teenage acne. *J Am Acad Dermatol.* 2005;52(2):207–14.
57. Bataille V, Snieder H, Macgregor AJ, Sasieni P, Spector TD. Twin Study of Acne in Women. *J Invest Dermatol [Internet].* 2002;119(6):1317–22. Available from: <http://dx.doi.org/10.1046/j.1523-1747.2002.19621.x>
58. Zari S, Alrahmani D. The association between stress and acne among female medical students in Jeddah, Saudi Arabia. *Clin Cosmet Investig Dermatol.* 2017;10:503–6.
59. Lehmann HP, Robinson KA, Andrews JS, Holloway V, Goodman SN. Acne therapy: A methodologic review. *J Am Acad Dermatol.* 2002;47(2):231–40.
60. Dreno B, Araviiskaia E, Berardesca E, Bieber T, Hawk J, Sanchez-Viera M, et al. The science of dermocosmetics and its role in dermatology. *J Eur Acad Dermatology Venereol.* 2014;28(11):1409–17.
61. Agrawal H, Agrawal S. Impact of social media and photo-editing practice on seeking cosmetic dermatology care. *Clin Cosmet Investig Dermatol.* 2021;14:1377–85.
62. Mohamed NBA, Medina IG, Romo ZG. The effect of cosmetics packaging design on consumers' purchase decisions. *Indian J Mark.* 2018;48(12):50–61.
63. Baranda L, González-Amaro R, Torres-Alvarez B, Alvarez C, Ramírez V. Correlation between pH and irritant effect of cleansers marketed for dry skin. *Int J Dermatol.* 2002;41(8):494–9.

64. Schürer N. PH and Acne. *Curr Probl Dermatology*. 2018;54(I):115–22.
65. Chularojanamontri L, Tuchinda P, Kulthan K, Pongparit K. Moisturizers for acne: What are their constituents? *J Clin Aesthet Dermatol*. 2014;7(5):36–44.
66. Draelos ZD. The science behind skin care: Moisturizers. *J Cosmet Dermatol*. 2018;17(2):138–44.
67. Nolan K, Marmur E. Moisturizers: Reality and the skin benefits. *Dermatol Ther*. 2012;25(3):229–33.
68. Juncan AM, Moisă DG, Santini A, Morgovan C, Rus LL, Vonica-țincu AL, et al. Advantages of hyaluronic acid and its combination with other bioactive ingredients in cosmeceuticals. *Molecules*. 2021;26(15):1–43.
69. Bukhari SNA, Roswandi NL, Waqas M, Habib H, Hussain F, Khan S, et al. Hyaluronic acid, a promising skin rejuvenating biomedicine: A review of recent updates and pre-clinical and clinical investigations on cosmetic and nutricosmetic effects. *Int J Biol Macromol* [Internet]. 2018;120:1682–95. Available from: <https://doi.org/10.1016/j.ijbiomac.2018.09.188>
70. Abatangelo G, Vindigni V, Avruscio G, Pandis L, Brun P. Hyaluronic acid: Redefining its role. *Cells*. 2020;9(7):1–19.
71. Panico A, Serio F, Bagordo F, Grassi T, Idol A, De Giorgi M, et al. Skin safety and health prevention: An overview of chemicals in cosmetic products. *J Prev Med Hyg*. 2019;60(1):E50–7.
72. Forbat E, Al-Niaimi F, Ali FR. Use of nicotinamide in dermatology. *Clin Exp Dermatol*. 2017;42(2):137–44.
73. Draelos ZD, Matsubara A, Smiles K. The effect of 2% niacinamide on facial sebum production. *J Cosmet Laser Ther*. 2006;8(2):96–101.
74. SHALITA AR, SMITH JG, PARISH LC, SOFMAN MS, CHALKER DK. Topical Nicotinamide Compared With Clindamycin Gel in the Treatment of Inflammatory Acne Vulgaris. *Int J Dermatol*. 1995;34(6):434–7.
75. Önder M. An Investigation of Efficacy of Topical Niacinamide for the Treatment of Mild and Moderate Acne Vulgaris. *J Turk Acad Dermatol* [Internet]. 2008;4–7. Available from: <http://www.jtad.org/2008/4/jtad82402a.pdf>
76. Golnick H, Cunliffe W, Berson D, Dreno B, Finlay A, Leyden JJ, et al. Management of acne: A report from a global alliance to improve outcomes in acne. *J Am Acad Dermatol*. 2003;49(1 SUPPL.):1–37.
77. Beckenbach L, Baron JM, Merk HF, Löffler H, Amann PM. Retinoid treatment of skin diseases. *Eur J Dermatology*. 2015;25(5):384–91.
78. Zasada M, Budzisz E. Retinoids: Active molecules influencing skin structure formation in cosmetic and dermatological treatments. *Postep Dermatologii i Alergol*. 2019;36(4):392–7.
79. Searle T, Ali FR, Al-Niaimi F. The versatility of azelaic acid in dermatology. *J Dermatolog Treat* [Internet]. 2020;0(0):000. Available from: <http://dx.doi.org/10.1080/09546634.2020.1800579>
80. Chilicka K, Rogowska AM, Szyguła R, Dzieńdziora-Urbińska I, Taradaj J. A comparison of the effectiveness of azelaic and pyruvic acid peels in the treatment of female adult acne: a randomized controlled trial. *Sci Rep*

- [Internet]. 2020;10(1):1–8. Available from: <https://doi.org/10.1038/s41598-020-69530-w>
81. Al-Niami F, Yi Zhen Chiang N. Topical Vitamin C and the Skin : J Clin Aesthetetic Dermatology. 2017;10(7):14–7.
 82. Stamford NPJ. Stability, transdermal penetration, and cutaneous effects of ascorbic acid and its derivatives. J Cosmet Dermatol. 2012;11(4):310–7.
 83. Huang CK, Miller TA. The truth about over-the-counter topical anti-aging products: A comprehensive review. Aesthetic Surg J. 2007;27(4):402–12.
 84. Hammer KA. Treatment of acne with tea tree oil (melaleuca) products: A review of efficacy, tolerability and potential modes of action. Int J Antimicrob Agents [Internet]. 2015;45(2):106–10. Available from: <http://dx.doi.org/10.1016/j.ijantimicag.2014.10.011>
 85. Malhi HK, Tu J, Riley T V., Kumarasinghe SP, Hammer KA. Tea tree oil gel for mild to moderate acne; a 12 week uncontrolled, open-label phase II pilot study. Australas J Dermatol. 2017;58(3):205–10.
 86. Bowe WP, Shalita AR. Effective Over-the-Counter Acne Treatments. Semin Cutan Med Surg. 2008;27(3):170–6.
 87. Carson CF, Mee BJ, Riley T V. Mechanism of Action of Melaleuca alternifolia (Tea Tree) Oil on *Staphylococcus aureus* Determined by Time-Kill, Lysis, Leakage, and Salt Tolerance Assays and Electron Microscopy. 2002;46(6):1914–20.
 88. Hart PH, Brand C, Carson CF, Riley T V., Prager RH, Finlay-Jones JJ. Terpinen-4-ol, the main component of the essential oil of *Melaleuca alternifolia* (tea tree oil), suppresses inflammatory mediator production by activated human monocytes. Inflamm Res. 2000;49(11):619–26.
 89. Griffin SG, Markham JL, Leach DN. An agar dilution method for the determination of the minimum inhibitory concentration of essential oils. J Essent Oil Res. 2000;12(2):249–55.
 90. Kemendikbud. Statistik Pendidikan Tinggi (Higer Education Statistic) 2020. PDDikti Kemendikbud [Internet]. 2020;81–5. Available from: <https://pddikti.kemdikbud.go.id/publikasi>
 91. Choi CW, Choi JW, Youn SW. Subjective facial skin type, based on the sebum related symptoms, can reflect the objective casual sebum level in acne patients. Ski Res Technol. 2013;19(2):176–82.
 92. Oriogu CD, Subair RE, Oriogu-Ogbuiyi DC. Use of internet health information resources and information seeking behaviour among health professionals in federal medical center, Abuja. Libr Philos Pract. 2017;2017(1).
 93. Song H, Omori K, Kim J, Tenzek KE, Hawkins JM, Lin WY, et al. Trusting social media as a source of health information: Online surveys comparing the United States, Korea, and Hong Kong. J Med Internet Res. 2016;18(3):1–12.
 94. Park TH, Kim W Il, Park S, Ahn J, Cho MK, Kim S. Public Interest in Acne on the Internet: Comparison of Search Information from Google Trends and Naver. J Med Internet Res. 2020;22(10):1–10.
 95. Sachar M, Xiong M, Lee KC. Consumer preferences of top-rated over-the-

- counter acne treatment products: a cohort study. *Arch Dermatol Res* [Internet]. 2021;(June 2019). Available from: <https://doi.org/10.1007/s00403-021-02230-1>
- 96. Chen W, He M, Xie L, Li L. The optimal cleansing method for the removal of sunscreen: Water, cleanser or cleansing oil? *J Cosmet Dermatol*. 2020;19(1):180–4.
 - 97. Levin J. The Relationship of Proper Skin Cleansing to Pathophysiology, Clinical Benefits, and the Concomitant Use of Prescription Topical Therapies in Patients with Acne Vulgaris. *Dermatol Clin* [Internet]. 2016;34(2):133–45. Available from: <http://dx.doi.org/10.1016/j.det.2015.11.001>
 - 98. Hastuti R, Mustifah EF, Alya I, Risman M, Mawardi P. The effect of face washing frequency on acne vulgaris patients. *J Gen Dermatology Venereol Indones*. 2019;3(2):35–40.
 - 99. Choi YS, Suh HS, Yoon MY, Min SU, Kim JS, Jung JY, et al. A study of the efficacy of cleansers for acne vulgaris. *J Dermatolog Treat*. 2010;21(3):201–5.
 - 100. Choi JM, Lew VK, Kimball AB. A single-blinded, randomized, controlled clinical trial evaluating the effect of face washing on acne vulgaris. *Pediatr Dermatol*. 2006;23(5):421–7.
 - 101. Draelos ZD. The science behind skin care: Cleansers. *J Cosmet Dermatol*. 2018;17(1):8–14.
 - 102. Tetali B, Fahs FM, Mehregan D. Popular over-the-counter cosmeceutical ingredients and their clinical efficacy. *Int J Dermatol*. 2020;59(4):393–405.
 - 103. Lyons AB, Moy L, Moy R, Tung R. Circadian rhythm and the skin: A review of the literature. *J Clin Aesthet Dermatol*. 2019;12(9):42–5.
 - 104. Draelos ZD. Revisiting the Skin Health and Beauty Pyramid: A Clinically Based Guide to Selecting Topical Skincare Products. *J Drugs Dermatol*. 2021;20(6):695–9.
 - 105. Barros BS, Zaenglein AL. The Use of Cosmeceuticals in Acne : Help or Hoax ? *Am J Clin Dermatol*. 2017;18(2):159–63.
 - 106. Wohlrab J, Kreft D. Niacinamide-mechanisms of action and its topical use in dermatology. *Skin Pharmacol Physiol*. 2014;27(6):311–5.
 - 107. Wang YH, Avonto C, Avula B, Wang M, Rua D, Khan IA. Quantitative determination of α -arbutin, β -arbutin, kojic acid, nicotinamide, hydroquinone, resorcinol, 4-methoxyphenol, 4-ethoxyphenol, and ascorbic acid from skin whitening products by HPLC-UV. *J AOAC Int*. 2015;98(1):5–12.
 - 108. Iliopoulos F, Sil BC, Monjur Al Hossain ASM, Moore DJ, Lucas RA, Lane ME. Topical delivery of niacinamide: Influence of neat solvents. *Int J Pharm*. 2020;579(February).
 - 109. Davies MA. Salicylic acid deposition from wash-off products: Comparison of in vivo and porcine deposition models. *Int J Cosmet Sci*. 2015;37(5):526–31.
 - 110. Pullar JM, Carr AC, Vissers MCM. The roles of vitamin C in skin health. *Nutrients*. 2017;9(8).

111. Iskandar. Statistik Pendidikan. Media Akademi. 2022. 1–353 p.
112. Sugiyono. Statistika Untuk Penelitian. Vol. 12, Statika Untuk Penelitian. 2007. p. 1–415.
113. Sugiyono D. Metode Penelitian Kuantitatif, Kualitatif, dan Tindakan. 2013. 189–190 p.

