INTERNATIONAL JOURNAL OF PROGRESSIVE SCIENCES AND **TECHNOLOGIES**

<u>Journal Help</u>
ANNOUNCEMENTS ATOM 1.0
CURRENT ISSUE ATOM
USER Username Password Remember me Login
JOURNAL CONTENT Search Search Scope All
Browse By Issue By Author By Title
NOTIFICATIONS

HOME **ABOUT ANNOUNCEMENTS** ABSTRACTING

Home > Vol 42, No 2 (2024)

LOGIN REGISTER CALL FOR REVIEWERS ##PUBLICATION FEES##

SEARCH CURRENT PAPER SUBMISSION

ARCHIVES INDEXING &

ISSN:2509-0119

ISSN-L: 2509-0119

ResearcherID: J-1399-

2016

DOI: 10.52155

International Journal of Progressive Sciences and Technologies

International Journal of Progressive Sciences and Technologies (IJPSAT, ISSN:2509-0119) is an open access, peer-reviewed, multidisciplinary, and online journal. IJPSAT aims to contribute to the constant scientific research and training, so as to promote research in different fields of basic and applied sciences.

The Journal welcomes the submission of manuscripts that meet the general criteria of significance and scientific excellence in all the fields of basic and applied sciences. Submitted articles must not have been previously published or be currently under consideration for publication any place else and should report original unpublished research results. All research articles, review articles, short communications and technical notes are pre-reviewed by the editor, and if appropriate, sent for blind

The Journal covers topics including (but not limited to):

Aeronautical/Aerospace Engineering, Agronomy, Intelligent Engineering Informatics, Gas Anthropology, Architecture, Astronomy, Automation Engineering, Automotive Engineering, Engineering, Geotechnical Engineering, Linguistics, Biochemistry, Biological & Biosystems Engineering, Management, Manufacturing Engineering, Marine Biology, Biomechanical & Biomedical Engineering, Engineering, Materials Engineering, Mathematics, Botany, Ceramic Engineering, Chassis Engineering, Measurement Science, Mechanical Engineering, Chemistry, Civil Engineering, Communication Engineering, Complexity in Applied Science and Engineering, Computational Science and Engineering, Computer Aided Engineering and Technology, Computer Applications in Technology, Computer Sciences, Continuing Engineering Education and Life-Long Learning, Control Theory, Petroleum Engineering, Philosophy, Physics, Data Mining and Bioinformatics, Design Engineering, Economics, Education, Electromechanical System Engineering, Electronic Network, Sociology, Soft-Computing and and Electrical Engineering, Energy, Engineering, Embedded Systems, Environmental Engineering, Food Engineering, Forensic Engineering, Forestry Engineering, Humanities, Industrial Engineering, Information Systems and Management, Instrumentation Engineering, , Zoology.

Engineering, Geography, Geology, Geometrics Mechatronics, Medicine, Metallurgical Engineering, Micro engineering, Military Sciences, Mineral & Metallurgical Engineering, Mining Engineering, Model Engineering, Nanoscience, Natural Sciences, Naval Architectural Engineering, Nuclear Engineering, Ocean Engineering, Oil Engineering, Political Science, Process Systems Engineering, Production Engineering, Psychology, Sensor Engineering Education, Software Engineering, Sound Engineering, Statistics, Strategic Engineering Asset Management, Structural Engineering, Telecommunications, Textile Engineering, Transportation, Water Resource Engineering, Agricultural Engineering, Agricultural Machinery, Soil Sciences.







Impact Factor:

ICV = 82.40

SJIF = 7.019

IFSIJ = 7.625

FONT SIZE A A

INFORMATION

Subscribe

- For Readers For Authors
- For Librarians

KEYWORDS

Antananariyo COVID-19 Competence Covid-19 Development Evaluation Flood discharge Gender HEC-

The manuscript number will be mailed to corresponding author within 24 hours after submission. The reviewing process will be completed within one week. The manuscripts will be published online 2 days 2/7/24, 8:33 AM Vol 39, No 1 (2023)

INTERNATIONAL JOURNAL OF PROGRESSIVE SCIENCES AND TECHNOLOGIES



2/7/24, 8:33 AM Vol 39, No 1 (2023)

RAS program IDF curve
Initial Ability Madagascar PBL
Pandemic Performance
Productivity The Buah river
Validity innovation mobilité
population.

Etude De Mécanisme d'Adsorption Du Colorant d'Indigo Carmin (IC) Sur Du Charbon Actif A Base De Coques De Noix De Coco (CACC) Randrianantoandro Tahina Lalaina, Herizo Ramanantsoa	PDF 127-135	IJIFM = 7.36
<u>Utilization Of Geographic Information Systems (SIG) In Mapping Rivers As</u> <u>Alternative Transportation Routes In Jakarta</u> Endi Khairuman, Sovian Aritonang, Sjafrie Sjamsoeddin, Ade Bagdja	PDF 136-145	Indexing & Abstracting
Analyzing The Ecotourism Impact Of The Mangrove Forest On The Welfare Of Kampung Nelayan In Langsa City Muhammad Fauzan, T Sabrina, Satia Negara Lubis, Arga Lubis	PDF 146-153	R
<u>Analysis Of Beef Cattle Agribusiness In Deli Serdang Regency</u> Cindy Ainunnisa Siregar, Ma'ruf Tafsin, Sinar Indra Kesuma, Arga Lubis	PDF 154-163	doi
<u>Subsurface Model Of Mt. Sinabung Using The GGM-Plus Satellite Gravity Data</u> <u>And Deconvolution Euler</u> Dedy Kurnianta Sembiring, Rina Dwi Indriana, Tony Yulianto	PDF 169-176	ref
Minor Losses Of Cone Segments Insertion Into Single Loop Thermoacoustic Engine Model Nurpatria Nurpatria, Agus Dwi Catur	PDF 177-183	Cross
Attitudes Des Femmes Allaitantes A La Survenue D'une Nouvelle Grossesse Dans La Zone De Sante Rurale De Karawa Au Secteur De Karawa Eugène MOLASO EKOMBE, Dina IPOLO MADELEINE, Denis NGANZO BONGO, Neper MOLEMBA BUNDA, Ruth EUZA, Léon SHONGO ONASAKA	184-192	
Conflits Collectifs aux Cliniques Universitaires de Kinshasa LUSALA MUANDA André, MASIMANGO GASHA Christophe, KASONGO MUNGONGO Emanuel, SHONGO ONASAKA Léon, BASHONA CIMANUKA André, KASULU ISIYA Denise, Mpembele Bernard	PDF 193-203	Scholar See
<u>Epidemiological Prevalence Of Viral Hepatitis And HIV Infection Among Volunteer Blood Donors In Kinshasa</u> Lucie Mawasengo Kiezo, JP Basilua kanza, Albert Bushabu, Shongo Onasaka Léon	PDF 204-209	RESEARCHERID
Facteurs Associes A L'Emergence De L'Epidémie De La Rougeole Dans La Zone De Sante D'Oicha Mumbere Mukemay Munene, Kambale Isemighambo Anaclet, Kakule Muyonga Isaac, SHONGO ONASAKA Léon	PDF 210-217	publons
Increasing the Value of Palaniezz MSMEs Products Through Re-Branding and Digital Marketing Volika Sinci Sari, Wahyu Budi Priatna, Willy Bachtiar, Bayu Suriaatmaja Suwanda, Vivien Febri Astuti, Harries Marithasari, Hudi Santoso, Heryudianto Vibowo, Faranita Ratih Listiasari	<u>PDF</u> 218-225	
Contribution A L'Etude Des Briques De Terre Comprimées Et Stabilisées Par Le Mélange Chaux — Ciment Sur La Satisfaction Des Occupants Dans Les Résidences Modernes Durables Naturellement Ventilées En Zone Tropicale « Cas De L'Île De Madagascar » RAHARINIERANA Hantaniaina, RAVALINIAINA Kantonieràna Miravo Finarit, RAMAROSON Jean de Dieu, ANDRIANARY Philippe Antoine	<u>PDF</u> 226-234	INDEX COPERNICUS
Utilization of Communication Information Technology in the Development of Smart Villages Abung Supama Wijaya, Pudji Muljono, Amiruddin Saleh, Dwi Retno Hapsari	<u>PDF</u> 235-247	PKP INDEX
The Impact of Accelerated Development on Air Pollution in Indonesia Faradiba Faradiba	<u>PDF</u> 248-256	
Earnings Quality and Firm Performance: Exploring the Moderating Role Managerial Ability Fluturim Saliu, Muhammad Tagi	<u>PDF</u> 257-270	WorldCat [*]
The Influence of Brand Image, Electronic Word of Mouth, and Celebrity Endorser on Purchasing Decisions of Eiger Daypack in Bekasi Sudarmadji Sudarmadji	<u>PDF</u> 271-274	OCTC.
Contamination Des Laits Importes Au Mali Par La Melamine	PDF	

INTERNATIONAL JOURNAL OF PROGRESSIVE SCIENCES AND **TECHNOLOGIES**

Jour<u>nal Help</u> **ANNOUNCEMENTS CURRENT ISSUE** USER Usernam Password

JOURNAL CONTENT

Search Scope

Remember me

Search Browse

Login

Search

- By Issue
- By Author By Title

NOTIFICATIONS

- View
- Subscribe

FONT SIZE

INFORMATION

- For Readers
- For Authors For Librarians

KEYWORDS

Antananarivo COVID-19 Competence Covid-19 Development Evaluation Flood discharge Gender HEC-

HOME **ABOUT ANNOUNCEMENTS** ABSTRACTING

LOGIN REGISTER CALL FOR REVIEWERS ##PUBLICATION FEES##

SEARCH CURRENT PAPER SUBMISSION

ARCHIVES

INDEXING &

Home > Indexing & Abstracting

Indexing & Abstracting



Google Scholar is a freely accessible web search engine that indexes the full text or metadata of scholarly literature across an array of publishing formats and disciplines. Released in beta in November 2004, the Google Scholar index includes most peer-reviewed online academic journals and books, conference papers, theses and dissertations, preprints, abstracts, technical reports, and other scholarly literature, including court opinions and patents. While Google does not publish the size of Google Scholar's database, scientometric researchers estimated it to contain roughly 389 million documents including articles, citations and patents making it the world's largest academic search engine in January 2018. Previously, the size was estimated at 160 million documents as of May

2014. An earlier statistical estimate published in PLOS ONE using a Mark and recapture method estimated approximately 80-90% coverage of all articles published in English with an estimate of 100 million. This estimate also determined how many documents were freely available on the web.



ResearcherID is a TR solution to the author ambiguity problem ublons within the scholarly research community. Each member is assigned a unique identifier to enable researchers to manage their publication lists, track their times cited counts and h-index,

identify potential collaborators and avoid author misidentification. In addition, the ResearcherID information integrates with the Web of Science and is ORCID compliant, allowing you to claim and showcase your publications from a single one account. Search the registry to find collaborators, review publication lists and explore how research is used around the world!



WorldCat is the world's largest network of library content and services. WorldCat ulibraries are dedicated to providing access to their resources on the Web, where most WorldCat people start their search for information.



OCLC, a global library cooperative, supports thousands of libraries in making information more accessible and more useful to people around the world.

ISSN:2509-0119

ISSN-L: 2509-0119

ResearcherID: J-1399-

2016

DOI: 10.52155







Impact Factor:

ICV = 82.40

SJIF = 7.019

IFSIJ = 7.625

Indexing & Abstracting

RAS program IDF curve Initial Ability Madagascar PBL Pandemic Performance Productivity The Buah river Validity innovation mobilité population.



Academic ResearchBib is open access with high standard indexing database for researchers and publishers. Research Bible may freely index journals, research papers, call for papers, research position.

IJIFM = 7.36

Indexing & Abstracting





The LOCKSS Program, based at Stanford University Libraries, provides libraries and publishers with award-winning, low-cost, open source digital preservation tools to preserve and provide access to persistent and authoritative digital content.

The PKP Index is a database of articles, books, and conference PKP INDEX proceedings using PKP's free, open source Open Journal Systems, Open PKP INDEX Monograph Press, and Open Conference Systems software applications. The PKP Index includes 394230 records indexed from 1495 publications.





The ICI World of Journals gathers information regarding scientific journals from various sources. Thus, we share comprehensive information regarding the scope of journals' activity, editorial offices and articles published by the scientific journals. International journals from all over the world may register in the ICI World of Journals - a dedicated system has been made available to manage the Journal's Passport.





The CiteFactor server provides indexing of major international journals and proceedings. Author can get information about international journal impact factor, proceedings (research papers) and information on upcoming events. All the journal pages have pointers to Web pages of the publishers which are integrated into the CiteFactor stream pages.












is Journals metadata archive... To improve the accuracy of searching within the Indexed Journals System, authors have been Indexed Journalsasked to index their work, where applicable, by discipline(s), topics, genre, method, coverage, and sample. This allows you to search for "empirical" versus "historical" studies, for example,

under "index terms." You can also view a document's index terms by selecting the complete record from among the search results.

INDEX (COPERNICUS

I A T I I N A T I U N A L





Vol. 39 No. 1 June 2023, pp. 248-256

The Impact of Accelerated Development on Air Pollution in Indonesia

Faradiba Faradiba 1*

¹ Department of Physics Education, Universitas Kristen Indonesia Jl. Mayjen Sutoyo No. 2,

Cawang-Jakarta 13630, Indonesia



Abstract – Development is the result achieved from sustainable government policy efforts. The government is responsible for planning and implementing policies to increase people's welfare and improve infrastructure and the economic sector. Instead of producing the expected positive impacts, development often has adverse side effects for society and the environment. This study aimed to determine the impact of development in rural areas on air pollution. The data used in this research is Village Development Index data for 2018. Apart from that, this research also uses several variables from the 2018 Village Potential data collection results. The method used in this research is the Instrumental Variable (IV) method. The results obtained in this study, namely development in independent villages, still have residuals and have an impact on air pollution. Support is needed from the government through regulations and companies through obedience to pay attention to environmental conditions so that the survival of living things is maintained.

Keywords - Development, Air Pollution, Instrumental Variable.

SSN:2509-0119

I. INTRODUCTION

Development is the result achieved from sustainable government policy efforts. The government is responsible for planning and implementing policies to increase people's welfare and improve infrastructure and the economic sector. This policy covers various fields, such as physical, social, and economic development. To achieve sustainable development, the government must consider multiple aspects such as community needs, available resources, and possible environmental impacts [1], [2]. Successful development creates a better environment for people, with adequate infrastructure, sufficient employment opportunities, and better access to public services. [3], [4].

Instead of producing the expected positive impacts, development often has adverse side effects for society and the environment. Even though growth has noble goals, such as improving the quality of life and the economy, essential aspects, such as environmental Sustainability and social welfare, are often neglected. Poorly planned development projects can cause severe ecological damage, including deforestation, land degradation, and air and water pollution [5]–[7]. In addition, communities living around development projects often experience adverse impacts such as forced evictions, loss of traditional livelihoods, and unwanted socio-cultural changes. These harmful residues can have long-term consequences and are difficult to repair [8]–[10].

The impact often arises from development is pollution, including air, water, and soil pollution [11]–[13]. Rapid growth is often accompanied by increased energy use and industrial production, resulting in greenhouse gas emissions and pollutant particles in the air. This air pollution can cause public health problems, such as respiratory problems, eye irritation, and an increased risk of serious illness [14]–[16]. In addition, development often results in water pollution through industrial effluents, intensive agriculture, and inadequate sewage systems. Water pollution can contaminate freshwater sources and threaten aquatic life and the health of humans who depend on this water. In addition, development can also cause soil pollution through uncontrolled waste

disposal and the use of hazardous chemicals. Soil contamination can damage soil fertility, contaminate groundwater, and endanger human health through contamination of food and drinking water [17], [18].

Air pollution results from an accumulation of water and soil pollution, which contribute to poor air quality [19]. Water pollution can be released into rivers, lakes, or seas by removing industrial, agricultural, and domestic waste. Hazardous chemicals and nutrients dissolved in water can evaporate into the air and become part of air pollution. In addition, solid waste that is not managed correctly can also produce particles carried by the wind and cause air pollution. Soil pollution also plays an essential role in air pollution because it can cause soil and water contamination, affecting air quality. For example, excessive use of pesticides and agricultural chemicals can cause dirt and water pollution, impacting air quality. In addition, burning garbage or contaminated organic matter in landfills can also produce toxic gases and particles that pollute the air.

II. DATA AND METHODOLOGY

The data used in this research is Village Development Index data for 2018. Apart from that, this research also uses several variables from the 2018 Village Potential data collection results. The method used in this research is the Instrumental Variable (IV) method. Method IV is used because the model has endogeneity problems [20], [21]. The instrumental variable method is used to handle this situation by using the instrumental variable. Instrumental variables are variables that affect the independent variable but do not have a direct influence on the dependent variable except through the independent variable itself. We can obtain unbiased estimates for the causal relationship between the independent and dependent variables using instrumental variables. This method assumes that instrumental variables fulfill two essential conditions: first, the instrumental variables must have a significant correlation with the independent variables; second, the instrumental variable may not have a direct relationship with the dependent variable other than through the independent variable.

The dependent variable in this study is air pollution, and the variable of interest is a village with an independent development category. This study used the GDP per capita, the status of underdeveloped areas, and the IPD value in the previous year as instrument variables.

The equation in the first stage (first stage) of regression with the instrumental variable research model can be written as follows:

$$kat_ipd_mandiri_{l,t} = \beta_0 + \beta_1 pdrb_{kap} + \beta_2 desa_{tertinggal} + \beta_3 d_ipd + \beta_n X_{l,t} + \mu_{l,t}$$

With *kat_ipd_mandiri* is a village with independent development status, pdrb_kap is the average per capita GDP using district/city GDP values, desa_tertinggal is village status based on district status that has been stipulated by the Ministry of Villages, Development of Disadvantaged Regions, and Transmigration, and d_ipd is the value of changes in IPD compared to the previous year, followed by other control variables.

The model that will be formed in this study is as follows:

$$cemar_udara_{i,t} = \beta_0 + \beta_1 \ kat_ip\widehat{d_m} and iri_{i,t} + \beta_n \ X_{i,t} + \mu_{i,t}$$

With cemar udara is the status of air pollution in the village, followed by other control variables.

III. RESULTS AND DISCUSSION

In the early stages of the regression, it is known that most of the interest variables and control variables have a significant influence on villages that are in the independent category. Underdeveloped village status has a negative and significant effect on village development. Factors that cause villages to lag, such as limited access to resources, minimal infrastructure, and low levels of education, affect the ability of towns to achieve economic growth, improve people's quality of life, and improve public services [22]–[24]. When a village experiences underdeveloped conditions, this impacts hampering village development.

Village development has a significant role in the development of a country. Villages are the starting point of the development process and form the foundation for broader development at the national level. In village development, various aspects of community life, such as infrastructure, education, health, agriculture, and the economy, are empowered to achieve sustainable progress. Through village development, the government can reduce the disparity between urban and rural areas, improve villagers' quality of life, and create sustainable employment opportunities. In addition, village development also contributes to improving

the country's economy as a whole because developed villages will become a strong resource for national economic growth. [25]–[27].

An independent village is the hope and aspiration of every regional development effort. The concept of a separate village emphasizes the importance of community empowerment at the local level, where the village can manage resources and meet the needs of its population independently. In an independent village, the community can participate in decision-making, planning, and implementing development programs according to local needs and potential. Apart from that, separate villages also prioritize improving the quality of human resources, developing the local economy, and increasing access to basic infrastructure such as clean water, electricity, and education. Through an independent village, it is hoped that the community can overcome development challenges independently, build Sustainability, and improve the welfare of local communities [28]–[30]. Thus, an independent village is essential to achieving inclusive and sustainable development goals.

Table 1. First Stage Regression Effect of Independent Village Development on Air Pollution

Number of obs	=	75,436
F(17, 75418)	=	105.58
Prob > F	=	0.0000
R-squared	=	0.0232
Adj R-squared	=	0.0230
Root MSE	=	0.2591

kat_ipd_mandiri	Coef.	Std. Err.	t	P> t	[95% Conf.	Interval]
cemar_air	.0054479	.0024978	2.18	0.029	.0005522	.0103436
cemar_tanah	.0050105	.0060474	0.83	0.407	0068425	.0168635
lok_hut	0059986	.0022976	-2.61	0.009	0105019	0014954
mata_air	.013503	.0022307	6.05	0.000	.0091307	.0178752
pemukiman_kumuh	.0233609	.0042898	5.45	0.000	.0149529	.0317689
reboisasi_masy	.0301171	.0023258	12.95	0.000	.0255585	.0346758
bakar_ladang	0336204	.0021616	-15.55	0.000	0378573	0293836
lok_gali	.0014763	.0023048	0.64	0.522	0030412	.0059937
spu						
2	0236521	.0124516	-1.90	0.057	0480572	.000753
3	.0688668	.0058656	11.74	0.000	.0573702	.0803633
4	.0256855	.0054394	4.72	0.000	.0150243	.0363467
5	0086261	.0366748	-0.24	0.814	0805086	.0632564
6	.0311763	.0066942	4.66	0.000	.0180557	.044297
7	.0345318	.0116635	2.96	0.003	.0116713	.0573923
pdrb kap	0005563	.0026199	-0.21	0.832	0056914	.0045787
tertinggal	0479842	.0023886	-20.09	0.000	052666	0433025
d ipd	.0002973	.0000923	3.22	0.001	.0001164	.0004781
_cons	.0824759	.0017263	47.78	0.000	.0790923	.0858595

Note:

Dependent variable: kat_ipd_mandiri: a village with independent development status

Independent variables: cemar_air: the level of water pollution in the village

cemar_tanah: the quality of soil pollution in the village

lok hut: the existence of the town in the forest area

mata_air: the presence of springs

pemukiman_kumuh : existence of slums

reboisasi masy: community reforestation culture

bakar_ladang : field burning lok gali: excavation site

spu: the primary source of income (1 is agriculture)

pdrb_kap: the average per capita GDP using district/city GDP values

tertinggal: village status based on district status that has been stipulated by the Ministry of Villages, Development of Disadvantaged Regions, and Transmigration

d_ipd: the value of changes in IPD compared to the previous year

Table 2. Instrumental Variable Effect of Independent Village Development on Air Pollution

Instrumental variables (2SLS) regression Number of obs =

Wald chi2(15) = 3985.06Prob > chi2 = 0.0000R-squared = .

75,436

Root MSE = .40689

cemar_udara	Coef.	Std. Err.	z	P> z	[95% Conf.	Interval]
kat_ipd_mandiri	1.119408	.0772379	14.49	0.000	.9680249	1.270792
cemar_air	.12416	.0039727	31.25	0.000	.1163736	.1319464
cemar_tanah	.294055	.0094983	30.96	0.000	.2754386	.3126713
lok_hut	0125099	.0036869	-3.39	0.001	019736	0052838
mata_air	0094778	.0036627	-2.59	0.010	0166567	002299
pemukiman_kumuh	.0180576	.0069741	2.59	0.010	.0043886	.0317267
reboisasi_masy	023248	.0043959	-5.29	0.000	0318637	0146323
bakar_ladang	.0409539	.0047882	8.55	0.000	.0315691	.0503386
lok_gali	.0160493	.0036178	4.44	0.000	.0089585	.0231401
spu						
2	.023041	.0195698	1.18	0.239	0153151	.0613971
3	.0821791	.0107738	7.63	0.000	.0610629	.1032953
4	.0072042	.0087938	0.82	0.413	0100313	.0244398
5	.0880358	.0576004	1.53	0.126	024859	.2009306
6	0139283	.0108107	-1.29	0.198	0351168	.0072602
7	0119369	.0185409	-0.64	0.520	0482763	.0244025
_cons	0221194	.0064403	-3.43	0.001	0347421	0094966

Instrumented: kat_ipd_mandiri

Instruments: cemar_air cemar_tanah lok_hut mata_air pemukiman_kumuh

reboisasi_masy bakar_ladang lok_gali 2.spu 3.spu 4.spu 5.spu

6.spu 7.spu pdrb_kap tertinggal d_ipd

Development hurts air pollution. In addition, water pollution also affects air pollution. Air pollution is a side effect of water and air pollution. Water pollution can cause an unpleasant odor, so it will cause air pollution when it evaporates. Villages located around forest areas have a negative coefficient on the formation of air pollution. These results are in line with findings from previous studies [31]. This is due to several factors contributing to better air quality in such villages. First, forests as a protective layer can function as a natural filter that absorbs pollutants and improves air quality before reaching villages. In addition, forests also play a role in maintaining air humidity and producing oxygen through photosynthesis, which contributes to cleaner and

The Impact of Accelerated Development on Air Pollution in Indonesia

fresher air. Furthermore, villages around forest areas usually have less human activity than urban or industrial areas, resulting in lower pollutant emissions. While these villages may have local sources of emissions, such as burning biomass for cooking or heating homes, the impacts tend to be more localized and less massive in more densely populated areas.

The regression results above show that the presence of springs indicates low air pollution. Springs are often located in areas far from industrial and motor vehicle pollution, the primary sources of air pollution. The water that flows from springs is usually clean and clear, indicating that the surrounding air is relatively free of pollutants that can contaminate the water. In addition, springs are also often surrounded by lush vegetation and unspoiled nature, which can function as a natural filter and improve the air quality around it. The existence of well-maintained springs in an area can illustrate that the surrounding environment has good air quality and minimal air pollution.

Slum settlements are known to have poor results on air pollution. In slum settlements, there is usually a dense population with a high density of buildings. This causes high human activity in transportation, the home industry, and the intensive burning of fossil fuels, such as firewood or kerosene. These activities result in the emission of particulates, toxic gases, and greenhouse gases that can pollute the air. In addition, in slum settlements, the lack of sanitation infrastructure and waste management often results in air pollution in the form of unpleasant odors and particulate matter from solid waste that is not treated correctly. The lack of green open space and plants in slums also reduces the natural ability to filter pollutants and improve air quality.

Community reforestation has a good effect on air pollution. Through reforestation activities, communities are active in replanting trees in degraded or affected areas [32]. In photosynthesis, the trees absorb carbon dioxide (CO2) from the air and produce oxygen (O2), which improves air quality. With more trees, CO2 emissions can be reduced, and the atmosphere can be more balanced. In addition, the forest planted by the community also functions as a natural filter, filtering particulate matter and other pollutants from the air. The leaves and branches of trees catch wind-borne particles, reducing the level of air pollution around them. Community reforestation also provides social and economic benefits, such as protecting wildlife habitat, managing water, and improving the economic welfare of local communities.

Field burning has a lousy role in air pollution. Burning fields generally involves burning plant mass and crop residues on agricultural land as part of soil preparation or land-clearing activities. When areas burn, harmful gases and particles are released into the atmosphere. The resulting emissions include carbon monoxide (CO), nitrogen dioxide (NO2), sulfur dioxide (SO2), delicate particulate matter (PM2.5), and volatile organic compounds (VOCs), all of which are air pollutants that have the potential to harm human health and the environment. In addition, burning fields also contribute to an increase in greenhouse gases, such as carbon dioxide (CO2) and methane (CH4), which can exacerbate global climate change. The negative impact of field burning on air quality can spread to surrounding areas and result in significant air pollution.

The existence of excavation sites can indicate the presence of air pollution. When quarrying activities such as mineral mining, construction, or quarrying, these processes can result in the emission of pollutants into the air. Quarrying often involves using heavy equipment, transport vehicles, and chemicals in extraction or construction processes. Emissions generated include particulates, dust, toxic gases, and greenhouse gases that can pollute the surrounding air. Air pollution from excavation sites can occur either directly or indirectly. At the mining stage, explosions or blasting can produce dust and particles floating in the air. In addition, using explosives and chemicals in mining or construction processes can produce toxic gases such as sulfur dioxide (SO2) or nitrogen dioxide (NO2). If not handled properly, air pollution from excavation sites can reach great distances and affect the surrounding air quality.

Table 3. OLS Regression The Effect of Independent Village Development on Air Pollution

Source		SS	df		MS	Number	of obs	=	75,436		
						F(14, 7	75421)	=	354.68		
Model	4	433.461818	14	30.	9615584	Prob >	F	=	0.0000		
Residual	6	5583.81084	75,421	.08	37294133	R-squar	red	=	0.0618		
								Adj R-s	squared	=	0.0616
Total	7	7017.27265	75,435	.093024096		Root MS	SE	=	.29546		
cemar_udar	a	Coef.	Std. E	rr.	t	P> t	[95%	Conf.	Interval]		
kat_ipd_mandir	i	.0272433	.0041	41	6.58	0.000	.019	1271	.0353596		
cemar_tana	h	.3634672	.00675	01	53.85	0.000	.3502	2371	.3766974		
lok_hu	t	0301072	.00257	62	-11.69	0.000	0352	1565	0250578		
mata_ai	r	.004528	.00253	27	1.79	0.074	0004	4361	.0094922		
pemukiman_kumu	h	.0661079	.00486	95	13.58	0.000	.0565	5638	.0756521		
reboisasi_mas	У	.0128557	.00265	12	4.85	0.000	.0076	5594	.0180521		
bakar_ladan	g	0094359	.00236	32	-3.99	0.000	0140	9678	004804		
lok_gal	i	.0218377	.00262	41	8.32	0.000	.0166	5945	.026981		
sp	u										
. 2		.0461708	.01415	73	3.26	0.001	.0184	1226	.073919		
3		.1917323	.00664	28	28.86	0.000	.1787	7124	.2047522		
4		.05464	.00618	96	8.83	0.000	.0425	5085	.0667715		
5		.0843087	.04182	14	2.02	0.044	.0023	3391	.1662784		
6	,	.034675	.00762	19	4.55	0.000	.0197	7361	.0496138		
7	'	.0408767	.01329	82	3.07	0.002	.0148	3123	.0669411		
_con	s	.0828386	.00178	13	46.50	0.000	.0793	3472	.0863299		

Table 3 shows the results of the OLS regression. Method IV works well when the coefficient of method IV is higher than the OLS method. This result is due to method IV already being influenced by instrument variables. The results obtained from the IV and OLS methods are relatively the same, both in terms of direction and significance. Method IV uses instrument variables that do not directly correlate with endogenous variables to overcome endogeneity problems. Thus, the results obtained from method IV can be considered more credible in estimating the causal relationship between the independent and dependent variables. Although there are differences in the coefficients between the IV and OLS methods, the results obtained from the two ways are relatively the same in terms of direction and significance. This shows that the two approaches provide similar information regarding the effect of the independent variables on the dependent variable. Even so, remember that using the IV method does not always guarantee superiority compared to the OLS method, depending on the context and assumptions used. Therefore, in carrying out statistical analysis, it is essential to consider the advantages and limitations of each technique and ensure that the assumptions used are met to obtain valid and meaningful results.

The regression output in this research has been tested using classical assumptions to measure the validity of the resulting model. In research, the regression output is the main focus for measuring the validity of the resulting model. To ensure this validity, researchers have conducted a classic assumption test. The classical assumption test is a series of statistical tests used to verify whether the basic assumptions of linear regression are met. These assumptions include normality, homoscedasticity, and the absence of multicollinearity between the independent variables. By testing the classical hypotheses, researchers can evaluate whether the regression model used is by the observed data. If the classical assumptions are met, it can be said that the resulting regression model has good validity. However, if these assumptions are violated, the researcher needs to make adjustments or transform the data so that the model becomes more valid. Based on the classical assumption test, it is known that the model has a good model so that it can be interpreted and accounted for.

Table 4. Classical Assumption Test on the Regression Model of the Effect of Independent Village Development on Air Pollution

. swilk e

Shapiro-Wilk W test for normal data

Variable	0bs	W	V	z	Prob>z
embung	75,436	0.75119	6229.364	24.390	0.00000

Note: The normal approximation to the sampling distribution of W' is valid for 4<=n<=2000.

. estat hettest

Breusch-Pagan / Cook-Weisberg test for heteroskedasticity

Ho: Constant variance

Variables: fitted values of cemar_udara

chi2(1) = 6808.41Prob > chi2 = 0.0000

IV. CONCLUSION

Development is a process to achieve the progress of a country. Development needs to be guarded starting from the countryside because the development of rural areas is the upstream development of a nation. Based on the results of this study, development has a labor impact on air quality. Development often produces harmful effects that are often overlooked. Support is needed from the government through regulations and companies through obedience to pay attention to environmental conditions so that the survival of living things is maintained.

V. ACKNOWLEDGEMENT

This article is one of the results of the research "Exploration and Potential Development Impacts on Increasing Regional Temperatures in Efforts to Accelerate Village Development" which was funded by the Directorate General of Higher Education, Research and Technology (Ditjen Diktiristek) through the 2023 Research and Community Service Grant Program. The contents are fully the responsibility of the author.

REFERENCES

- [1] J. Oláh, N. Aburumman, J. Popp, M. A. Khan, H. Haddad, and N. Kitukutha, "Impact of Industry 4.0 on environmental sustainability," *Sustainability*, vol. 12, no. 11, p. 4674, 2020.
- [2] M. Ziolo, B. Z. Filipiak, I. Bąk, K. Cheba, D. M. Tîrca, and I. Novo-Corti, "Finance, sustainability and negative externalities. An overview of the European context," *Sustainability*, vol. 11, no. 15, p. 4249, 2019.
- [3] M. M. Abdeldayem and S. H. Aldulaimi, "Trends and opportunities of artificial intelligence in human resource management: Aspirations for public sector in Bahrain," *Int. J. Sci. Technol. Res.*, vol. 9, no. 1, pp. 3867–3871, 2020.
- [4] K. C. Desouza, G. S. Dawson, and D. Chenok, "Designing, developing, and deploying artificial intelligence systems: Lessons from and for the public sector," *Bus. Horiz.*, vol. 63, no. 2, pp. 205–213, 2020.
- [5] N. Ćurčić, U. Milinčić, A. Stranjancević, and M. Milinčić, "Can winter tourism be truly sustainable in natural protected areas?," *Zb. Rad. Geogr. instituta" Jovan Cvijić", SANU*, vol. 69, no. 3, pp. 241–252, 2019.
- [6] Q. B. Baloch et al., "Impact of tourism development upon environmental sustainability: A suggested framework for

- sustainable ecotourism," Environ. Sci. Pollut. Res., vol. 30, no. 3, pp. 5917-5930, 2023.
- [7] K. D. Holl and P. H. S. Brancalion, "Tree planting is not a simple solution," *Science* (80-.)., vol. 368, no. 6491, pp. 580–581, 2020.
- [8] J. Xu, H. Han, T. Ning, Z. Li, and R. Lal, "Long-term effects of tillage and straw management on soil organic carbon, crop yield, and yield stability in a wheat-maize system," *F. Crop. Res.*, vol. 233, pp. 33–40, 2019.
- [9] Y. Zhang *et al.*, "Control and remediation methods for eutrophic lakes in the past 30 years," *Water Sci. Technol.*, vol. 81, no. 6, pp. 1099–1113, 2020.
- [10] W. V Reid, M. K. Ali, and C. B. Field, "The future of bioenergy," Glob. Chang. Biol., vol. 26, no. 1, pp. 274–286, 2020.
- [11] F. O. Ajibade *et al.*, "Environmental pollution and their socioeconomic impacts," in *Microbe mediated remediation of environmental contaminants*, Elsevier, 2021, pp. 321–354.
- [12] P. O. Ukaogo, U. Ewuzie, and C. V Onwuka, "Environmental pollution: causes, effects, and the remedies," in *Microorganisms for sustainable environment and health*, Elsevier, 2020, pp. 419–429.
- [13] Z. Wei *et al.*, "A review on phytoremediation of contaminants in air, water and soil," *J. Hazard. Mater.*, vol. 403, p. 123658, 2021.
- [14] V. Van Tran, D. Park, and Y.-C. Lee, "Indoor air pollution, related human diseases, and recent trends in the control and improvement of indoor air quality," *Int. J. Environ. Res. Public Health*, vol. 17, no. 8, p. 2927, 2020.
- [15] N. A. Rosário Filho et al., "Air pollution and indoor settings," World Allergy Organ. J., vol. 14, no. 1, p. 100499, 2021.
- [16] J. Saini, M. Dutta, and G. Marques, "A comprehensive review on indoor air quality monitoring systems for enhanced public health," *Sustain. Environ. Res.*, vol. 30, no. 1, pp. 1–12, 2020.
- [17] S. P. Singh and M. K. Singh, "Soil pollution and human health," Plant Responses to Soil Pollut., pp. 205–220, 2020.
- [18] T. Münzel, O. Hahad, A. Daiber, and P. J. Landrigan, "Soil and water pollution and human health: what should cardiologists worry about?," *Cardiovasc. Res.*, vol. 119, no. 2, pp. 440–449, 2023.
- [19] M. Gavrilescu, "Enhancing phytoremediation of soils polluted with heavy metals," *Curr. Opin. Biotechnol.*, vol. 74, pp. 21–31, 2022.
- [20] M. Zahid, H. U. Rahman, M. Khan, W. Ali, and F. Shad, "Addressing endogeneity by proposing novel instrumental variables in the nexus of sustainability reporting and firm financial performance: A step-by-step procedure for non-experts," *Bus. Strateg. Environ.*, vol. 29, no. 8, pp. 3086–3103, 2020.
- [21] G. B. Sajons, "Estimating the causal effect of measured endogenous variables: A tutorial on experimentally randomized instrumental variables," *Leadersh. Q.*, vol. 31, no. 5, p. 101348, 2020.
- [22] H. Susanto and H. Akmal, "Migration and Adaptation of the Loksado Dayak Tribe (Historical Study of Dayak Loksado Community in Pelantingan Village)," in *2nd International Conference on Social Sciences Education (ICSSE 2020)*, 2021, pp. 5–10.
- [23] H. Sofyani, R. Atmaja, and S. B. Rezki, "Success factors of village-owned enterprises (BUMDes) performance in indonesia: An exploratory study," *J. Account. Invest.*, vol. 20, no. 2, pp. 44–58, 2019.
- [24] A. Hansen, "Self-settled rural refugees in Africa: the case of Angolans in Zambian villages," in *Involuntary Migration and Resettlement*, Routledge, 2019, pp. 13–35.
- [25] A. Karim, C. I. Musa, R. Sahabuddin, and M. Azis, "The Increase of Rural Economy at Baraka Sub-District through Village Funds," *The Winners*, vol. 22, no. 1, pp. 89–95, 2021.
- [26] Y. Li, H. Westlund, and Y. Liu, "Why some rural areas decline while some others not: An overview of rural evolution in the world," *J. Rural Stud.*, vol. 68, pp. 135–143, 2019.

The Impact of Accelerated Development on Air Pollution in Indonesia

- [27] Y. D. Wei, J. Lin, and L. Zhang, "E-commerce, taobao villages and regional development in China," *Geogr. Rev.*, vol. 110, no. 3, pp. 380–405, 2020.
- [28] D. Y. Maolani, "Strengthening Village and Village Government Towards Sustainable Development in the Framework of Increasing Community Welfare," *JISPO J. Ilmu Sos. dan Ilmu Polit.*, vol. 9, no. 2, pp. 36–48, 2019.
- [29] H. Maulida and W. Achmad, "Narrating the Implementation of Social Welfare Community Program.," *Rev. Int. Geogr. Educ. Online*, vol. 11, no. 5, 2021.
- [30] B. Subiyakto, J. Jumriani, E. W. Abbas, M. Muhaimin, and R. Rusmaniah, "Community Economic Empowerment Through The Existence of Thematic Village," *Innov. Soc. Stud. J.*, vol. 4, no. 1, pp. 1–10, 2022.
- [31] D. J. Kaczan, "Can roads contribute to forest transitions?," World Dev., vol. 129, p. 104898, 2020.
- [32] M. F. Rahman et al., "Locally led adaptation is key to ending deforestation," One Earth, vol. 6, no. 2, pp. 81–85, 2023.