

Lampiran 1. Format Surat Persetujuan Penelitian/*Informed Consent*

Bersama ini saya yang bertanda tangan dibawah ini:

Nama :

Umur :

Alamat :

Telepon :

Setelah mendapat penjelasan secukupnya dan mengerti manfaat penelitian tersebut dibawah ini dengan judul : “PROFIL PARASIT DAN JAMUR PADA TINJA ANAK”

Saya mengerti tujuan penelitian ini dan mengapa diminta untuk berpartisipasi. Semua pertanyaan yang saya ajukan telah dijawab oleh peneliti.

Saya mengerti bahwa keikutsertaan dalam penelitian ini bersifat sukarela dan setiap saat saya dapat mengundurkan diri dari penelitian.

Jakarta,.....

Yang memberi penjelasan

Yang menyetujui

()

()

Lampiran 2. Tabel *checklist* manifestasi klinis

[illegible]

Lampiran 3. Surat Komite Etik



Universitas Kristen Indonesia Fakultas Kedokteran

KOMISI ETIK PENELITIAN KEDOKTERAN
FAKULTAS KEDOKTERAN UNIVERSITAS KRISTEN INDONESIA

Keterangan Lolos Kaji Etik

Ethical Clearance

No.001/Etik Penelitian/FKUKI/2016

Panitia Tetap Penilai Etik Penelitian, Fakultas Kedokteran Universitas Kristen Indonesia yang beranggotakan:

No	Nama	Tanda Tangan
01	Dr. dr. Ago Harlim, MARS.,Sp.KK	
02	Prof. Dra. Rondang R. Soegianto, M.Sc.,Ph.D	
03	Prof. Dr. drh. Reviany Wijayakusuma, M.Sc.,AIF	
04	Eko Priyono, AMA.,ST	

dalam upaya melindungi hak asasi dan kesejahteraan subyek penelitian kedokteran, telah mengkaji dengan teliti pada tanggal: 13 Oktober 2016

Protokol berjudul:

Profil Parasit dan Jamur Pada Tinja Anak Yang di Rawat Inap di Rumah Sakit Universitas Kristen Indonesia.

Nama peneliti utama: Dr. dr. Forman Erwin Siagian, M.Biomed

Nama institusi: Fakultas Kedokteran Universitas Kristen Indonesia

Telah menyetujui protokol tersebut di atas.

Catatan:

Peneliti wajib menjaga kerahasiaan identitas subyek penelitian

Jakarta, 20 Oktober 2016
Ketua:

Dr. dr. Ago Harlim, MARS.,Sp.KK

● RENDAH HATI ● BERBAGI DAN PEDULI ● PROFESIONAL ● BERTANGGUNG JAWAB ● DISIPLIN

Jl. Mayjen Sutoyo no.2 Cawang - Jakarta 13630 INDONESIA Telp. 021.29362032, 29362033, 29362034 Fax. 021.29362038
E-mail: fk-uki@uki.ac.id Website: http://fk.uki.ac.id

Lampiran 4. Surat Izin Penelitian RS UKI



RUMAH SAKIT UMUM
UNIVERSITAS KRISTEN INDONESIA
Jl. Mayjen Soetoyo, Cawang Jakarta Timur 13630
Telp. : 8092317, 8092831, 8010523, 8010586 Fax. 8092445

Bank :
- BRI
- MANDIRI
- INA
- BCA

Jakarta, 30 November 2016

Nomor : 693/DIRUT/RSU UKI/11.2016
Lampiran : -
Perihal : Izin Penelitian

Kepada Yth :

dr. Forman Erwin Siagian, M.Biomed

di-

Tempat

Dengan hormat,

Menindaklanjuti permohonan izin Saudara untuk melakukan Penelitian Multi Departemen antara Departemen Parasitologi dengan Departemen Ilmu Kesehatan Anak FK UKI dengan judul "*Profil Parasit Dan Jamur Pada Tinja Anak Yang Dirawat Inap di RSU UKI*", maka dengan ini kami sampaikan bahwa Manajemen dan Komite Medik RSU UKI pada prinsipnya menyetujui pelaksanaan penelitian tersebut sesuai dengan ketentuan dalam proposal bahwa pasien atau keluarganya telah bersedia mengikuti penelitian dan mendapatkan penjelasan (informed consent) dari Saudara sebagai peneliti.

Demikian kami sampaikan, atas perhatian dan kerjasamanya kami ucapkan terima kasih.

Hormat kami

dr. Rosma Napitupulu, MARS
Direktur Utama

Tembusan :

1. Komite Medik RSU UKI
2. Kabid. Pendidikan & Penelitian RSU UKI
3. Kepala Instalasi Rawat Inap RSU UKI
4. Kepala SMF. Anak RSU UKI
5. Kepala Ruang Anggrek RSU UKI
6. Arsip

Lampiran 5. Data mentah

Uji Descriptives

Descriptive Statistics

	N	Minimum	Maximum	Mean	Std. Deviation
umur pasien	87	1	3	1,66	,644
jenis kelamin	87	1	2	1,48	,503
Infeksi	87	1	2	1,92	,274
status ekonomi	87	1	2	1,49	,503
Kebersihan Kuku Tangan	87	1	2	1,14	,347
Perilaku	87	1	2	1,22	,416
Tidur bersama keluarga	87	1	2	1,06	,234
Masih menggunakan MCK bersama	87	1	2	1,85	,359
Mencuci tangan setelah BAB dengan sabun	87	1	2	1,11	,321
Gatal didaerah anus	87	1	2	1,89	,321
Valid N (listwise)	87				

Uji Frequency

umur pasien

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1-5 tahun	38	43,7	43,7	43,7
6-10 tahun	41	47,1	47,1	90,8
11-15 tahun	8	9,2	9,2	100,0
Total	87	100,0	100,0	

jenis kelamin

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid Laki-Laki	45	51,7	51,7	51,7
Perempuan	42	48,3	48,3	100,0
Total	87	100,0	100,0	

Infeksi

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid Ya	7	8,0	8,0	8,0
Tidak	80	92,0	92,0	100,0
Total	87	100,0	100,0	

status ekonomi

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid Mampu	44	50,6	50,6	50,6
Tidak Mampu	43	49,4	49,4	100,0
Total	87	100,0	100,0	

Kebersihan Kuku Tangan

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid Baik	75	86,2	86,2	86,2
Buruk	12	13,8	13,8	100,0
Total	87	100,0	100,0	

Perilaku

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid Baik	68	78,2	78,2	78,2
Buruk	19	21,8	21,8	100,0
Total	87	100,0	100,0	

Tidur bersama keluarga

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Ya	82	94,3	94,3	94,3
	Tidak	5	5,7	5,7	100,0
	Total	87	100,0	100,0	

Masih menggunakan MCK bersama

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Ya	13	14,9	14,9	14,9
	Tidak	74	85,1	85,1	100,0
	Total	87	100,0	100,0	

Setelah BAB mencuci tangan pakai sabun

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Ya	77	88,5	88,5	88,5
	Tidak	10	11,5	11,5	100,0
	Total	87	100,0	100,0	

Gatal didaerah anus

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Ya	10	11,5	11,5	11,5
	Tidak	77	88,5	88,5	100,0
	Total	87	100,0	100,0	

Uji Chi Square

umur pasien * Infeksi Crosstabulation

			Infeksi		Total
			Positif	Negatif	
umur pasien	1-5 tahun	Count	3	35	38
		Expected Count	3,1	34,9	38,0
		% within Infeksi	42,9%	43,8%	43,7%
	6-10 tahun	Count	2	39	41
		Expected Count	3,3	37,7	41,0
		% within Infeksi	28,6%	48,8%	47,1%
	11-15 tahun	Count	2	6	8
		Expected Count	,6	7,4	8,0
		% within Infeksi	28,6%	7,5%	9,2%
Total	Count	7	80	87	
	Expected Count	7,0	80,0	87,0	
	% within Infeksi	100,0%	100,0%	100,0%	

Chi-Square Tests

	Value	df	Asymptotic Significance (2- sided)
Pearson Chi-Square	3,665 ^a	2	,160
Likelihood Ratio	2,731	2	,255
Linear-by-Linear Association	,749	1	,387
N of Valid Cases	87		

a. 3 cells (50,0%) have expected count less than 5. The minimum expected count is ,64.

jenis kelamin * Infeksi Crosstabulation

			Infeksi		Total
			Positif	Negatif	
jenis kelamin	Laki-Laki	Count	4	41	45
		Expected Count	3,6	41,4	45,0
		% within Infeksi	57,1%	51,2%	51,7%
	Perempuan	Count	3	39	42
		Expected Count	3,4	38,6	42,0
		% within Infeksi	42,9%	48,8%	48,3%
Total	Count		7	80	87
	Expected Count		7,0	80,0	87,0
	% within Infeksi		100,0%	100,0%	100,0%

Chi-Square Tests

	Value	df	Asymptotic Significance (2- sided)	Exact Sig. (2- sided)	Exact Sig. (1- sided)
Pearson Chi-Square	,090 ^a	1	,765	1,000	,539
Continuity Correction ^b	,000	1	1,000		
Likelihood Ratio	,090	1	,764		
Fisher's Exact Test					
Linear-by-Linear Association	,088	1	,766		
N of Valid Cases	87				

a. 2 cells (50,0%) have expected count less than 5. The minimum expected count is 3,38.

b. Computed only for a 2x2 table

status ekonomi * Infeksi Crosstabulation

			Infeksi		Total
			Positif	Negatif	
status ekonomi	Mampu	Count	1	43	44
		Expected Count	3,5	40,5	44,0
		% within Infeksi	14,3%	53,8%	50,6%
	Tidak Mampu	Count	6	37	43
		Expected Count	3,5	39,5	43,0
		% within Infeksi	85,7%	46,3%	49,4%
Total		Count	7	80	87
		Expected Count	7,0	80,0	87,0
		% within Infeksi	100,0%	100,0%	100,0%

Chi-Square Tests

	Value	df	Asymptotic Significance (2- sided)	Exact Sig. (2- sided)	Exact Sig. (1- sided)
Pearson Chi-Square	4,010 ^a	1	,045	,058	,051
Continuity Correction ^b	2,587	1	,108		
Likelihood Ratio	4,401	1	,036		
Fisher's Exact Test					
Linear-by-Linear Association	3,964	1	,046		
N of Valid Cases	87				

a. 2 cells (50,0%) have expected count less than 5. The minimum expected count is 3,46.

b. Computed only for a 2x2 table

Kebersihan Kuku Tangan * Infeksi Crosstabulation

			Infeksi		Total
			Positif	Negatif	
Kebersihan Kuku Tangan	Baik	Count	7	68	75
		Expected Count	6,0	69,0	75,0
		% within Infeksi	100,0%	85,0%	86,2%
	Buruk	Count	0	12	12
		Expected Count	1,0	11,0	12,0
		% within Infeksi	0,0%	15,0%	13,8%
Total		Count	7	80	87
		Expected Count	7,0	80,0	87,0
		% within Infeksi	100,0%	100,0%	100,0%

Chi-Square Tests

	Value	df	Asymptotic Significance (2- sided)	Exact Sig. (2- sided)	Exact Sig. (1- sided)
Pearson Chi-Square	1,218 ^a	1	,270	,586	,340
Continuity Correction ^b	,283	1	,595		
Likelihood Ratio	2,174	1	,140		
Fisher's Exact Test					
Linear-by-Linear Association	1,204	1	,273		
N of Valid Cases	87				

a. 1 cells (25,0%) have expected count less than 5. The minimum expected count is ,97.

b. Computed only for a 2x2 table

Perilaku * Infeksi Crosstabulation

			Infeksi		Total
			Positif	Negatif	
Perilaku	Baik	Count	5	63	68
		Expected Count	5,5	62,5	68,0
		% within Infeksi	71,4%	78,8%	78,2%
	Buruk	Count	2	17	19
		Expected Count	1,5	17,5	19,0
		% within Infeksi	28,6%	21,3%	21,8%
Total	Count		7	80	87
	Expected Count		7,0	80,0	87,0
	% within Infeksi		100,0%	100,0%	100,0%

Chi-Square Tests

	Value	df	Asymptotic Significance (2- sided)	Exact Sig. (2- sided)	Exact Sig. (1- sided)
Pearson Chi-Square	,202 ^a	1	,653	,644	,478
Continuity Correction ^b	,000	1	1,000		
Likelihood Ratio	,190	1	,663		
Fisher's Exact Test					
Linear-by-Linear Association	,200	1	,655		
N of Valid Cases	87				

a. 1 cells (25,0%) have expected count less than 5. The minimum expected count is 1,53.

b. Computed only for a 2x2 table

Tidur bersama keluarga * Infeksi Crosstabulation

			Infeksi		Total
			Positif	Negatif	
Tidur bersama keluarga	Ya	Count	7	75	82
		Expected Count	6,6	75,4	82,0
		% within Infeksi	100,0%	93,8%	94,3%
	Tidak	Count	0	5	5
		Expected Count	,4	4,6	5,0
		% within Infeksi	0,0%	6,3%	5,7%
Total	Count		7	80	87
	Expected Count		7,0	80,0	87,0
	% within Infeksi		100,0%	100,0%	100,0%

Chi-Square Tests

	Value	df	Asymptotic Significance (2- sided)	Exact Sig. (2- sided)	Exact Sig. (1- sided)
Pearson Chi-Square	,464 ^a	1	,496	1,000	,651
Continuity Correction ^b	,000	1	1,000		
Likelihood Ratio	,865	1	,352		
Fisher's Exact Test					
Linear-by-Linear Association	,459	1	,498		
N of Valid Cases	87				

a. 2 cells (50,0%) have expected count less than 5. The minimum expected count is ,40.

b. Computed only for a 2x2 table

Masih menggunakan MCK bersama * Infeksi Crosstabulation

			Infeksi		Total
			Positif	Negatif	
Masih menggunakan MCK bersama	Ya	Count	2	11	13
		Expected Count	1,0	12,0	13,0
		% within Infeksi	28,6%	13,8%	14,9%
	Tidak	Count	5	69	74
		Expected Count	6,0	68,0	74,0
		% within Infeksi	71,4%	86,3%	85,1%
Total	Count		7	80	87
	Expected Count		7,0	80,0	87,0
	% within Infeksi		100,0%	100,0%	100,0%

Chi-Square Tests

	Value	df	Asymptotic Significance (2- sided)	Exact Sig. (2- sided)	Exact Sig. (1- sided)
Pearson Chi-Square	1,113 ^a	1	,292	,280	,280
Continuity Correction ^b	,252	1	,616		
Likelihood Ratio	,938	1	,333		
Fisher's Exact Test					
Linear-by-Linear Association	1,100	1	,294		
N of Valid Cases	87				

a. 1 cells (25,0%) have expected count less than 5. The minimum expected count is 1,05.

b. Computed only for a 2x2 table

Mencuci tangan setelah BAB dengan sabun * Infeksi Crosstabulation

			Infeksi		Total
			Positif	Negatif	
Mencuci tangan setelah BAB dengan sabun	Ya	Count	7	70	77
		Expected Count	6,2	70,8	77,0
		% within Infeksi	100,0%	87,5%	88,5%
	Tidak	Count	0	10	10
		Expected Count	,8	9,2	10,0
		% within Infeksi	0,0%	12,5%	11,5%
Total	Count		7	80	87
	Expected Count		7,0	80,0	87,0
	% within Infeksi		100,0%	100,0%	100,0%

Chi-Square Tests

	Value	df	Asymptotic Significance (2- sided)	Exact Sig. (2- sided)	Exact Sig. (1- sided)
Pearson Chi-Square	,989 ^a	1	,320	1,000	,412
Continuity Correction ^b	,142	1	,707		
Likelihood Ratio	1,787	1	,181		
Fisher's Exact Test					
Linear-by-Linear Association	,977	1	,323		
N of Valid Cases	87				

a. 1 cells (25,0%) have expected count less than 5. The minimum expected count is ,80.

b. Computed only for a 2x2 table

Gatal didaerah anus * Infeksi Crosstabulation

			Infeksi		Total
			Positif	Negatif	
Gatal didaerah anus	Ya	Count	5	5	10
		Expected Count	,8	9,2	10,0
		% within Infeksi	71,4%	6,3%	11,5%
	Tidak	Count	2	75	77
		Expected Count	6,2	70,8	77,0
		% within Infeksi	28,6%	93,8%	88,5%
Total	Count	7	80	87	
	Expected Count	7,0	80,0	87,0	
	% within Infeksi	100,0%	100,0%	100,0%	

Chi-Square Tests

	Value	df	Asymptotic Significance (2- sided)	Exact Sig. (2- sided)	Exact Sig. (1- sided)
Pearson Chi-Square	26,880 ^a	1	,000	,000	,000
Continuity Correction ^b	20,855	1	,000		
Likelihood Ratio	16,288	1	,000		
Fisher's Exact Test					
Linear-by-Linear Association	26,571	1	,000		
N of Valid Cases	87				

a. 1 cells (25,0%) have expected count less than 5. The minimum expected count is ,80.

b. Computed only for a 2x2 table

Lampiran 6

Hasil Pemeriksaan Infeksi *Enterobius vermicularis*

