

DAFTAR PUSTAKA

1. Lalwani AK. Current Diagnosis and Treatment in Otolaryngology: Head and Neck Surgery. 4th ed. McGraw-Hill Education. McGraw-Hill Education; 2020. 1–903 p.
2. Soepardi EA, Iskandar N, Bashiruddin J, Restuti RD. Buku Ajar Ilmu Kesehatan Telinga Hidung Tenggorok Kepala dan Leher. 7th ed. Jakarta: Universitas Indonesia Publishing; 2022.
3. Tas A. Description of the characteristics, epidemiology, diagnosis, and risk factors of presbycusis disorder. *Cent Asian J Med Pharm Sci Innov*. 2022;2(2):46–56.
4. NIDCD. Tinnitus. NIDCD Fact Sheet [Internet]. 2023; Available from: <https://www.nidcd.nih.gov/health/tinnitus>
5. World Health Organization. World Report on Hearing. Human Rights Watch. 2021. 28 p.
6. Steinmetz J, Murray CJL, Vos T, Haile L, Kamemov K, Chadha S, et al. Hearing loss prevalence and years lived with disability, 1990–2019 findings from the global burden of disease study 2019. *Lancet* [Internet]. 2021;397:996–1002. Available from: <https://www.sciencedirect.com/science/article/pii/S014067362100516X>
7. Kemenkes RI. Riset kesehatan dasar 2013. Jakarta: Badan Penelitian dan Pengembangan Kesehatan Kementerian Kesehatan RI; 2013. 283–286 p.
8. Jin J. Screening for hearing loss in older adults: US preventive services task force recommendation statement. *JAMA - J Am Med Assoc*. 2021;325(12):1234.
9. Taş M, Arslan M, Arslan GH, Atilgan E, Erkiraz YM, Abay Ş, et al. Evaluation of age-related hearing loss and hearing aid use related problems in geriatric population. *Turkish J Audiol Hear Res*. 2023;6(1):14–9.
10. Mustafa MWM, Abdelrahim AG, Khodary MM, Aref ZF. Restoration of quality of life in elderly with hearing loss. *Int J Otorhinolaryngol Head Neck Surg*. 2022;9(1):1–3.

11. Nazarudin N, Priasty VN. Correlation between presbycusis with quality of life based on hearing handicap inventory for the elderly screening version (HHIE-S) in dustira army hospital [Internet]. Vol. 1, Proceedings of The 13th Annual Scientific Conference of Medical Faculty, Universitas Jenderal Achmad Yani (ASCMF 2022). Atlantis Press International BV; 2023. 95–104 p. Available from: http://dx.doi.org/10.2991/978-94-6463-060-2_14
12. Silvanaputri D, Utomo BSR, Marlina L, Poluan F, Falorin J, Dewi JM, et al. Relationship between hearing loss and the quality of life in elderly. *J Kedokt.* 2019;XXXV(2):4–9.
13. Madans JH, Weeks JD, Elgaddal N. Hearing Difficulties Among Adults: United States, 2019. NCHS Data Brief [Internet]. 2021;(414):1–8. Available from: <https://www.cdc.gov/nchs/products/index.htm>
14. NIDCD. Hearing aids. NIDCD Fact Sheet. 2013;
15. Said EA. Health-related quality of life in elderly hearing aid users vs. non-users. *Egypt J Ear, Nose, Throat Allied Sci.* 2017;18(3):271–9.
16. Midha P, Malik S. Does hearing impairment affect quality of life of elderly? *Indian J Gerontol.* 2012;29(1):46–61.
17. Ventry IM, Weinstein BE. The hearing handicap inventory for the elderly: A new tool. *Ear Hear.* 1982;3(3):128–34.
18. Kozáková R, Tobolová J, Zeleníková R. Perceived emotional and situational hearing handicap in the elderly and their family members. *Cent Eur J Nurs Midwifery.* 2018;9(1):767–72.
19. Carniel CZ, de Sousa JCF, da Silva CD, Fortunato-Queiroz CA de U, Hyppolito MÂ, dos Santos PL. Implications of using the hearing aids on quality of life of elderly. *CoDAS.* 2017;29(5):1–6.
20. Maeda Y, Sugaya A, Nagayasu R, Nakagawa A, Nishizaki K. Subjective hearing-related quality-of-life is a major factor in the decision to continue using hearing aids among older persons. *Acta Otolaryngol.* 2016;136(9):1–3.
21. Ertuğrul S, Söylemez E. Investigation of the effect of hearing aid on hearing disability in elderly people with presbycusis. *Arch Clin Exp Med.*

2019;4(1):41–4.

22. Kumar S, Biradar K, Marlapudi SK, Dutta A. Hearing Aids and Quality of Life: A Psychological Perspective. *Indian J Otolaryngol Head Neck Surg.* 2023;
23. Chang W-H, Tseng H-C, Chao T-K, Hsu C-J, Liu T-C. Measurement of hearing aid outcome in the elderly: comparison between young and old elderly. *Otolaryngol neck Surg Off J Am Acad Otolaryngol Neck Surg.* 2008 Jun;138(6):730–4.
24. Uriarte M, Denzin L, Dunstan A, Sellars J, Hickson L. Measuring hearing aid outcomes using the satisfaction with amplification in daily life (SADL) questionnaire: Australian data. *J Am Acad Audiol.* 2005 Jun;16(6):383–402.
25. Barbosa MR, de Sousa Medeiros D, Rossi-Barbosa LAR, Silveira MF, de Barros Lima Martins AME, Caldeira AP. Self-perception of the hearing-impaired elderly before and after hearing-aid fittings. *Geriatr Gerontol Int.* 2014;1–5.
26. Dawes P, Cruickshanks KJ, Fischer ME, Klein BEK, Klein R, Nondahl DM. Hearing-aid use and long-term health outcomes: Hearing handicap, mental health, social engagement, cognitive function, physical health, and mortality. *Int J Audiol.* 2015;54(11):838–44.
27. Kim BR, Hwang HH. Analysis of major factors affecting the quality of life of the elderly in Korea in preparation for a super-aged society. *Int J Environ Res Public Health.* 2022;19(15):9–11.
28. Talarska D, Tobis S, Kotkowiak M, Strugała M, Stanisławska J, Wieczorowska-Tobis K. Determinants of quality of life and the need for support for the elderly with good physical and mental functioning. *Med Sci Monit.* 2018;24:1604–13.
29. Gutiérrez-Vega M, Esparza-Del Villar OA, Carrillo-Saucedo IC, Montañez-Alvarado P. The possible protective effect of marital status in quality of life among elders in a U.S.-Mexico Border City. *Community Ment Health J.* 2018;54(4):480–4.