

DAFTAR PUSTAKA

1. WHO, UNICEF. Low birthweight: country, regional and global estimates. Geneva: World Health Organization, 2004.
2. Susiana IWS. Hubungan antara Kenaikan Berat Badan, Lingkar Lengan Atas dan Kadar Hemoglobin Ibu Hamil Trisemester III dengan Berat Bayi Lahir di Puskesmas Ampel I Boyolali Tahun 2005. Universitas Negeri Semarang; 2005.
3. Depkes RI, 2001, *Program Penanggulangan Anemia Gizi pada Wanita Usia Subur (WUS)*, Jakarta, Direktorat Gizi Masyarakat, Direktorat Jenderal Bina Kesehatan Masyarakat, Departemen Kesehatan Republik Indonesia.
4. Lozoff B, Andracia I, Castillo M, Smith BS, Walter T, Pino P. Behavioral and development effects of preventing iron- deficiency anemia in healthy full-term infants. *Pediatrics* 2003;112:854.
5. Kementerian Kesehatan. *Laporan Hasil Riset Kesehatan Dasar, RISKESDAS Indonesia Tahun 2007*. Jakarta: Departemen Kesehatan Republik Indonesia; 2008.
6. Galloway R. Anemia prevention and control: what works. USAID, World Bank, PAHO/WHO, Micronutrient Initiative, FAO, and UNICEF; 2003.
7. Jaleel R, Khan A. Severe anemia and adverse pregnancy outcome. *J Surg Pak (International)* 2008; 13: 150.
8. de Benoist, McLean E, Egli I, Cogswell M, editor. *Worldwide prevalence of anemia 1993-2005: WHO global database on anemia*. Switzerland: WHO Press; 2008.

9. Xiong X, Buekens P, Alexander S, Demianczuk N, Wollast E. Anemia during pregnancy and birth outcome: a meta-analysis. *Am J Perinatol* 2000; 17:146
10. WHO and UNICEF. Low birth weight: Country, regional and global estimates, India: World Health Organization; 2011
11. Alexander GR, Himes JH, Kaufman RB, Mon J, Kogan M. A United State national reference for fetal growth. *Obstet. Gynecol* 1996; 87:168
12. Department of International Health, John Hopkins Bloomberg School of Public Health, Baltimore, MD, USA
13. Sari Pediatri, Vol. 3, No. 2, September 2001 : 91
14. Kementerian Kesehatan. 2000. Riset Kesehatan Dasar. Laporan. Jakarta: Badan Litbang Kesehatan, 2000.
15. Letsky EA. Anemia. In: James DK, Steer PJ, Weiner CP, Gonik B, editors. High risk pregnancy- management options. London: WB Saunders; 1999. p. 747.
16. Cnattingius S, Bergstrom R, Lipworth L, Kramer MS. Prepregnancy weight and the risk of adverse pregnancy outcomes. *N Engl J Med* 1998;338:152.
17. Wolfe H. High prepregnancy body-mass index: a maternal-fetal risk factor. *N Engl J Med* 1998;338:192.
18. Haider BA, Olofson I, Wang M, et al. Anaemia, prenatal iron use, and risk of adverse pregnancy outcomes: systematic review and meta-analysis. *BMJ* (in press)
19. Allen, LH. (2000). Anemia and Iron Deficiency: Effects on Pregnancy Outcome, Available: [h? p://www.AJCN.com](http://www.AJCN.com). Last modified: May 2000. (Accessed: 10

April 2003)

20. Georgieff MK. Nutrition and the developing brain: nutrient priorities and measurement. 2007;85: 620S.
21. Huffman SL, Rajwinder K, Harika, Ans Eilander, Saskia JM, Osendarp. Maternal and child nutrition essensial fats: how do they affect growth and development of infants and young children in developing countries. 2011;7(3): 65.
22. Muthayya S. Maternal nutrition & low birth weight - what is really important. 2009:608.
23. Gaspar MJ, Ortega RM, Moreiras O. Relationship between iron status in pregnant women and their newborn babies. Investigation in a Spanish population. *Acta Obstet Gynecol Scand* 1993;72:537. 16.
24. Cunningham FG dkk. Adaptasi ibu terhadap kehamilan & Gangguan pertumbuhan janin. Dalam : Hartanto H dkk (editor). *Obstetri Williams* vol 1. Edisi 21. Jakarta : EGC; 2006. hlm. 180- 218; 850.
25. Steer PJ. Pregnant woment hemoglobin concentration and birth weight. *Am J Clin Nutr.* 2000; 71(5) : 1287. 18. Suharto A, Subagyo, Supriasisih.
26. Wang J dkk. Study on the third trimester hemoglobin concentrations and the risk of low birth weight and preterm delivery. *PubMed.* 2007; 28(1) : 15.
27. Candio F, Hormeyr GJ. Treatments for iron deficiency anemia in pregnancy. RHL commentary. The WHO Reproductive Health Library. Geneva: World Health Organization: 2007.
28. Scholl TO. Iron status during pregnancy: setting the stage for mother and infant.

- Am J Clin Nutr 2005; 81(5): 1222 S.
29. Taylor DJ, Lind T. Red cell mass during and after normal pregnancy. Br J Obstet Gynaecol 1979;86: 370
 30. Allen, H. 2007, Anemia and Iron deficiency : Effect on pregnancy outcome 2000 American Journal of Clinical Nutrition. Vol 71, No 5.1280S.1284s. Mei 2000, Diperoleh dari: <http://www.ncbi.nlm.nih.gov/pmc/articles/PMC1705021/>
 31. Goonewardene Malik. Best Practice & Research Clinical Obstetrics and Gynaecology 2012: 24
 32. UNICEF/UNO/WHO. Iron deficiency anemia: assessment, prevention and control. Geneva: World Health Organization: 2001.
 33. World Health Organization. In de Benoist B, McLean E, Egli I & Cogswell M(eds.). Worldwide prevalence of anaemia 1993 – 2005. WHO Global Database on Anaemia. Geneva: World Health Organization, 2008 (NLM: WH 155).
 34. Dinas Kesehatan Provinsi Sumatera Barat. Profil Kesehatan Sumatera Barat tahun 2006. Padang: Dinas Kesehatan Provinsi Barat; 2006.
 35. Dinas Kesehatan Provinsi Sumatera Barat. Profil Kesehatan Sumatera Barat tahun 2011. Padang: Dinas Kesehatan Provinsi Barat; 2011.
 36. Stevens GA, Finucane MM, De-Regil LM, et al, and the Nutrition Impact Model Study Group (Anaemia). Global, regional, and national trends in haemoglobin concentration and prevalence of total and severe anaemia in children and pregnant

- and non-pregnant women for 1995–2011: a systematic analysis of population-representative data. *Lancet Glob Health* 2013; 1: e16–25. 23
37. Bodnar LM, Siega-Riz AM, Arab L, Chantala K, McDonald T. Predictors of pregnancy and postpartum haemoglobin concentrations in low-income women. *Public Health Nutr.* 2004;7:711.
38. Weatherall DJ. The definition and epidemiology of non-transfusion-dependent thalassemia. *Blood Reviews* 2012; 26 (Suppl. 1):S6.
39. Litchman MA, Beutler E, Kipps TJ, Seligsohn U, Kaushansky K, Prchal JT. Anemia of chronic disease. In Williams Hematology. 7th ed. USA: Mc.Graw-Hill: 2009, chapter 43.
40. Djoerban Z. Kelainan hematologi pada lupus eritematosus sistemik. Dalam Buku Ajar Ilmu Penyakit Dalam. Edisi 5. Jakarta: Interna Publishing; 2010, hal.1178.
41. Sachdeva P, Patel BG, Patel B, Bhatt M. A Study of factors affecting birth weight. *Journal of global pharma technology.* 2010; 123.
42. De Meyer ME. Pencegahan dan Pengawasan Anemia Defisiensi Besi. Edisi kedua. Jakarta: Widya Medika: 1995: 37
43. Berger J, Aguayo VM, Sam Miguel JL, Lujan C, Tellez W, Traissac P. Definition and Prevalence of Anemia in Bolivian Women of Childbearing Age Living at High Altitudes: The Effect of Iron-Folate Supplementation. Available from: http://www.idpas.org/pdf/075A_definition.pdf.

44. Cermin Dunia Kedokteran. Aspek Aerofisiologis Dalam Penerbangan. Available from: http://www.kalbefarmacom/files/edk/files/cdk_093_kesehatan_penerbangan.Pdf.
45. Smith JR & Landaw SA. Smokers polycythemia. N Engl J Med 1978; 298(1): 6–10.
46. Van Tiel E, Peeters PH, Smit HA et al. Quitting smoking may restore haematological characteristics within five years. Ann Epidemiol 2002; 12(6): 388.
47. Viteri FE & Berger J. Importance of pregnancy and pregnancy iron status: can long term weekly preventive iron and folic acid supplementation achieve desirable and safe status? Nutr Rev 2005; 63(12 pt 2): S65–S76.
48. World Health Organization. Iron deficiency anaemia assessment prevention and control: a guide for programme managers. Geneva: World Health Organization, 2001. 132 (WHO/ NHD/01.3).
49. Bothwell TH. Iron requirements in pregnancy and strategies to meet them. Am J Clin Nutr 2000; 72(1 Suppl.): 2264 S
50. Milman N, Byg KE & Agger AO. Haemoglobin and erythrocyte indices during normal pregnancy and postpartum in 206 women with and without iron supplementation. Acta Obstet Gynaecol Scand 2000; 79(2): 89–98.
51. Murphy JF, O’Riordan J, Newcombe RG et al. Relation of haemoglobin level in first and second trimester to outcome. Lancet 1986; 3(1): 995.

52. Hillman RS, Ault KA. *Hematology in Clinical Practices. A Guide to Diagnosis and Management.* 3rd ed. International Edition. New York: McGraw Hill Inc, 2002.
53. Bencaiova G, von Mandach U, Zimmermann R. Iron prophylaxis in pregnancy: intravenous route versus oral route. *Eur J Obstet Gynecol Reprod Biol.* 2009;144:139
54. Alexander GR, Kogan MD, Himes JH. 1994-1996 U.S. singleton birth weight percentiles for gestational age by race, Hispanic origin, and gender. *Matern Child Health J* 1999;3:231.
55. Lee PA, Chernausek SD, Hokken-Koelega AC, Czernichow P 2001 International Small for Gestational Age Advisory Board consensus development conference statement: management of the short child born small for gestational age. *Pediatrics* 111:1253–1261 - See more at: <http://press.endocrine.org/doi/full/10.1210/jc.2006-2017#sthash.krvArXfj.dpuf>
56. Timasheva Y, Putku M, Kivi R, Kozich V, Mannik J, Laan M. Developmental programming of growth: genetic variant in GH2 gene encoding placental growth hormone contributes to adult height determination. *Placenta* 2013;34:995–1001.
57. Kramer MS. Intrauterine growth and gestational duration determinants. *Pediatrics* 1987;80:511.
58. Ramakrishnan U, Grant FK, Goldenberg T, et al. Effect of multiple micronutrient supplementation on pregnancy and infant outcomes: a systematic review. *Paediatr Perinat Epidemiol* 2012; 26:153–679.

59. Mother's education and the risk of preterm and small for gestational age birth: a DRIVERS meta-analysis of 12 European cohorts.
60. Ruiz M, et al.: *Epidemiol Community Health*. 2015 Sep; 69(9):826-33.
61. Educational inequalities in preterm and term small-for-gestational-age birth over time. 2012 Mar; 22(3):167.
62. Katz J, Lee AC, Kozuki N, et al: Mortality risk in preterm and small-for-gestational- age infants in low-income and middle-income countries: a pooled country analysis. Lancet 2013;382:425.
63. Lee ACC, Katz J, Blencowe H, et al: National and regional estimates of term and pre- term babies born small for gestational age in 138 low-income and middle-income countries in 2010. Lancet Global Health 2013;1:e26–e36.
64. Departemen Kesehatan RI. Riset Kesehatan Dasar (RISKESDAS), Laporan Nasional. Jakarta; 2013
65. Kementerian Kesehatan RI. 2010. Riset Kesehatan Dasar (RISKESDAS) 2010. Jakarta. Bakti Husada.
66. Katz J, Lee AC, Kozuki N, et al. Mortality risk in preterm and small-for-gestational-age infants in low-income and middle-income countries: a pooled country analysis. Lancet 2013;382:425.
67. K ozuki N, Lee AC, Vogel J, et al. The association of parity and maternal age with small-for-gestational age, preterm and neonatal and infant mortality: a meta-analysis. BMC Public Health (in press).

68. Krishna Sahu, M.Z Idris. World Journal of Pharmacy and Pharmaceutical Sciences: Effect of Anaemia During Third Trimester Of Pregnancy on Gestational Size and Birth Weight of Babies in Rural Lucknow, India. Vol:2, Lucknow India: 2013.
69. Redman CW. Maternal plasma volume and disorders of pregnancy. British Medical Journal (Clin Res Ed) 1984; 288:956.
70. Kramer, MS (1987) Determinant of Low Birth Weight: methodological Assessment and meta-analysis. Bulletin of the World Health Organization. 65 (5): 663-737
71. Leeson, CMP, MB PhD et al (2001) Impact of Low Birth Weight and Cardiovascular Risk Factors on Endothelial Function in Early Adult Life. American Heart Association. 2001, 103:1268 Circulation
<http://circ.ahajournals.org>
72. WHO] World Health Organization (1976) The 29th World Health Assembly. Dalam United Nations Children's Fund and the World Health Organization (2004)Low Birthweight: Country, regional and global estimates. UNICEF and WHO, New York and Geneva pp
73. Kumar, et al.: Maternal anemia in various trimesters and its effect on newborn weight and maturity mothers. International Journal of Preventive Medicine, Vol 4, No 2, February, 2013 www.mui.a
74. H Herbet, et al.: New Chart to Monitor Weight Gain During Pregnancy .The American Journal of Clinical Nutrition. A. 41: 652

75. X Urquiza, et al.: Anaemia in pregnancy and in the immediate postpartum period. Prevalence and risk factors in pregnancy and childbirth. Brichs 432 Med Clin (Barc). 2016;146(10):435
76. G Romy, et al.: Risk Factors and Consequences of Maternal Anaemia and Elevated Haemoglobin Levels during Pregnancy: a Population-Based Prospective Cohort Study. Paediatric and Perinatal Epidemiology, 2014, 28, 226
77. Makhoul Z. Anemia and iron deficiency in rural nepali pregnant women : risk factors, effect of vitamin A supplementation and their association with birth outcomes (dissertation). University of Arizona; 2007.
78. Wang J dkk. Study on the third trimester hemoglobin concentrations and the risk of low birth weight and anterm delivery. PubMed. 2007; 28(1) : 15.