Survey of laboratory practices for diagnosis of fungal infection in seven Asian countries: An Asia Fungal Working Group (AFWG) initiative

by Retno Wahyuningsih

Submission date: 23-Jul-2020 04:27PM (UTC+0700)

Submission ID: 1361140407

File name: lab survey paper online 2 1.pdf (572.17K)

Word count: 6404

Character count: 32461







Original Article

Survey of laboratory practices for diagnosis of fungal infection in seven Asian countries: An Asia Fungal Working Group (AFWG) initiative

Ariya Chindampom¹, Arunaloke Chakrabarti^{2,*}, Ruoyu Li³, Pei-Lun Sun⁴, Ban-Hock Tan⁵, Mitzi Chua⁶, Retno Wahyuningsih⁷, Atul Patel⁸, Zhengyin Liu⁹, Yee-Chun Chen¹⁰ and Methee Chayakulkeeree¹¹

¹Department of Microbiology, Faculty of Medica, King Chulalongkorn Memorial Hospital Chulalongkorn University, Bangkok, Thailand, ²Department of Medical Microbiology, Postgraduate Institute of Medical Education & Research, Chandigarh, India, ³Department of Dermatology, Peking University First Hospital, Research Centre for Medical Mascology, Peking University, Beijing, China, ⁴Department of Dermatology, Chang Gung Memorial Hospital, Linkou Branch and College of Medicine, Chang Gung University, Taoyuas Taiwan, ⁵Department of Infectious Diseases, Singapore General Hospital, Singapore, ⁶Department of Microbiology and Parasitology, Cebu Institute of Medicine, Cebu, Philippines, ⁷Department of Parasitology, Faculty of Medicine Universitas Indonesia, and Department of Parasitology, Faculty of Medicine Universitas Kristen Indonesia, Jacota, Indonesia, ⁸Department of Infectious Diseases, Sterling Hospital, Ahmedabad, India, ⁹Ly artment of Infectious Diseases, Peking Union Medical College Hospital, Beijing, China, ¹⁰Department of Internal Medicine, National Taiwan University Hospital, Mahidol University, Rangkok, Thailand

*To whom correspondence should be addressed. Arunaloke Chakrabarti, Professor and Head, Department of Medical Microbiology, Postgraduate Institute of Medical Education and Research, Chandigarh-160012, India. Tel: +91 172 2755173; Fax: +91 172 2744401; E-mail: arunaloke@hotmail.com

Received 16 March 2017; Revised 24 May 2017; Accepted 8 August 2017; Editorial Decision 11 June 2017

Abstract

An online survey of mycology laboratories in seven Asian countries was conducted to assess the status, competence, and services available. Country representatives from the Asia Fungal Working Group (AFWG) contacted as many laboratories performing mycology diagnosis as possible in their respective countries, requesting that the laboratory heads complete the online survey. In total, 241 laboratories responded, including 71 in China, 104 in India, 11 in Indonesia, 26 in the Philippines, four in Singapore, 18 in Taiwan, and seven in Thailand. Overall, 129/241 (53.5%) surveyed mycology laboratories operate as separate designated mycology laboratories, 75/241 (31.1%) conduct regular formal staff training, 103/241 (42.7%) are accredited, and 88/157 (56.1%) participate in external quality assurance scheme (EQAS) programs. Microscopy and culture methods are available in nearly all laboratories, although few perform DNA sequencing (37/219; 16.9%) or use matrix-assisted laser desorption/ionization time-of-flight mass spectroscopy

© The Author 2017. Published by Oxford University Press on behalf of The International Society for Human and Animal Mycology. All rights reserved. For permissions, please e-mait journals.permissions@oup.com

(MALDI-TOF MS) (27/219; 12.3%) for isolate identification. Antifungal susceptibility testing is performed in 142/241 (58.9%) laboratories, mainly for yeasts. The most commonly performed nonculture diagnostic is cryptococcal antigen testing (66 laboratories), followed by galactomannan testing (55), polymerase chain reaction (PCR) diagnosis (37), and beta-D-glucan testing (24). Therapeutic drug monitoring is conducted in 21 laboratories. There is almost no access to advanced diagnostic tests, like galactomannan, β -D-glucan, and PCR, in the surveyed laboratories in Indonesia, the Philippines, and Thailand. These results highlight the need for development of quality laboratories, accreditation and training of manpower in existing laboratories, and access to advanced non–culture-based diagnostic tests to facilitate the diagnosis of fungal infections in Asia.

Key words: fungal infections, diagnosis, laboratory, molecular diagnosis, antifungal susceptibility testing.

Introduction

Asia has the largest den of fungal disease in the world when one considers that more than half the world's population lives in the region. The tropical environment in a large ortion of the region, inadequately trained healthcare professionals, misuse or abuse of steroids and broadspectrum antibiotics, and compromised healthcare practices due to over-capacity patient loads 33 public sector hospitals are major concerns and may contribute to the high burden of fungal infections in Asia. 1-5 In addition, many Asian countries lack high-quality mycology laboratories, and awareness of fungal diseases is limited. To overcome the challenges and achieve discernible change in morbidity and mortality due to fungal infections, the Asia Fungal Working Group (AFWG) was formed under the auspices of the International Society for Human and Animal Mycology ISHAM). The aim of the AFWG is to improve patient care by advancing the diagnosis and management of fungal infections. The AFWG performed a gap analysis of mycology laboratories in seven Asian countries through an online survey conducted during the second half of 2016. This manuscript provides a comprehensive analysis of the survey results to describe the present status of mycology diagnostic services in seven Asian countries.

Method

In February 2016, the AFWG planned an online survey to assess competencies of mycology laboratories in seven Asian countries in which the AFWG board has a country representative. A 36-item questionnaire was developed covering laboratory structure, equipment, manpower, personnel training, and diagnostic testing availability and frequency of use (See Supplement 1 for the survey questionnaire). AFWG country representatives were responsible for recruiting respondents for the survey in their respective countries. As no data were available on the total number

of laboratories performing fungal diagnosis in each country, the goal was to recruit at least 100 randomly chosen laboratories in both China and India that performed diagnosis of fungal infections. For the other five countries, attempts were made to recruit laboratories from all medical teaching institutes. The AFWG country representatives tried to achieve this target through their personal contacts with heads of laboratories in their respective countries or used the Facebook pages or websites of relevant societies to send an appeal for laboratories performing fungal diagnosis to participate in the online survey.

Data analysis

A professional consulting firm programmed and hosted the online survey, and was responsible for data capture from the participating laboratories. The data sets were scrutinized for missing or discrepant data; discrepant data were excluded, and attempts were made to resolve in amplete responses by contacting the relevant laboratory. Finally, the authors analyzed the data, using the Marascuilo procedure for between-country comparisons. The Marascuilo procedure, an extension of the χ^2 test, is a parametric test used for multiple comparisons of proportions that can identify the data points responsible for rejection of the null hypo esis (i.e., all proportions considered equal) in the overall χ^2 test. The level for statistical significance was set at <0.05 for any data comparisons.

Results

The number of laboratories approached individually in each country included India (n = 164), Indonesia (n = 182), Singapore (n = 6), Taiwan (n = 21), and Thailand (n = 14). In China, an invitation was sent through the medical mycology Web net, comprising nearly 500 people; in the Philippines, an invitation was posted on the Pathology Society Facebook

Group page, with an unspecified number of members in the group. Overall, 241 laboratories from seven countries participated (in rank order): India (n = 104), China (n = 71), the Philippines (n = 26), Taiwan (n = 18), Indonesia (n = 11), Thailand (n = 7), and Singapore (n = 4). Responses were compiled by country and the data analyzed; results are presented in Tables 1 and 2. As the number of laboratories responding to each survey question varied, the respondent number (base) is specified for each country at each question (Tables 1 and 2). Figure 1 shows the location of the participating laboratories on a regional map.

Laboratory structure

Overall, 129/241 (53.5%) mycology diagnostic areas function as independent mycology laboratories, meaning they are stand-alone mycology laboratories with separate laboratory space and manpower (Table 1). The remaining 46.5% perform fungal diagnosis within a bacteriology/microbiology laboratory. Singapore (0/4) and the Philippines (2/26) have significantly fewer (P < .05) independent mycology laboratories. Regular and occasional staff training was available in 75/241 (31.1%) and 76/241 (31.5%) of all surveyed mycology laboratories, respectively (Table 1). Significantly fewer laboratories conducted staff training in Indonesia (4/11) and Thailand (0/7) (P < .05) compared with the other five countries. Around 11% of laboratories (26/241) indicated that there is no regular clinician/laboratory interaction. The majority (127/238, 53.4%) of the laboratories receive 0-50 mycology samples/week and only 9.7% of laboratories (23/238) receive > 500 samples every week (Table 1). Laboratories in the Philippines received the lowest (P < .05) number of weekly samples for fungal diagnosis. The biosafety hood is available in 192/241 (79.7%) laboratories; the availability is comparatively low in Chinese (38/71, 53.5%) and Indonesian (7/11, 63.6%) laboratories.

Accreditation

Of the surveyed laboratories, 103/241 (42.7%) were accredited by national or international agency is (Table 1). In Singapore, all four surveyed laboratories were accredited, and the lowest accreditation rate (2/11, 18.2%) was observed in Indonesia. None of the laboratories in Indonesia (0/11), but all laboratories in Singapore (4/4), participate in External Quality Assurance Scheme (EQAS) programs in the field of medical mycology (Table 1). Overall, 88/157 (56.1%) of surveyed laboratories in the seven countries participate in EQAS programs.

Table 1. Country companison of survey responses from mycology laboratories in seven Asian countries. Laboratory characteristics.	Iroin mycology is	aporatories III se	vell Asian count	ries. Laborator	y characteristics	3	
Determinants	Overall	China	India	Indonesia	Philippines	Singapore	Taiwan
	N = 241 S	[N = 71]	[N = 104]	[N = 11]	[N = 26]	[N=4]	[N = 18]
Independent mycology laboratory	129/241 (53.5%)	49/71 (69.0%)	129/241 (53.5%) 49/71 (69.0%) 58/104 (55.8%) 5/11 (45.5%) 2/26 (7.8%)*	5/11 (45.5%)	2/26 (7.8%)*	*(%0) */0	13/18 (72.2%)
Number of samples processed/week:							
0-50	127/238 (53.4%) 21/71 (29.6%)	21/71 (29.6%)	61/103 (59.2%) 9/11 (81.8%)	9/11 (81.8%)	22/25 (88.0%) 3/4 (75.0%)	3/4 (75.0%)	5/17 (29.4%)
51–100	38/238 (16.0%)	15/71 (21.1%)	14/103 (13.6%)	1/11 (9.1%)	1/25 (4.0%)*	1/4 (25%)	6/17 (35.3%)
101-200	27/238 (11.3%)	11/71 (15.5%)	8/103 (7.8%)	1/11 (9.1%)	2/25 (8.0%)	0	5/17 (29.4%)
201-500	23/238 (9.7%)	12/71 (16.9%)	10/103 (9.7%)	0	0	0	1/17 (5.9%)
>500	23/238 (9.7%)	12/71 (16.9%)	10/103 (9.7%)	0	0	0	. 0
Formal staff training:							
Regular	75/241 (31.1%)	23/71 (32.4%)	23/71 (32.4%) 36/104 (34.6%) 1/11 (9.1%)*	1/11 (9.1%)*	3/26 (11.5%) 3/4 (75.0%)	3/4 (75.0%)	9/18 (50.0%)
Occasional	76/241 (31.5%)	23/71 (32.4%)	31/104 (29.8%)	3/11 (27.3%)	9/26 (34.6%)	1/4 (25.0%)	5/18 (27.8%)
No regular laboratory-clinician interaction	26/241 (10.8%)	6/71 (8.5%)	3/104 (2.9%)*	2/11 (18.2%)	5/26 (19.2%)	0/4 (0%)*	8/18 (44.4%)
Mycology laboratory is accredited	103/241 (42.7%)	26/71 (36.6%)	$103/241\ (42.7\%) 26/71\ (36.6\%) 42/104\ (40.4\%) 2/11\ (18.2\%) 12/26\ (46.2\%)$	2/11 (18.2%)	12/26 (46.2%)	4/4 (100%)	4/4 (100%) 14/18 (77.8%)
Participates in EQAS program	88/157 (56.1%)	11/33 (33.3%)	55/80 (68.8%)	*(%0) \$/0	6/16 (37.5%)	4/4 (100%)	4/4 (100%) 10/14 (71.4%)
Availability of bio-safety hood in mycology laboratory 192/241 (79.7%) 38/71 (53.5%) 98/104 (94.2%) 7/11 (63.6%) 23/26 (88.5%) 4/4 (100%) 16/18 (88.9%)	192/241 (79.7%)	38/71 (53.5%)	98/104 (94.2%)	7/11 (63.6%)	23/26 (88.5%)	4/4 (100%)	16/18 (88.9%)

6/7 (85.7%) 0 0 0 1/7 (14.3%) 0/7 (0%)* 4/7 (57.1%)* 2/7 (28.6%) 3/7 (42.9%) 2/5 (40.0%)

EQAS, External Quality Assurance Scheme

	L
	:
ă	3
	2
- 2	•
ā	5
U	י
٥.	2
to	5
Ċ	
2	ı
ď	3
Ë	
-	1
Ü	9
٩.	2
÷	3
-	
5	5
C)
2	
.0	2
2	?
7	
5	;
5	
q	3
	1
2.	
U	,
٩.	2
5	5
÷	3
2	1
2	?
+	ŝ
-	
2	5
5	5
÷	•
5	5
2	1
2	
۶	:
č	5
÷	
U	2
g	2
č	í
ō	5
2	3
ă	ś
-	
á	5
5	
=	
ū	5
+	ţ
	1
7	5
ŭ	5
.Ē	
č	3
2	1
5	5
č	5
>	4
÷	
2	
-	5
۲	5
-	ı
ີ	
4	
۳	۱
	_

Table 2. Country comparison of survey responses from mycology laboratories in seven Asian countries. Diagnostic services	survey responses r	rom mycology lai	ooratories in seven	Asian countrie	s: Diagnostic ser	Vices.		
Determinants	Overall $N = 241$	China $[N = 71]$	India $[N = 104]$	Indonesia $[N = 11]$	Philippines $[N = 26]$	Singapore $[N = 4]$	Taiwan $[N=18]$	Thailand $[N = 7]$
Culture facilities are available for isolation of fungi	215/241 (89.2%)	62/71 (87.3%)	98/104 (94.2%)	11/11 (100%)	17/26 (65.4%)*	3/4 (75.0%)	18/18 (100%)	6/7 (85.7%)
Fluorescence microscope available (for examination under calcofluor stain)	99/241 (41.1%)	24/71 (33.8%)	60/104 (57.7%)	3/11 (27.3%)	4/26 (15.4%)*	3/4 (75.0%)	3/18 (16.7%)	2/7 (28.6%)
available in laboratory: Noncommercial phenotypic	179/219 (81.7%)	47/58 (81.0%)	92/101 (91.1%)	8/11 (72.7%)	9/21 (42.9%)*	3/04 (75.0%)	15/17 (88.2%)	5/07 (71.4%)
and morphological technique		(2)	(2)					
Commercial phenotypic	98/219 (44.7%)	22/58 (37.9%)	49/101 (48.5%)	6/11 (54.6%)	8/21 (38.1%)	1/04 (25.0%)	9/17 (52.9%)	3/07 (42.9%)
PNA/FISH		2/58 (3.5%)	0/101 (0%)	0/11 (0%)	0/21 (0%)	0/04 (0%)	0/17 (0%)	0/02 (0%)
MALDI	27/219 (12.3%)	6/58 (10.3%)	5/101 (5.0%)	0/11 (0%)	2/21 (9.5%)	4/04 (100%)	9/17 (52.9%)	1/07 (14.3%)
Molecular - DNA sequencing	37/219 (16.9%)	19/58 (32.8%)	10/101 (9.9%)	1/11 (9.1%)	1/21 (4.8%)	2/04 (50.0%)	3/17 (17.7%)	1/07 (14.3%)
None, send to outside laboratory	16/219 (7.3%)	9/58 (15.5%)	2/101 (2.0%)	1/11 (9.1%)	1/21 (4.8%)	0/04 (0%)	0/17 (0%)	2/07 (28.6%)
Antifungal susceptibility testing: Available in mycology laboratory	142/241 (58.9%)	31/71 (43.7%)	76/104 (73.1%)	5/11 (45.5%)	12/26 (46.2%)	4/4 (100%)	12/18 (66.7%)	2/7 (28.6%)
Fungal pathogens tested:								
Yeast	139/139 (100%)	31/31 (100%)	74/74 (100%)	5/5 (100%)	11/11 (100%)	4/4 (100%)	12/12 (100%)	2/2 (100%)
Mycelial fungi Methods available in laboratory:	38/139 (27.3%)	13/31 (41.9%)	22/74 (29.7%)	2/5 (40.0%)	1/11 (9.1%)*	0/4 (0%)*	0/12 (0%)*	0/2 (0%)*
Microbroth	52/136 (38.2%)	18/31 (58.1%)	26/73 (35.6%)	1/5 (20.0%)	3/9 (33.3%)	2/4 (50.0%)	1/12 (8.3%)	1/2 (50.0%)
Disc diffusion	62/136 (45.6%)	14/31 (45.2%)	41/73 (56.2%)	4/5 (80.0%)	3/9 (33.3%)	0/4 (0%)	0/12 (0%)	0/2 (0%)
Commercial tests	80/136 (58.8%)	16/31 (51.6%)	39/73 (53.4%)	1/5 (20.0%)	7/9 (77.8%)	4/4 (100%)	11/12 (91.7%)	2/2 (100%)
In-house tests	10/136 (7.4%)	6/31 (19.4%)	4/73 (5.5%)	0/2 (0%)	(%0) 6/0	0/4 (0%)	0/12 (0%)	0/2 (0%)
None, send to outside	5/136 (3.7%)	4/31 (12.9%)	0/73 (0%)	0/2 (0%)	1/9 (11.1%)	0/4 (0%)	0/12 (0%)	0/2 (0%)
laboratory Interpretation of antifungal susceptibility testing done by:								
CLSI		27/30 (90.0%)	74/75 (98.7%)	5/5 (100%)	11/11 (100%)	3/4 (75%)	12/12 (100%)	2/2 (100%)
EUCASI Not available in my	15/139 (10.8%) 2/139 (1.4%)	5/30 (16.7%) 1/30 (3.3%)	4/75 (5.3%) 1/75 (1.3%)	1/5 (20%) 0/5 (0%)	3/11 (27.3%) 0 (0%)	2/4 (50%) 0 (0%)	(%0) 0 *(%0) 0	(%0) 0 *(%0) 0
nospitaritadoratory								

		d
١	7	3
	è	ň
	ŝ	š
	è	₹
٠		=
	7	2
	3	9
	١	Ç
1	ζ	٥
٠	-	-
	_	
1	C	v
	(D
٠	į	
٠	4	2
	ď	

lable Z. (Continued).								
Determinants	Overall $N = 241$	China $[N = 71]$	India $[N = 104]$	Indonesia $[N = 11]$	Philippines $[N = 26]$	Singapore $[N = 4]$	Taiwan $[N=18]$	Thailand $[N=7]$
Cryptococcus antigen tests used: Latex agglutination ELISA Lateral flow	43/65 (66.2%) 4/65 (6.2%) 19/65 (29.2%)	6/9 (66.7%) 2/9 (22.2%) 1/9 (11.1%)	21/36 (58.3%) 2/36 (5.5%) 13/36 (36.1%)	2/4 (50%) 0 (0%) 2/4 (50%)	3/4 (75%) 0/4 (0%) 1/4 (25.0%)	1/1 (100%) 0 (0%) 0 (0%)	9/9 (100%) 0 (0%) 0 (0%)	1/2 (50%) 0 (0%) 2/2 (100%)
Histoplasma antigen testing: Yes, by commercial tests Yes, by in-house tests Not available in my hospital Not in my hospital, send to outside laboratory	2/76 (2.6%) 3/76 (3.9%) 60/76 (78.9%) 12/76 (15.8%)	1/20 (5.0%) 1/20 (5.0%) 16/20 (80.0%) 3/20 (15.0%)	1/37 (2.7%) 0/37 (0%) 30/37 (81.1%) 6/37 (16.2%)	0/3 (0%) 1/3 (33.3%) 2/3 (66.7%) 0/3 (0%)*	0/4 (0%) 0/4 (0%) 3/4 (75.0%) 1/4 (25.0%)	0/1 (0%) 0/1 (0%) 0/1 (0%)* 1/1 (100%)	0/9 (0%) 1/9 (11.1%) 7/9 (77.8%) 1/9 (11.1%)	0/2 (0%) 0/2 (0%) 2/2 (100%) 0/2 (0%)
Candida antigen testing: Yes, by commercial tests Yes, by in-house tests Yes, available (total) No, but I send it out Not available	30/203 (14.8%) 10/203 (4.9%) 37/203 (18.2%) 26/203 (12.8%) 140/203 (69.0%)	21/48 (43.8%) 8/48 (16.7%) 27/48 (56.3%) 4/48 (8.3%) 17/48 (35.4%)	6/98 (6.1%) 1/98 (1.0%) 6/98 (6.1%) 8/98 (8.2%) 84/98 (85.7%)	2/9 (22.2%) 0/9 (0%) 2/9 (22.2%) 2/9 (22.2%) 5/9 (55.6%)	0/25 (0%) 1/25 (4.0%) 1/25 (4.0%) 6/25 (24.0)% 18/25 (72.0%)	0/4 (0%) 0/4 (0%) 0/4 (0%) 1/4 (25.0%) 3/4 (75.0%)	0/14 (0%) 0/14 (0%) 0/14 (0%)* 1/14 (7.1%) 13/14 (92.9%)	1/5 (20.0%) 0/5 (0%) 1/5 (20.0%) 4/5 (80.0%) 0/5 (0%)
Available Candida antigen tests: Mannan antigen (without anti-mannan antibody) Mannan antigen plus anti-mannan antibody Anti-mannan antibodies (1→3)-β-d-glucan (BDG)	6/35 (17.1%) 5/35 (14.3%) 2/35 (5.7%) 24/35 (68.6%)	4/25 (16.0%) 3/25 (12.0%) 1/25 (4.0%) 19/25 (76.0%)	2/6 (33.3%) 2/6 (33.3%) 0/6 (0%) 4/6 (66.7%)	0/2 (0%) 0/2 (0%) 1/2 (50.0%) 0/2 (0%)	0/1 (0%) 0/1 (0%) 0/1 (0%) 0/1 (0%)	N N N N N N N N N N N N N N N N N N N	N N N N N N N N N N N N N N N N N N N	0/1 (0%) 0/1 (0%) 0/1 (0%) 1/1 (100%)
Galactomannan available in laboratory Frequency performed: 1 day/week 2 days/week 3 days/week 5 days/week	55/241 (22.8%) [32 specifying frequency] 6/32 (18.8%) 15/32 (46.9%) 3/32 (9.4%) 2/32 (3.1%)	16/71 (25.4%) [10 specifying frequency] 5/10 (50.0%) 2/10 (20.0%) 1/10 (10.0%)	28/104 (26.9%) [14 specifying frequency] 3/14 (21.4%) 8/14 (57.1%)	1/11 (9.1%)	3/26 (11.5%) 2/3 (66.7%) 1/3 (33.3%)	1/4 (25.0%)	5/18 (27.8%) [2 specifying frequency] 1/2 (50.0%) 1/2 (50.0%)	1/7 (14.3%)

·
ď
ø
2
2.
=
5
ò
\circ
_
ĸi
ø
ž
¥
۳

lable 2. (continued).								
Determinants	Overall $N = 241$	China $[N = 71]$	India $[N = 104]$	Indonesia $[N = 11]$	Philippines $[N = 26]$	Singapore $[N = 4]$	Taiwan $[N=18]$	Thailand $[N = 7]$
6 days/week Other	2/32 (3.1%) 4/32 (12.5%)	1/10 (10.0%) 90 samples/wk: 1	1/14 (7.1%) As required: 11/month: 1					25 samples/wk: 1
Beta glucan available in laboratory Frequency nerformed:	24/241 (10.0%) [20 specifying frequency]	24/241 (10.0%) 18/71 (25.4%) [14 [20 specifying specifying frequency]	4/104 (3.8%)	No	1/26 (3.8%)	°Ž	°Z	1/7 (14.3%)
1 day/week 2 days/week 4 days/week 5 days/week	3/20 (15.0%%) 4/20 (20.0%) 1/20 (5.0%) 5/20 (25.0%)	2/14 (14.3%) 3/14 (21.4%) 1/14 (7.1%) 5/14 (35.7%)	1/4 (25.0%)		1/1			
1 day/month Other	1/20 (5.0%) 6/20 (30.0%)	10 samples/wk: 1 90 samples/wk: 1 120 samples/wk: 1	1/4 (25.0%) As required: 1 Research only: 1					0-3 samples/wk: 1
IgE is available in my/other	48/75 (64.0%)	13/20 (65.0%)	23/36 (63.9%)	2/4 (50.0%)	1/4 (25.0%)	1/1 (100%)	7/8 (87.5%)	1/2 (50.0%)
Total IgE estimation Aspergillis-specific IgE Not further specified	27/48 (56.3%) 6/48 (12.5%) 21/48 (43.8%)	7/13 (53.8%) 1/13 (9.1%) 6/13 (46.2%)	14/23 (60.9%) 5/23 (21.7%) 9/23 (39.1%)	0/2 (0%) 0/2 (0%) 2/2 (100%)	1/1 (100%) 0/1 (0%) 0/1 (0%)	0/1 (0%) 0/1 (0%) 1/1 (100%)	4/7 (57.1%) 0/7 (0%) 3/7 (42.9%)	1/1 (100%) 0/1 (0%) 0/1 (0%)
PCR for fungal diagnosis done using: Commercial tests In-house tests	14/37 (37.8%) 26/37 (70.3%)	7/16 (43.8%) 11/16 (68.8%)	6/13 (46.2%) 8/13 (61.5%)	0/2 (0%) 2/2 (100%)	1/1 (100.0%) 0/1 (0%)	0/2 (0%) 2/2 (100%)	0/2 (0%) 2/2 (100.0%)	0/1 (0%) 1/1 (100%)
Therapeutic drug monitoring is available using: Bio-assay HPLC LC-MS	8/21 (38.1%) 10/21 (47.6%) 4/21 (19.0%)	7/12 (58.3%) 4/12 (33.3%) 1/12 (8.3%)	1/6 (16.7%) 4/6 (66.7%) 2/6 (33.3%)	28 V V V V V V V V V V V V V V V V V V V	NA NA NA	NA NA	0/2 (0%)_ 1/2 (50.0%) 1/2 (50.0%)	0/1 (0%) 1/1 (100%) 0/1 (0%)

21 24 CLSI, Clinical & Laboratory Standards Institute; ELISA, enzyme-linked immunosorbent assay; EUCAST, European Committee on Antimicrobial Susceptibility Testing; HPLC, high-performance liquid chromatography. peptide nucleic acid probes.

"Statistically significant (P < .05).

Chindamporn et al.




Figure 1. Locations of the laboratories that participated in the survey.

Conventional diagnosis and identification of fungi

The vast majority (230/241, 95.4%) of laboratories participating in the survey perform direct microscopy of samples, while fluorescence microscopy with the calcofluor white or fluorescent brightener technique is available in 99/241 (41.1%) laboratories (Table 2). Overall, 215/241 (89.2%) laboratories perform culture isolation of fungi. Of the 241 surveyed laboratories, 219 provided details of the fungal identification facilities or services that are available within the laboratory. For identification of fungi, although the majority (179/219, 81.7%) of all laboratories use noncommercial phenotypic and morphological methods, 44.7% (98/219) of laboratories also use commercial phenotypic methods for yeast identification; on 25 wo laboratories, both in China, use the fluorescence in situ hybridization 18 ing peptide nucleic acid probes (PNA/FISH) technique. Matrix-assisted laser desorption/ionization timeof-flight mass spectroscopy (MALDI-TOF MS) for identification of fungi is available in 27/219 (12.3%) laboratories, and nine of those laboratories are in Taiwan (9/17, 52.9%). Molecular genomic identification of fungi is available in 37/219 (16.9%) of the surveyed laboratories, and more than half of these laboratories are in China (i.e. 19/58, 32.8% of Chinese laboratories).

Antifungal susceptibility testing

Of all surveyed laboratories, 142/241 (58.9%) perform antifungal susceptibility testing, including 76/104 (73.1%) Indian laboratories, 4/4 (100%) Singaporean laboratories, 12/18 (66.7%) Taiwanese laboratories, and 2/7 (28.6%) Thai laboratories (Table 2). Of the 142 laboratories that indicated they perform antifungal susceptibility testing, 139 specified for which pathogens the testing was performed.



All those 139 laboratories perform antifungal susceptibility testing for yeasts, but less than one in three of those laboratories (37/139, 27.3%) test mycelial fungi. At the country level, antifungal susceptibility testing of mycelial fungi is performed in some laboratories in India (22/74), China (13/31), Indonesia (2/5), and the Philippines (1/11), but none of the laboratories in Singapore, Taiwan, or Thailand. Of the 142 laboratories that perform antifungal susceptibility testing, 136 provided information on the methods they use. The microbroth dilution method of susceptibility testing is available in 52/136 (38.2%) laboratories; the majority (80/136, 58.8%) of laboratories use a commercial system (not specified) for antifungal susceptibility testing; 5/136 (3.7%) laboratories (4/31 in hina and 1/9 in the Philippines) outsource the testing. Almost all (134/139, 96.4%) the laboratories performing antifungal susceptibility testing follow the Clinical and Laboratory andards Institute (CLSI), USA, recommended protocol and 15/139 (10.8%) laboratories evaluate their results also using European Committee on Antimicrobial Susceptibility Testing (EUCAST) breakpoints. Six laboratories in China (6/31, 19.4%) and four laboratories in India (4/73, 5.5%) use antifungal susceptibility testing methods that have been developed in-house (not following any commercial or standardized protocol like CLSI or EUCAST).

Serology

Of all surveyed laboratories, 77/241 (32%) indicated they perform serological/antigen testing. Of those performing Cryptococcus antigen detection testing (n = 66), 43 (66.2%) use the latex agglutination method, 4 (6.2%) use an enzyme-linked immunosorbent assay (ELISA) method, and 19 (29.2%) use a lateral flow assay (Table 2). Only 6.6% (5/76) of laboratories that conduct serological/antigen testing perform Histoplasma antigen assays. Some form of Candida antigen testing is available in 18.2% (37/203) of laboratories. (1 \rightarrow 3)- β -D-glucan (BDG) testing is available in 24 of 35 laboratories: 18 in China, four in India and one in Thailand. Fi 12 aboratories in China perform this test 5 times a week. Galactomannan antigen testing is available in 22.8% (55/241) of surveyed laboratories; it is most commonly performed 1-2 times weekly (21/32, 65.6%); two laboratories (one each in India and China) perform the test daily (i.e., 6 times weekly). Estimation of immunoglobulin E (IgE) (total or Aspergillusspecific) is available to 48 of the 77 laboratories who perform serological testing, either within the laboratory or in another laboratory within the same hospital. Twentyseven of these 48 laboratories specify that they perform total IgE estimation (7/13 in China, 14/23 in India, 4/7 in Taiwan, 1/1 in the Philippines, and 1/1 in Thailand), with six of these 27 (1/13 in China and 5/23 in India) indicating that they additionally perform *Aspergillus*-specific IgE estimations.

Molecular diagnosis and therapeutic drug monitoring for azoles

Of the 53/241 (22%) laboratories that indigated they have molecular diagnosis facilities, 37 perform polymerase chain reaction (PCR) for diagnosis of fungal infections (including 16/20 in China and 13/23 in India). Of those, 26/37 (70.3%) employ an in-house technique and 14/37 (37.8%) laboratories use commercial PCR diagnosis (manufacturer not specified) of fungal infections (Table 2). However, in our survey, respondents were not asked to specify whether PCR diagnosis performed on a patient specimen or a fungal isolate. Twenty-one laboratories (21/241, 8.7%) perform therapeutic drug monitoring (TDM) for azoles (12/71 in China, 6/104 in India, 2/18 in Taiwan, and 1/7 in Thailand); 47.6% (10/21) of these laboratories use high performance liquid chromatography (HPLC), 38.1% (8/21) use a bio-assay, and 19.0% (4/21) use the liquid chromatography-mass spectrometry (LC-MS) technique (Table 2).

Discussion

The challenge posed by fungal infections is gaining importance worldwide, 6 especially in Asia. 1-5 The true burden of fungal infections in this region is largely unknown, and any data from developing countries are likely to be underestimates due to the absence of diagnostic mycology laboratories. The present sale y provides, despite certain limitations, a snapshot of the status of diagnostic mycology services in seven Asian countries. Despite our best efforts, we obtained responses from 104 and 71 laboratories in India and China, respectively, although these countries are vast in size and contain the largest populations of the world. The situation in Indonesia, the Philippines, and Thailand is no better, as we received responses from 11, 26, and 7 laboratories, respectively, in those countries.

There have been few attempts worldwide at conducting this type of survey to provide a status report on medical mycology services. 7-10 Our survey is the maiden attempt in Asia. Aside from a few laboratories in our survey, most laboratories lack continuing education and training in medical mycology. A special effort may be required in Indonesia as significantly fewer laboratories conducted formal training of laboratory staff than in other countries. The use of

Chindamporn et al.

regular external mycology proficiency of ting also reflects the competence of the laboratory. A little over half (56.1%) of the surveyed Asian laboratories participate in an EQAS program; none of these is in Indonesia. The AFWG is taking action to start EQAS programs for mycology laboratories in each country. Laboratory accreditation is another method for improving laboratory proficiency, but more than half (57.3%) of the surveyed Asian laboratories are not accredited. The biosafety hood, an essential equipment of biosafety, is not available in 20.3% surveyed laboratories.

Accurate identification of fungal species is important for selection of suitable antifungal therapy as the available medications differ in their spectrum of activity. The recent worldwide threat posed by the identification of multidrugresistant *Candida auris*¹² is looming large in Asian hospitals. Commercial phenotypic methods used by the majority of laboratories in Asia would fail to identify this superbug, ¹³ which would require a MALDI-TOF MS database or molecular identification by DNA sequencing. However, our survey suggests that MALDI-TOF MS and DNA sequencing facilities are not widely available in surveyed Asian courtries.

With the rise of antifungal resistance, especially in yeasts in Asian countries, ^{14–16} routine use of antifungal susceptibility testing is essential for all laboratories associated with tertiary care facilities. However, 41.1% of surveyed laboratories do not conduct antifungal susceptibility testing, and the standard microbroth dilution technique is used by less than half (38.2%) of those laboratories performing antifungal susceptibility testing.

Serology for fungal diagnosis is performed in very few laboratories (32%, n = 77), and cryptococcal antigen testing is the most commonly used. Histoplasmosis is prevalent in Asian countries,5 but Histoplasma antigen testing is performed by only five of the surveyed laboratories. Most of the laboratories perform conventional techniques, including direct 36 roscopy and culture, for diagnosis of histosmosis. Galactomannan antigen detection, an important test for diagnosis of invasive aspergillosis, is performed in 55 laboratories, and most (62.5%) of these laboratories perform it 1-2 times per week. This would suggest a long turnaround time for a test that is essential for diagnosing the life-threatening disease aspergillosis. The β -D-glucan test, another important pan-fungal diagnostic test, is performed in 24 laboratories, covering China, India, and Thailand (only one laboratory in Thailand). The test is not available in the surveyed laboratories from the other four Asian countries. Similarly, advanced tests like PCR for fungal diagnosis and TDM for azoles are available in few laboratories in the surveyed countries. Though allergic bronchopulmonary aspergillosis¹⁷ and allergic fungal sinusitis¹⁸ are highly prevalent diseases in India, and possibly other Asian countries, total IgE and *Aspergillus*-specific IgE estimations (essential tests for diagnosing these diseases) are performed in 23 and seven lapratories, respectively.

The present survey identifies an urgent need to increase investment in mycology laboratories, especially to fund the incorporation of MALDI-TOF MS and non-culture-based biomarker tests like galactomannan, β -D-glucan and fungal PCR. The capital investment in MALDI-TOF MS may be high, but overall the procedure is cost-effective due to early identification, and reduced reagent and labor costs. The situation appears worse in Indonesia, the Philippines, and Thailand, where those biomarker tests are nearly non-existent. The lack of facilities hinders epidem logical and outbreak investigations and compromises the management of patients with fungal infections in Asian countries. Biosafety in the laboratory is also an important issue. All laboratories performing fungal diagnosis should be equipped with biosafety hood.

The study has certain limitations. We do not know the exact number of laboratories performing mycology diagnostic services in each country and, thus, what percentage of those laboratories participated in the survey from each country. There is an absence or lack of readily available support from government or non-government agencies on fungal diseases in all Asian countries. Reviewing the map of the countries and laboratories surveyed, it appears the study is well represented in India, the Philippines, and Singapore, by kewed in China, Indonesia, and Thailand. In addition, it is possible that there were some instances where survey respondents might have misunderstood the meaning of a question. To avoid including misleading data in the analysis set, we censored some clear outlier responses from the database, for example, responses to the bed count of the catchment area of the laboratory. Still, the present study is the first serious attempt to develop a status report of diagnostic mycology services in Asian countries.

An urgent concerted effort from government, academia, and other stakeholders is required to support the development of new quality mycology laboratories and the improvement of existing laboratories with regular staff training, accreditation, and inclusion of essential advanced rapid biomarker tests and equipment plus the we will have the tools and skills in place to curb the morbidity and mortality of invasive fungal diseases in the Asian population.

14 Supplementary material

Supplementary data are available at MMYCOL online.

Acknowledgments

We would like to thank the healthcare team of Weber Shandwick Hong Kong for supporting the study, data collation, and editing of the manuscript. We would like to thank Dr Amit Arora of the Postgradu 3 Institute of Medical Education and Research, Chandigarh, India, for statistical analysis of the data. We also thank all the laboratory personnel who participated in the survey and all other officials who helped country representative in this survey.

Eunding

This study was supported by an unrestricted grant from Pfizer Independent and Fants for Learning and Change to the Asia Fungal Working Group. The sponsor had no role 10 he study design or the conduct, preparation, review, or approval of the manuscript, or in the decision to submit the manuscript for publication.

Declaration of interest

The authors report no conflicts of interest. The authors alone are responsible for the content and the writing of the paper.

References

- Chakrabarti A, Chatterjee SS, Shivaprakash MR. Overview of opportunistic fungal infections in India. Jap J Med Mycol. 2008; 49: 165–172.
- Tan BH, Chakrabarti A, Li RY et al. Incidence and species distribution of candidaemia in Asia: a laboratory-based surveillance study. Clin Microbiol Infect. 2015; 21: 946–953.
- Chakrabarti A, Singh R. The emerging epidemiology of mould infections in developing countries. Curr Opin Infect Dis. 2011; 24: 521–526.
- Slavin MA, Chakrabarti A. Opportunistic fungal infections in the Asia-Pacific region. Med Mycol. 2012; 50: 18–25.
- Chakrabarti A, Slavin MA. Endemic fungal infections in Asia-Pacific region. Med Mycol. 2011; 49: 337–344.
- Brown GD, Denning DW, Gow NA, Levitz SM, Netea MG, White TC Hidden killers: human fungal infections. Sci Transl Med. 2012; 4: 165rv13.

- Morris AJ, Arthur IH, Kidd SE et al. Mycological testing of clinical samples in Australasian pathology laboratories; wide diversity and room for improvement. *Pathology*. 2016; 48: 531–534.
- Lasseter G, Palmer M, Morgan J et al. Developing best practice for fungal specimen management: audit of UK microbiology laboratories. Br J Biomed Sci. 2015; 68: 197–202.
- Schelenz S, Barnes RA, Kibbler CC, Jones BL, Denning DW Standards of care for patients with invasive fungal infections within the United Kingdom: a national audit. J Infect. 2009; 58: 145–153.
- Rosner ER, Reiss E, Warren NG, Shadomy HJ, Lipman HB Evaluation of the status of laboratory practices and the need for continuing education in medical mycology. Am J Clin Pathol. 2002; 118: 278–286.
- Reilly AA, Salkin IF, McGinnis MR et al. Evaluation of mycology laboratory proficiency testing. J Clin Microbiol. 1999; 37: 2297–2305.
- Lockhart SR, Etienne KA, Vallabhaneni S et al. Simultaneous emergence of multidrug-resistant *Candida auris* on 3 continents confirmed by whole genome sequencing and epidemiological analyses. *Clin Infect Dis.* 2017; 64: 134–140.
- Rudramurthy SM, Chakraharti A, Paul RA et al. Candida auris candidemia in Indian ICUs: analysis of risk factors. J Antimicrob Chemother. 2017; 72: 1794–1801.
- Tan TY, Hsu LY, Alexandria MM et al. Antifungal susceptibility of invasive Candida blood stream isolates from the Asia-Pacific region. Med Mycol. 2016; 54: 471–477.
- Chakrabarti A, Snood P, Rudramurthy SM et al. Incidence, characteristics and outcome of ICU-acquired candidemia in India. *Intensive Care Med.* 2015; 41: 285–295.
- Liu W, Tan J, Sun J et al. Invasive candidiasis in intensive care units in China: in vitro antifungal susceptibility in the China-SCAN study. J Antimicrob Chemother. 2014; 69: 162–167.
- Agarwal R, Denning DW, Chakrabarti A. Estimation of the burden of chronic and allergic pulmonary aspergillosis in India. PLoS One. 2014; 9: 2114745
- Chakrabarti A, Rudramurthy SM, Panda N, Das A, Lipman A Epidemiology of chronic fungal rhinosinusitis in rural India. Mycoses. 2015; 58: 294–302
- 19. Tan KF, Ellis BC, Lee R, Stamper PD, Zhang SX, Carroll KC Prospective evaluation of a matrix-assisted laser desorption ionization-time of flight mass spectrometry system in a hospital clinical microbiology laboratory for identification of bacteria and yeasts: a bench-by-bench study for assessing the impact on time to identification and cost-effectiveness. J Clin Microbiol. 2012; 50: 3301–3308.

Survey of laboratory practices for diagnosis of fungal infection in seven Asian countries: An Asia Fungal Working Group (AFWG) initiative

ORIGIN	ALITY REPORT				
2 SIMILA	8% ARITY INDEX	25% INTERNET SOURCES	19% PUBLICATIONS	9% STUDENT P	APERS
PRIMAR	RY SOURCES				
1	www.afw Internet Sourc	vgonline.com e			8%
2	WWW.SCi	ence.gov e			5%
3	Patel, Michalleng fungal di Asia Fur	k Tan, Arunaloke itzi Marie M. Chu es in managing p seases in seven ngal Working Gro onal Journal of In	a et al. "Clinic atients with in Asian countrie up (AFWG) S	ians' ivasive es: An urvey",	3%
4	repositor Internet Source	rio.unesp.br			3%
5	www.per	fusion.com			1%

B.H. Tan, A. Chakrabarti, R.Y. Li, A.K. Patel et

al. "Incidence and species distribution of candidaemia in Asia: a laboratory-based surveillance study", Clinical Microbiology and Infection, 2015

Publication

Hariprasath Prakash, Anup Kumar Ghosh, Shivaprakash Mandya Rudramurthy, Raees Ahmad Paul et al. "The environmental source of emerging infection in India ", Medical Mycology, 2016

1%

Publication

Saikat Paul, Pankaj Singh, Shamanth A S, Shivaprakash M. Rudramurthy, Arunaloke Chakrabarti, Anup K Ghosh. "Rapid detection of fluconazole resistance in Candida tropicalis by MALDI-TOF MS", Medical Mycology, 2017

1%

Publication

Shang-Yi Lin, Po-Liang Lu, Ban Hock Tan, Arunaloke Chakrabarti et al. "The epidemiology of non- yeasts isolated from blood: the Asia Surveillance Study ", Mycoses, 2018

Publication

1%

www.tandfonline.com

1%

"Clinical Practice of Medical Mycology in Asia", Springer Science and Business Media LLC, 2020 <1%

res.mdpi.com

Internet Source

<1%

Ban Hock Tan, Arunaloke Chakrabarti, Atul Patel, Mitzi Marie M Chua et al. "Clinicians' Challenges in Managing Patients with Invasive Fungal Diseases in Seven Asian Countries: An Asia Fungal Working Group (AFWG) Survey", International Journal of Infectious Diseases, 2020

<1%

Publication

Engin Kaplan, Macit Ilkit, G. Sybren de Hoog.
"Comparison of the rolling circle amplification and ligase-dependent reaction methods for the identification of opportunistic Exophiala species", Medical Mycology, 2017

Publication

<1%

He Wang, Yao Wang, Qi-Wen Yang, Yu-Xing Ni et al. "A national survey on fungal infection diagnostic capacity in the clinical mycology laboratories of tertiary care hospitals in China", Journal of Microbiology, Immunology and Infection, 2020

<1%

Publication

16


dc.uwm.edu
Internet Source

<1%

17	Wang et al. "Are we ready for the global emergence of multidrug-resistant Candida auris in Taiwan?", Journal of the Formosan Medical Association, 2017 Publication	< %
18	worldwidescience.org Internet Source	<1%
19	www.theaffordablecleanteam.com Internet Source	<1%
20	tessa.it Internet Source	<1%
21	monami.hs-mittweida.de Internet Source	<1%
22	www.lsep.co.uk Internet Source	<1%
23	www.neurology.org Internet Source	<1%
24	hdl.handle.net Internet Source	<1%
25	jcm.asm.org Internet Source	<1%
26	journals.plos.org Internet Source	<1%

Po-Liang Lu, Wei-Lun Liu, Hsiu-Jung Lo, Fu-Der

17



João P. Z. Siqueira, Deanna A. Sutton, Josepa Gené, Dania García, Nathan Wiederhold, Josep Guarro. "Species of Aspergillus section

<1%

Aspergillus from clinical samples in the United States", Medical Mycology, 2017

Publication

www.researchsquare.com <1% 33 Internet Source Rodrigo Almeida-Paes, Fernando Almeida-34 Silva, Gabriela Costa Maia Pinto, Marcos de Abreu Almeida et al. "L-tyrosine induces the production of a pyomelanin-like pigment by the parasitic yeast-form of Histoplasma capsulatum", Medical Mycology, 2017 Publication Aspergillosis from diagnosis to prevention, 2010. 35 Publication "Human Fungal Pathogen Identification", 36 Springer Science and Business Media LLC, 2017 Publication

Exclude quotes On Exclude matches Off

Exclude bibliography On