

## DAFTAR PUSTAKA

1. Brooks GF, Butel JS, Morse SA. AIDS dan Lentivirus. Dalam Saidah R, editor. Jawetz, Melnick, & Adelberg Mikrobiologi Kedokteran. 23rd ed. Jakarta: Penerbit Buku Kedokteran EGC; 2008. p. 617-32.
2. Merati TP, Djauzi S. Respon Imun Infeksi HIV. In Buku Ajar Ilmu Penyakit Dalam. Jakarta: InternaPublishing; 2014. p. 924-31.
3. Kementerian Kesehatan Republik Indonesia. Statistik Kasus HIV/AIDS di Indonesia. sampai dengan Maret 2016. 2016 Maret: p. 1.
4. Nyoman L, Wisma A, Suryana K. Spektrum infeksi oportunistik pada klinik merpati RSUD Wangaya periode januari-februari 2014. E- Jurnal medika udayana. 2015; 4.
5. Djoerban Z, Djauzi S. HIV/AIDS DI INDONESIA. Dalam Buku Ajar Ilmu Penyakit Dalam. Jakarta: InternaPublishing; 2014. p. 887-95.
6. Yoveline A, Wahyuningsih R, Kumalawati Y, Sungkar S. Peran Rapid Oral HIV Test dalam Diagnosis infeksi HIV. Majalah Kedokteran Indonesia. 2008 December; 58.
7. Kementerian Kesehatan Republik Indoneisa. Tatalaksana Klinisi infeksi HIV dan terapi Antiretroviral pada orang dewasa. 2011.
8. AIDS Education & Training Center Program. AETC National Coordinating Resource Center. [Online].; 2014 [cited 2016 Oktober 25. Available from: <https://www.aidsetc.org/guide/hiv-classification-cdc-and-who-staging-systems>.
9. Yayasan Spiritia. Statistik Kasus HIV/AIDS di Indonesia. [Online].; 2015 [cited 2016 Oktober 28. Available from: <http://spiritia.or.id/index.php>.
10. Yusri A, Muda S, Rasmaliah. Karakteristik penderita AIDS dan infeksi oportunistik di rumah sakit umum pusat H. Adam malik Medan tahun 2012. 2015; 2.
11. A Working Group of the Office of AIDS Research Advisory Council (OARACA Working Group of the Office of AIDS Research Advisory Council (OARAC. AIDSinfo. [Online].; 2016 [cited 2016 Desember 2. Available from: <http://aidsinfo.nih.gov/guidelines>.

12. Kementerian Kesehatan Republik Indonesia. Data HIV/AIDS. Jakarta;; 2016.
13. Horn T. [Online].; 2009 [cited 2017 Maret 3. Diunduh dari:  
<https://www.poz.com/article/hiv-cd4-survival-16943-6837>.
14. British HIV Association. CD4 percentage is an independent predictor of survival in patients starting antiretroviral therapy with absolute CD4 cell counts between 200 and 350 cells/mL. British HIV Association. 2006; 7.
15. Arnout RA, Lloyd LA, O'Brien RT, Goedert JJ, Leonard JM, Nowak MA. A simple relationship between viral load and survival time in HIV-1 infection. Proc. Natl. Acad. Sci. USA. 1999 September; 96.
16. Yanchoan R, Venzon D, Pluda J. CD4 count and the risk for death in patients infected with HIV receiving antiretroviral therapy. Ann Intern Medical. 1991 Agustus.
17. Damtie D, Yismaw G, Woldeyohannes D, Anagaw B. Common Opportunistic infections and their CD4 cell correlates among HIV-infected patients attending at antiretroviral therapy clinic of Gondar University Hospital, Northwest Ethiopia. BioMed Central. 2013 Desember; 6.
18. Permitasari DA. Faktor risiko terjadinya koinfeksi tuberkulosis pada pasien HIV/AIDS di RSUD. DR KARIADI SEMARANG. 2012.
19. Fachri L, Maria IL, Syafar M. Efek samping obat terhadap kepatuhan pengobatan antiretroviral orang dengan HIV/AIDS. Jurnal kesehatan masyarakat nasional. 2014 November; 2.
20. World Health Organization. Monitoring response to ART and the diagnosis of treatment failure. [Online].; 2013 [cited 2017 Maret 8. Available from:  
<http://www.who.int/hiv/pub/guidelines/arv2013/art/artmonitoring/en/index1.html>.
21. Djoerban Z. Virus load profiles in drug users with asymptomatic HIV infection. Medical journal of indonesia. 2002 September; 11.
22. World Health Organization. HIV prevention, diagnosis, treatment and care for key populations; 2016.
23. World Health Organization. D4T Phase Out Management Guiding Principle. [Online].;

2013 [cited 2017 Maret 4. Available from:

<http://www.who.int/hiv/topics/treatment/d4t-phase-out-management-guiding-principles.pdf>.