

## DAFTAR PUSTAKA

1. Resolution WHA65.6. Comprehensive implementation plan on maternal, infant and young child nutrition. In: Sixty-fifth World Health Assembly Geneva, 21–26 May 2012. Resolutions and decisions, annexes. Geneva: World Health Organization; 2012:12–13 ([http://www.who.int/nutrition/topics/WHA65.6\\_resolution\\_en.pdf?ua=1](http://www.who.int/nutrition/topics/WHA65.6_resolution_en.pdf?ua=1), di akses pada tanggal 24 Oktober 2019).
2. Kim D, Saada A. The social determinants of infant mortality and birth outcomes in western developed nations: a cross-country systematic review. *Int J Environ Res Public Health.* 2013;10(6):2296–335. doi:10.3390/ijerph10062296.
3. Muglia LJ, Katz M. The enigma of spontaneous preterm birth. *N Engl J Med.* 2010;362(6):529–35.
4. World Health Organization. Global targets 2025. To improve maternal infant and young child nutrition ([www.who.int/nutrition/topics/nutrition\\_globaltargets2025/en/](http://www.who.int/nutrition/topics/nutrition_globaltargets2025/en/), di akses pada 24 Oktober 2019)
5. Kemenkes RI. Laporan Hasil Riset Kesehatan Dasar (Risksedas). Jakarta: Kemenkes RI;2013
6. Larroque B, Bertrais S, Czernichow P, Leger J. School difficulties in 20-yearolds who were born small for gestational age at term in a regional cohort study. *Pediatrics.* 2001;108:111–15.
7. Sutan R., Mazlina M, Aimi NM et al. Determinant of low birth weight infants: A matched case control study. *Open Journal Preventive Medicine [e-journal]* 4 (3): pp.91-9.
8. Wardlaw T, Blanc A, Zupan J, Ahman E. United Nations Children's Fund and World Health Organization. Low Birthweight: Country, Regional and Global Estimates. 2005.
9. SN Hinkle, Paul SA, Pauline M et al. The association between parity and birthweight in a longitudinal consecutive pregnancy cohort. *Paediatr Perinat Epidemiol.* 2014;28(2):106–115. doi: [10.1111/ppe.12099](https://doi.org/10.1111/ppe.12099)
10. Merklinger-Gruchala A, Jasienska G, Kapiszewska M. Short interpregnancy interval and low birth weight: A role of parity. *American Journal of Human Biology.* 2015Jul;27(5):660–6.

11. Wardlaw TM. Low birthweight: country, regional and global estimates: Unicef; 2004.
12. Kramer MS. Intrauterine growth and gestational duration determinants. *Pediatr*. 1987;80(4):502–11.
13. Keluarga Sehat Idamanku, Kota Sehat Kotaku: 1000 Hari Pertama Kehidupan. promkes.kemkes.go.id. 2014.
14. Djauhari T. Gizi Dan 1000 HPK. Saintika Medika 2017;13:125. doi:10.22219/sm.v13i2.5554.
15. Marshal HK, Avroy AF. Care of the high-risk neonate: Classification of The Low Birth Weight Infant. Ardmore Medical Books: 1986 pp.72-76
16. Patel A, Prakash AA, Das PK, Gupta S, Pusdekar YV, Hibberd PL. Maternal anemia and underweight as determinants of pregnancy outcomes: cohort study in eastern rural Maharashtra, India. *BMJ Open* 2018;8. doi:10.1136/bmjopen-2018-021623.
17. Mubasyiroh R, Tejayanti T, Senewe FP. Hubungan Kematangan Reproduksi Dan Usia Saat Melahirkan Dengan Kejadian Bayi Berat Lahir Rendah (BBLR) Di Indonesia Tahun 2010. *Jurnal Kesehatan Reproduksi* 2016;7. doi:10.22435/kespro.v7i2.4854.109-118.
18. Bhutta ZA, Das JK, Rizvi A, Gaffey MF, Walker N, Horton S et al. Evidencebased interventions for improvement of maternal and child nutrition: what can be done and at what cost? *Lancet*. 2013;382 (9890):452–77. doi:10.1016/S0140-6736(13)60996-4.
19. He Z, Bishwajit G, Yaya S, et al. Prevalence of low birth weight and its association with maternal body weight status in selected countries in Africa: a crosssectional study. *BMJ Open* 2018;8:e020410. doi:10.1136/bmjopen-2017-020410
20. Villar J, Abdel-Aleem H, Meraldi M, Mathai M, Ali MM, Zavaleta N et al.; World Health Organization Calcium Supplementation for the Prevention of Preeclampsia Trial Group. World Health Organization randomized trial of calcium supplementation among low calcium intake pregnant women. *Am J Obstet Gynecol*. 2006;194(3):639–49.
21. Cooper L, Green R, Krugman S, et al: Neonatal thrombocytopenic purpura and other manifestations of rubella contracted in utero. *Am J Dis Child* 110:416, 1965
22. Dadak C, Kefalides A, Sinzinger H, et al: Reduced umbilical artery prostacycline formation in complicated pregnancies. *Am J Obstet Gynecol* 144:792, 1982.

23. Chanda, S.K.; Howlader, M.H.; Nahar, N. Educational status of the married women and their participation at household decision making in rural bangladesh. *Int. J. Adv. Res. Technol.* 2012, 1, 137–146.
24. Cribb, V.L.; Jones, L.R.; Rogers, I.S.; Ness, A.R.; Emmett, P.M. Is maternal education level associated with diet in 10-year-old children? *Public Health Nutr.* 2011, 14, 2037–2048. [CrossRef] [PubMed]
25. Hwang WJ, Park YM. Factors Influencing the Accessibility of Maternal Health Service in Cambodia. *International Journal of Environmental Research and Public Health.* 2019;16(16):2909.
26. Saleem S, Tikmani SS, Mcclure EM, Moore JL, Dhaded SM, et al. Trends and determinants of stillbirth in developing countries: results from the Global Network's Population-Based Birth Registry. *Reproductive Health.* 2018;15(S1)
27. Al-Farsi Y, Brooks, Werler, Cabral H, Al-Shafei, Wallenburg. Effect of high parity on occurrence of some fetal growth indices: a cohort study. *International Journal of Womens Health.* 2012;:289.
28. Hornstra G. Essential fatty acids in mothers and their neonates. *The American Journal of Clinical Nutrition.* 2000 Jan;71(5).
29. Mcglory C, Calder PC, Nunes EA. The Influence of Omega-3 Fatty Acids on Skeletal Muscle Protein Turnover in Health, Disuse, and Disease. *Frontiers in Nutrition.* 2019Jun;6.
30. Wiknjosastro. Ilmu Kandungan. Jakarta: Bagian Obstetri dan Ginekologi, Fakultas Kedokteran, Universitas Indonesia bekerjasama dengan Yayasan Bina Pustaka Sarwono Prawirohardjo; 1995.
31. Habibah K. Hubungan Antara Usia Ibu Dan Paritas Dengan Kejadian Berat Badan Lahir Rendah (BBLR) Di RSU Dr. Saiful Anwar Malang. Malang; 2011.
32. Hartiningrum I, Fitriyah N. Bayi Berat Lahir Rendah (BBLR) di Provinsi Jawa Timur Tahun 2012-2016. *Jurnal Biometrika dan Kependudukan.* 2019Nov;7(2):97.
33. Rajashree, K. 2015. Study on the Factors Associated with Low Birth Weight among Newborns Delivered in a Tertiary-Care Hospital, Shimoga, Karnataka. *International Journal of Medical Science and Public Health,* [e-journal] 4 (9): pp. 1287–1290.

34. Dorland N. Kamus Kedokteran Dorland Jakarta: EGC; 2007.
35. Varney. Prenatal care. In Varney's Midwifery. 6<sup>th</sup> ed. Burlington: Jones & Barlett Learning; 2019.p.1175
36. Cunningham FG. Prenatal Care. In William Obstetric: McGraw-Hill; 2010.p.194-195
37. Manuaba, I.B. Ilmu Kebidanan, Penyakit Kandungan dan Keluarga Berencana Untuk Pendidikan Bidan. Jakarta: Penerbit Buku Kedokteran EGC; 2010.
38. Wahyuningrum T, Saudah N, Novitasari WY. Hubungan Paritas dengan Berat Bayi Lahir Di Rumah Sakit Umum Daerah Dr. Wahidin Sudiro Husodo Mojokerto. Midweferia; 2015
39. Perera, K.P.N., Manzur, K. 2014. Socio-Economic and Nutritional Determinants of Low Birth Weight in India. *North American Journal of Medical Sciences*, [e-journal] 6 (7): pp. 302–308.
40. Pathak P, Kapil U. Role of trace elements zinc, copper and magnesium during pregnancy and its outcome. The Indian Journal of Pediatrics 2004;71:1003–5.  
doi:10.1007/bf02828116.