



# Source details

## Degres

Scopus coverage years: from 2002 to 2014, from 2016 to 2020

Publisher: A.S.B.L. Degres

ISSN: 0376-8163

Subject area: [Social Sciences: Linguistics and Language](#) [Arts and Humanities: Language and Linguistics](#)  
[Arts and Humanities: Philosophy](#)

Source type: Journal

CiteScore 2020

0.0



SJR 2020

0.100



SNIP 2020

0.000



[View all documents >](#)

[Set document alert](#)

[Save to source list](#)

[CiteScore](#) [CiteScore rank & trend](#) [Scopus content coverage](#)

### i Improved CiteScore methodology



CiteScore 2020 counts the citations received in 2017-2020 to articles, reviews, conference papers, book chapters and data papers published in 2017-2020, and divides this by the number of publications published in 2017-2020. [Learn more >](#)

CiteScore 2020

$$0.0 = \frac{1 \text{ Citations 2017 - 2020}}{81 \text{ Documents 2017 - 2020}}$$

Calculated on 05 May, 2021

CiteScoreTracker 2021

$$0.0 = \frac{0 \text{ Citations to date}}{53 \text{ Documents to date}}$$

Last updated on 04 August, 2021 • Updated monthly

## CiteScore rank 2020

Category	Rank	Percentile
Social Sciences		
Linguistics and Language	#870/935	7th
Arts and Humanities		
Language and Linguistics	#820/879	6th
Arts and Humanities		

[View CiteScore methodology >](#) [CiteScore FAQ >](#) [Add CiteScore to your site](#)

## About Scopus

- [What is Scopus](#)
- [Content coverage](#)
- [Scopus blog](#)
- [Scopus API](#)
- [Privacy matters](#)

## Language

- [日本語に切り替える](#)
- [切换到简体中文](#)
- [切换到繁體中文](#)
- [Русский язык](#)

## Customer Service

- [Help](#)
- [Contact us](#)




## Nursing Research and Practice

Publish Your Nursing and Midwifery Research With Hindawi. Submit Your Manuscript.

Hindawi

Open

## Degres


COUNTRY	SUBJECT AREA AND CATEGORY	PUBLISHER	H-INDEX
<p>Belgium</p> 	<p>Arts and Humanities</p> <ul style="list-style-type: none"> <li>Language and Linguistics</li> <li>Philosophy</li> </ul> <p>Social Sciences</p> <ul style="list-style-type: none"> <li>Linguistics and Language</li> </ul>	A.S.B.L. Degres	2
PUBLICATION TYPE	ISSN	COVERAGE	
Journals	03768163	2002-2014, 2016-2020	

### SCOPE


Information not localized

Join the conversation about this journal







● External Cites per Doc ● Cites per Doc




● % International Collaboration



● Citable documents ● Non-citable documents



● Cited documents ● Uncited documents



**Degres**

← Show this widget in your own website

Just copy the code below and paste within your html code:


```
<a href="https://www.scimaç
```

powered by scimagojr.com

**SCImago Graphica**

Explore, visually communicate and make sense of data with our **new free tool**.

Get it



# IJRAR Research Journal

Open Access, Peer Review and refereed journal, journal of, indexing index journal

IJRAR Research Journal

Open



[Home](#) / [Archives](#) / Vol. 20 No. 1 (2021): Degres

## Vol. 20 No. 1 (2021): Degres

Sur ce numéro, certains articles sont entièrement accessibles, vous pouvez les télécharger gratuitement. Certains autres articles ne sont pas, vous pouvez faire un paiement pour les télécharger.

**DOI:** <https://doi.org/10.1877/degres.vi1>

**Published:** 2021-01-10

### Articles

#### **Internal Control Model in the Supervision of Investigation (Wassidik) General Criminal Reserse Police West Java Region**

Zairusi, Didi Turmudzi, Bambang Heru Purwanto

1-14



#### **The Double Taxation within Ecuador and its Legal Affections**

Diego Marcelo Bonilla Morejon

15-27



#### **The Impact of Government Revolution 4.0 on One-Stop Integrated Services (PTSP): Study in DKI Jakarta Province, Indonesia**

Heru Rochmansjah

28-44



#### **Domestic Violence against Man: Where are We Around the World?**

Malveiro, Angela de Branco

45-58



## Prospects of Development of Institute of Investigative Actions at the Present Stage in Kazakhstan and Kyrgyzstan

Klara A. Isaeva

159-171



## A Study of Students Online Reading Habits and Preferences

Hendrikus Male, L. Angelianawati, Anselmus Sudirman

172-183



## Innovations in Education and Russian Syndromes

R.M. Abdulgalimov

184-194



## The Role of Law in Accelerating Economic Recovery Due to the Covid-19 Pandemic Through the Resurrection of Micro, Small and Medium Enterprises in Indonesia

Amin Purnawan

195-206



## Impact of Development on Air Pollution in Rural Areas

Faradiba, Familia Novita Simanjuntak, Nya Daniaty Malau, Taat Guswanto, Lodewik Zet

207-221



## Attitude towards the Use of Open Access Scholarly Publications: The Position of LIS Lecturers in Southern Nigeria

Alex Ozoemelem Obuh

222-237



## Integration of Faith Development Pattern according to Ephesians 4: 11-13 and James Fowler's Theory and Its Implementation through Christian Religious Education

Djoys A. Rantung, Vardik Vandiano

238-248



## Impact of Development on Air Pollution in Rural Areas

Faradiba<sup>1\*</sup>, Familia Novita Simanjuntak<sup>2</sup>, Nya Daniaty Malau<sup>3</sup>, Taat Guswantoro<sup>4</sup>, Lodewik Zet<sup>5</sup>

<sup>1,2,3,4</sup>Universitas Kristen Indonesia

<sup>5</sup>Statistics Indonesia

Email: [faradiba@uki.ac.id](mailto:faradiba@uki.ac.id)

### Abstract

The economic progress of a country can be seen from its economic growth. One of the efforts to improve the economy is to accelerate regional development. The existence of development in each region leaves problems related to the environment, especially air pollution. These problems are often forgotten, because the development process is still focused on social and economic impacts. This study aims to determine the impact of development on air pollution in rural areas. This study uses data from the PODES (Village Potential) and Village Development Index (IPD) 2018 data collection, as well as several economic variables as instrument variables. The number of observations used was 75,436 villages. The method used is the instrumental regression variable Two Stage Least Square (2SLS). The results of this study indicate that village development has a significant positive effect on increasing air pollution. Good planning is needed in development, so as to prevent negative effects. In addition, monitoring and evaluation of the ongoing/completed development process is required in order to minimize environmental degradation.

**Keywords:** *Air Pollution, Village Development, Instrumental Variables.*

---

### 1. Introduction

Quality air is one of the most important supporting factors for living things, including humans. [Raharjo \(2009\)](#) states that air quality has an impact on the environment and human health. The composition of normal air in the atmosphere includes 78% Nitrogen, 21% Oxygen, 0.9% Argon, and 1% other elements including Carbon dioxide, Neon, Helium, Methane, and Krypton ([Arty, 2005](#); [Mukono, 2011](#)). Thus, polluted air, according to [Cooper & Alley \(2010\)](#), is a state of entry or inclusion of compounds in the form of solids, liquids or gases in certain concentrations that disturb the balance of chemical elements making up normal air in the atmosphere. Air pollution is caused by movable and immovable sources which include the transportation, industrial and domestic sectors. The increasing number of industrial factories, power plants and motorized vehicles can produce pollutants as air pollutants ([Gasana et al., 2012](#); [Ismiyati et al., 2014](#)). As a result, clean air as a source of respiration becomes polluted which can cause health problems for humans, and can also damage environmental ecosystems.

Several other factors that indirectly affect the increase in air pollution in an area are population growth, high rates of urbanization, low levels of public awareness of air pollution, and unbalanced spatial development. The people's consumption behavior in meeting their daily needs has forced industrialization to develop so rapidly that it has an impact on economic growth ([Hirschman, 1968](#); [Wang & Su, 2019](#)).

Economic progress can be reflected in its economic growth. One of the processes of increasing a country's economy is through regional development. Efforts to accelerate national development start from small-scale areas, namely rural areas ([Baeti, 2013](#); [Faradiba, F., & Zet, 2020](#)). The Village Law defines that village development is "an effort to improve the quality of life and life for the maximum welfare of the village

community". Meanwhile, the objectives of village development are stated in article 78 paragraph (1), namely "improving the welfare of rural communities and the quality of human life as well as poverty alleviation through the fulfillment of basic needs, development of village facilities and infrastructure, development of local economic potential, and utilization of natural and environmental resources sustainable". "In the implementation of village development, it is important to prioritize togetherness, kinship, and mutual cooperation in order to realize the mainstreaming of peace and social justice", as stated in Article 78 paragraph (3).

Population growth will be followed by growth in other sectors, such as industry and transportation (Astuti et al., 2014; De Graaff et al., 2012). Economic growth followed by regional development has an adverse impact on the environment. Like the two blades, developments between sectors have a positive impact on the economy, but on the other hand also have negative impacts, one of which is air pollution. Increased development and the economy will trigger an increase in industrial and transportation activities. The risk that arises is the potential to increase the concentration of pollutants in the air. Air pollution has an impact on health, especially disorders of the respiratory tract, heart disease, high blood pressure, stroke, cancer of various organs, reproductive disorders and even death. (Anonim, 1998; Anonim, 2001; Anonim, 2006; Arifin dan Sutomo, 2003; Lippmann dan Ito, 2006; Tseng dkk., 2012; Orru dkk., 2009; Ranzi dkk. 2011; Lopez-Cima dkk.2011; Bacarelli dkk 2011). This is in line with research conducted by Kwanda (2003), that the implementation of development has a negative impact on the environment, especially environmental pollution.

Based on Law No. 32 of 2009 concerning Environmental Protection and Management, environmental pollution is the entry or inclusion of living things, substances, energy, and/or other components into the environment by human activities so that they exceed the stipulated environmental quality standards. Furthermore, environmental quality standards are defined as the limit or level measurements of living things, substances, energy, or components that exist or must exist and / or pollutant elements whose existence is tolerable in a certain resource as environmental elements. Therefore, in general, the problem of pollution impacted by contaminated media can be classified into 3 groups, namely air pollution, water pollution and soil pollution. In addition, there is also radioactive radiation contamination in the air, water, soil or food/beverage media. Heat radiation pollution can also be in the air and water media (Nordell, 2003).

In particular, this article examines air pollution which is a chemical quality (gas), physics (dust), microorganisms in the air, radiation levels, and noise levels. Air that has been contaminated with pollutants is called polluted air which can damage the environment and human life. Air pollution is getting worse along with technological advances, where with technological advances so that air pollution-producing sources are increasing. Air pollution is caused by air pollutants or what is commonly referred to as pollutants. Each pollutant has a different impact from one type to another (Frank & Engelke, 2005). Substances that can cause air pollution include: Carbon monoxide (CO), Carbon dioxide (CO<sub>2</sub>), Sulfur dioxide (SO<sub>2</sub>), Nitrogen dioxide (NO<sub>2</sub>), Hydrocarbons (HC), Chloro fluoro carbon (CFC), Lead (Pb), and Particulate matter (PM<sub>10</sub> and PM<sub>5</sub>) (Budiyono, 2010).

There are many impacts resulting from air pollution, including disturbing the health of living things, environmental damage to ecosystems, and acid rain. According to WHO states that air pollution is the biggest risk of health problems in the world, it is estimated that in 2016 data about 6.5 million people die each year due to exposure to air pollution (WHO, 2014). Health in humans will be disrupted due to polluted air which can cause diseases such as respiratory infections, lungs, heart and also as a trigger for cancer which is very dangerous (Raaschou-Nielsen et al., 2012; Tugaswati, 2004). The impact of air pollution on the ecosystem environment, both primary and secondary, will have an impact on decreasing productivity levels which have an impact on other sectors (Budiyono, 2010; Kahn & Li, 2020). As well as the impact of air pollution on acid rain, namely an increase in acid rain due to the large industrial growth rate which can cause forest destruction to decrease agricultural productivity. (Xie et al., 2012; Yatim, 2007).

This study will analyze the impact of development on air pollution in rural areas, using Instrumental Variable Analysis (IV). In this method, the variables used are not only independent variables which are then associated with the dependent variable. However, there are catalytic variables that affect the independent variables but are not related to the dependent variable (Khandker et al., 2009; Wulandari, 2010). From this analysis, a model parameter consisting of several variables will be obtained, such as area, the main source of income of the community, and the behavior of the community towards the environment.

## 2. Method

This study uses data from the PODES (Village Potential) data collection and the 2018 Village Development Index as independent variables and air pollution as the dependent variable. The number of observations used is 75,436 villages in Indonesia. In addition, this research uses data on PDRB per capita districts / cities and changes in the village development index, as well as data on disadvantaged areas in accordance with Presidential Regulation Number 131 of 2015 concerning the Determination of Disadvantaged Areas in 2015-2019.

The stages in this research include (i) inventory of PODES 2018 data; (ii) data tabulation; (iii) descriptive and inferential analysis; (iv) classic assumption test (normality, heteroscedasticity, multicollinearity); (v) data analysis. This study uses Two Stage Least Square (2SLS) regression, which is a statistical technique that uses structural equation analysis. Two Stage Least Square is a development of the OLS (Ordinary Least Square) method. The 2SLS regression analysis technique is used when the error of the dependent variable is correlated with the independent variable. Furthermore 2SLS is useful when there is a simultaneous relationship in the model. 2SLS analysis is a method for obtaining an estimate of the structural coefficient from the reduced-form coefficient which is over identified in the structural equation. In addition, 2SLS can also be used to estimate structural equations that are just identified. In the 2SLS, the independent variables (which are correlated with error) are replaced with their own estimated values. As the name implies, this method includes two consecutive OLS implementations.

In this study using the Instrumental variable method. The instrumental variable method is a method for obtaining new variables that are not correlated with error, but will correlate with explanatory endogenous variables. The equation used is as follows:



$$y = \beta_1 x_1 + \beta_2 x_2 + \dots + \beta_{k-1} x_{k-1} + \beta_k x_k + u \quad (1)$$

Equation model (1) shows that the variable  $x_k$  is correlated with  $u$  (error). There are 9 instrument variables used, namely: village development index, soil pollution, forest location, availability of springs, slum settlements, community reforestation, burning fields, the existence of excavation sites, and the community's main source of income. This study uses the STATA 16.0 application.

### 3. Results and Discussion

As many as 75,436 villages in 2018, around 3.51 percent of the villages were outside the forest area, 23.00 percent were on the edge / around the forest area, and 73.49 percent of the villages were inside the forest area. For the main source of income, most of the rural areas make the agricultural sector the dominant sector, amounting to 90.60 percent. Mining and quarrying sector by 0.58 percent, processing industry (factories, crafts, etc.) by 2.77 percent, wholesale/retail trade and restaurants by 3.24 percent, transportation, warehousing, communication by 0.07 percent, Services 2.07 percent, and Other Sectors 0.66 percent. For the existence of springs, 25.66 percent of villages managed well, 21.61 percent were not well managed, and 52.73 villages had no springs.

The existence of slum settlements is a source of environmental pollution. 5.35 percent of villages have slum settlements. For water pollution in villages during the past year, there were 19.32 percent of villages that experienced water pollution. For soil pollution, there are 2.63 percent of villages that experience soil pollution. The burning of fields that people usually do after planting will cause air pollution through the smoke from the combustion. As much as 36.70 percent of the villages burned their fields. The existence of the Group C excavation site (for example: river stone, sand, lime, kaolin, quartz sand, clay, etc.) will affect environmental conditions. 22.44 percent of the villages have excavation sites. For the village development category, 19.16 villages were underdeveloped categories, 73.41 percent of villages had a developing category, and 7.42 percent had an developed category.

Based on [Table 2](#), information is obtained that water pollution, the presence of springs, slum settlements, community reforestation, excavation locations and the main source of income of the community (mostly) have a positive effect on village development. This means that the higher/greater the value of the instrument variable, it will contribute positively to the formation of the village development index. Meanwhile, other variables, such as the existence of villages around forest areas, burning fields, and some of the main source of income for the community have a negative effect on village development.

Some of the instrument variables and control variables have various significance numbers. Of the 14 variables used, only 3 variables were insignificant, namely soil pollution, excavation locations, and main sources of income in the transportation, trade and communication sectors. Meanwhile, 9 variables have a significance at the 1 percent level. These results are in line with research conducted by [Makki dan Somwaru \(2004\)](#) which states that trade has a positive impact on the economic development of a region. This research is also in line with the research that has been conducted by [Islam et al.](#)

(2017) which states that the existence of villages around forest areas has a negative role in development.

**Table 1 Effect of Instrument Variables on IPD**

<b>Instrument Variables</b>	<b>Coefficient</b>	<b>P-value</b>
Water pollution	0,0054479	0,029**
Soil pollution	0,0050105	0,407
Forest area	-0,0059986	0,009***
Water springs	0,0135030	0,000***
Slums	0,0233609	0,000***
Community reforestation	0,0301171	0,000***
Burning fields	-0,0336204	0,000***
Excavation location	0,0014763	0,522
<b>Main Source of Community Income</b>		
Mining and excavation	-0,0236521	0,057*
Industry	0,0688668	0,000***
Trading	0,0256855	0,000***
Transport, warehousing and communication	-0,0086261	0,814
Services	0,0311763	0,000***
Others	0,0345318	0,003***

Note: Significant \*\*\* Level 1 %, \*\* Level 5 %, \* Level 10 %

The largest positive coefficient is in the first stage of processing, namely the main source of income in the manufacturing sector. This indicates that the activities of the processing industry have a very positive effect on village development. This phenomenon is in line with the development of an developed village which calls on a village to fulfill its community needs as much as possible. If we pay close attention to the main source of income of society, most sectors have a positive impact on development. This is in line with economic theory, that economic activity will have a positive impact on regional development.

The location factor is an important component in village development. Areas close to the city center tend to be more developed than urban areas. This effect is a spillover from the urban area to the surrounding area. In this study, the territorial factor will be controlled through the existence of the village towards the forest area. Villages located in forest areas tend to be far from urban centers. From data processing, information was obtained that villages located in forest areas have a negative effect on development.

From Table 3, information is obtained that water pollution, soil pollution, slum settlements, burning fields, excavation locations and most of the main sources of income have a positive effect on air pollution. This means that the higher / greater the value of the independent variable will have a positive effect on air pollution or have the opportunity to increase the occurrence of air pollution. Meanwhile, other variables such as forest location, availability of springs, reforestation of the community have a negative correlation with air pollution.

**Table 2 Effect of Rural Development (IPD) on Air Pollution**

<b>Independent Variable</b>	<b>Coefficient</b>	<b>P-value</b>
IPD (developed)	1,1194080	0,000***
Water pollution	0,1241600	0,000***
Soil pollution	0,2940550	0,000***
Forest area	-0,0125099	0,001***
Water springs	-0,0094778	0,010***
Slums	0,0180576	0,010***
Community reforestation	-0,0232480	0,000***
Burning fields	0,0409539	0,000***
Excavation location	0,0160493	0,000***
<b>Main Source of Community Income</b>		
Mining and excavation	0,0230410	0,239
Industry	0,0821791	0,000***
Trading	0,0072042	0,413
Transport, warehousing and communication	0,0880358	0,126
Services	-0,1392830	0,192
Others	-0,0119369	0,520

Note: Significant \*\*\* Level 1%

Some of the instrument variables and control variables have various significance numbers. Of the 15 variables used, only 5 variables were insignificant, namely most of them were the main source of income for the community. Meanwhile, 10 variables have significance at the 1 percent level. This result is in line with previous research which states that development will have a negative impact on air pollution (Cho & Choi, 2014). In addition, the impact of community behavior through reforestation in reducing air pollution is also in line with previous research (Douwes et al., 2015).

The largest positive coefficient in the second stage of processing, namely the development factor. This indicates that development in rural areas has a very positive effect on air pollution. Furthermore, rural development also has an impact on increasing other parameters (Arty, 2005; Raharjo, 2009; Mukono, 2011) among others: (1) temperature; (2) humidity; and (3) noise thereby reducing the comfort of environmental health and simultaneously, having a negative impact on the quality of productivity of the local population and its surroundings.

Because air is not limited by administrative boundaries, the location factor for development activities is an important component in measuring air pollution. Villages located in forest areas tend to have less air pollution than villages outside the forest area. This is because villages that are located in forest areas have oxygen reserves generated from trees around the environment. In addition, the areas around forestry areas tend to be far from urban areas, so that pollution generated from development activities tends to have little impact in villages located around forest areas.

The research findings provide information on the importance of development, but at the same time, simultaneously, rural development has a negative impact on the quality of public health. Therefore, rural development activities must follow the regional spatial planning (RTRW) and regional spatial plans (RTRD) to control negative impacts on public health while maintaining positive impacts on economic growth. In addition, it is also important to monitor and evaluate the ongoing/completed development process regularly and on a scheduled basis in order to minimize environmental degradation. This

research still uses perception data from village officials. An accurate measurement of the level of air pollution in the village area is needed so that it can produce more representative results.

#### 4. Conclusion

Development is a government effort in advancing a country. Good development is development that can accommodate economic, social, and environmental aspects. Economic aspects tend to have a positive impact on the development process. However, environmental aspects often become trade offs from the resulting development. One of the problems resulting from development activities is air pollution. Air pollution as a result of development in rural areas includes deviations in air quality parameters, and increases in other parameters, namely temperature, humidity, and noise that affect the quality of productivity of the local community and its surroundings.

#### References

- Anonim. (1998). *Toxicological Profile for Sulfurdioxide*. Georgia: US Department of Health and Human Services.
- Anonim. (2001). *Quantification of the Health Effects of Exposure to Air Pollution: Report of a WHO Working Group*. Bilthoven: European Centre for Environment and Health, World Health Organization.
- Anonim. (2006). *Air Quality Guidelines for Particulate Matter, Ozone, Nitrogen dioxide and Sulfur dioxide Global Update 2005: Summary of Risk Assessment*. Geneva: World Health Organization.
- Arifin & Sutomo, A. H. (2003). Faal Paru Penduduk Desa Tarjun Sekitar Pabrik Semen Tiga Roda Kecamatan Kelumpang Selatani Kabupaten Kota Baru. *Jurnal Manusia dan Lingkungan*, 10(1), 1-9.
- Arty, I. S. (2005). Pendidikan Lingkungan Hidup tentang Bahaya Polutan Udara. *Jurnal Cakrawala Pendidikan*, (3).
- Astuti, T., Parenta, T., & Paddu, H. (2014). Peranan kegiatan industri pengolahan terhadap pencemaran lingkungan di Sulawesi Selatan. *Jurnal Analisis, Juni*, 3(1), 49–56.
- Baeti, N. (2013). Pengaruh pengangguran, pertumbuhan ekonomi, dan pengeluaran pemerintah terhadap pembangunan manusia kabupaten/kota di Provinsi Jawa Tengah tahun 2007-2011. *Economics Development Analysis Journal*, 2(3).
- Bacarelli, A., Baretta, F., Chang, D., Xiao, Z., McCracken, J.P., Díaz, A., Bertazzi, P.A., Schwartz, J., Sheng, W., dan Lifang, H., 2011. Effects of Particulate Air Pollution on Blood Pressure in a Highly Exposed Population in Beijing, China : a Repeated-Measure Study. *Environmental Health*, 10:108
- Budiyono, A. (2010). Pencemaran udara: dampak pencemaran udara pada lingkungan. *Berita Dirgantara*, 2(1).
- Cho, H.-S., & Choi, M. J. (2014). Effects of compact urban development on air pollution: Empirical evidence from Korea. *Sustainability*, 6(9), 5968–5982.
- Cooper, C. D., & Alley, F. C. (2010). *Air pollution control: A design approach*. Waveland Press.
- De Graaff, T., Van Oort, F. G., & Florax, R. J. G. M. (2012). Regional population–

- employment dynamics across different sectors of the economy. *Journal of Regional Science*, 52(1), 60–84.
- Douwes, E., Rouget, M., Diederichs, N., O’Donoghue, S., Roy, K., & Roberts, D. (2015). Buffelsdraai landfill site community reforestation project. *XIV World Forestry Congress: Durban, South Africa*.
- Faradiba, F., & Zet, L. (2020). The Impact of climate factors, disaster, and social community in rural development. *The Journal of Asian Finance, Economics and Business*, 7(9), 707–717. <https://doi.org/https://doi.org/10.13106/jafeb.2020.vol7.no9.707>
- Frank, L. D., & Engelke, P. (2005). Multiple impacts of the built environment on public health: walkable places and the exposure to air pollution. *International Regional Science Review*, 28(2), 193–216.
- Gasana, J., Dillikar, D., Mendy, A., Forno, E., & Vieira, E. R. (2012). Motor vehicle air pollution and asthma in children: a meta-analysis. *Environmental Research*, 117, 36–45.
- Hirschman, A. O. (1968). The political economy of import-substituting industrialization in Latin America. *The Quarterly Journal of Economics*, 82(1), 1–32.
- Islam, R., Abdul Ghani, A. B., & Mahyudin, E. (2017). Carbon dioxide emission, energy consumption, economic growth, population, poverty and forest area: Evidence from panel data analysis. *International Journal of Energy Economics and Policy*, 7(4), 99–106.
- Ismiyati, I., Marlita, D., & Saidah, D. (2014). Pencemaran udara akibat emisi gas buang kendaraan bermotor. *Jurnal Manajemen Transportasi & Logistik*, 1(3), 241–248.
- Kahn, M. E., & Li, P. (2020). Air pollution lowers high skill public sector worker productivity in China. *Environmental Research Letters*, 15(8), 84003.
- Khandker, S., B. Koolwal, G., & Samad, H. (2009). *Handbook on impact evaluation: quantitative methods and practices*. The World Bank.
- Kwanda, T. (2003). Pembangunan permukiman yang berkelanjutan untuk mengurangi polusi udara. *DIMENSI (Journal of Architecture and Built Environment)*, 31(1).
- Lippmann, M., dan Ito, K., 2006. Sulfur Dioxide. *Air Quality Guidelines Global Update 2005: Particulate Matter, Ozone, Nitrogen Dioxide and Sulfur Dioxide*. World Health Organization Regional Office for Europe, Copenhagen.
- López-Cima, M.F., García-Pérez, J., Pérez-Gómez, B., Aragonés, N., López-Abente, G., Tardón, A., dan Pollán, 2011. Lung Cancer Risk and Pollution in an Industrial Region of Northern Spain: a Hospital-based Casecontrol Study. *International Journal of Health Geographics*, 10(10).
- Makki, S. S., & Somwaru, A. (2004). Impact of foreign direct investment and trade on economic growth: Evidence from developing countries. *American Journal of Agricultural Economics*, 86(3), 795–801.
- Mukono, H. J. (2011). *Aspek Kesehatan Pencemaran Udara*. Airlangga University Press.
- Nordell, B. (2003). Thermal pollution causes global warming. *Global and Planetary Change*, 38(3–4), 305–312.
- Orru, H., Teinmaa, E., Lai, T., Tamm, T., Kaasik, M., Kimmel, V., Kangur, K., Merisalu, E., dan Forsberg, B., 2009. Health Impact Assessment of Particulate Pollution in Tallinn using Fine Spatial Resolution and Modeling Techniques. *Environmental Health*, 8:7-15.
- Raaschou-Nielsen, O., Andersen, Z. J., Jensen, S. S., Kettel, M., Sørensen, M., Hansen, J., Loft, S., Tjønneland, A., & Overvad, K. (2012). Traffic air pollution and mortality from cardiovascular disease and all causes: a Danish cohort study.

*Environmental Health*, 11(1), 60.

- Raharjo, M. (2009). *Dampak Pencemaran Udara pada Lingkungan dan Kesehatan Manusia* (Doctoral dissertation, magister ilmu lingkungan).
- Ranzi, A., Fano, V., Erspamer, L., Lauriola, P., Perucci, C.A., dan Forastiere, F., 2011. Mortality and Morbidity Among People Living Close to Incinerators : a Cohort Study Based on Dispersion for Exposure Assessment. *Environmental Health* 10:22
- Tseng, C.Y., Huang, Y.C., Su, S.Y., Huang, J.Y., Lai, C.H., Lung, C.C, Ho, C.C., dan Liaw, Y.P., 2012. Cell Type Specificity of Female Lung Cancer Associated with Sulfur Dioxide from Air Pollutants in Taiwan: An Ecological Study. *BMC Public Health*, 12(4):1-8.
- Tugaswati, A. T. (2004). Emisi gas buang kendaraan bermotor dan dampaknya terhadap kesehatan. *Health and Human Ecology Journal*, 61, 261–275.
- Wang, Q., & Su, M. (2019). The effects of urbanization and industrialization on decoupling economic growth from carbon emission—A case study of China. *Sustainable Cities and Society*, 51, 101758.
- World Health Organization (WHO). Ambient (Outdoor) Air Quality and Health. 2014
- Wulandari, S. (2010). *Penerapan metode 2SLS (two stage least square) pada model persamaan simultan untuk persamaan pendapatan nasional dan peredaran uang*.
- Xie, S. Y., Wang, R. B., & Zheng, H. H. (2012). Analysis on the acid rain from 2005 to 2011 in China. *Environmental Monitoring and Forewarning*, 4(5), 33–37.
- Yatim, E. M. (2007). Dampak dan pengendalian hujan asam di Indonesia. *Jurnal Kesehatan Masyarakat Andalas*, 2(1), 146–151.

**Appendix**

**Table A.1.** Village Area to Forest Area

Description	Number of villages	Percent
in the forest area	2,645	3.51
on the edge of the forest area	17,353	23.00
outside the forest area	55,438	73.49
Total	75,436	100

**Table A.2.** The Main Source of Income of Most of the Village Population

Description	Number of villages	Percent
Agriculture	68,347	90.60
Mining and excavation	441	0.58
Industry (factory, handicraft etc.)	2,092	2.77
Wholesale/retail trade and restaurants	2,442	3.24
Transport, warehousing, communication	50	0.07
Services	1,565	2.07
Others	499	0.66
Total	75,436	100

**Table A.3.** The existence of springs

Description	Number of villages	Percent
Yes, managed	19,358	25.66
Yes, not managed	16,302	2.61
No	39,776	52.73
Total	75,436	100

**Table A.4.** The existence of Slums

Description	Number of villages	Percent
Yes	4,035	5.35
No	71,401	94.65
Total	75,436	100

**Table A.5.** Water Pollution in the Village during the Last Year

Description	Number of villages	Percent
Yes	14,576	19.32
No	60,860	80.68
Total	75,436	100

**Table A.6.** Land Pollution in the Village during the Last Year

Description	Number of villages	Percent
Yes	1,987	2.63
No	73,449	97.37
Total	75,436	100

**Table A.7.** Planting / Maintenance of Trees in Critical Land, Mangrove Planting, and others

Description	Number of villages	Percent
Yes, some residents were involved	12,824	17.00
Yes, the residents were not involved	3,650	4.84
No activity	58,962	78.16
Total	75,436	100

**Table A.8.** Community Habit Burning Fields / Gardens for Agricultural Business Processes

Description	Number of villages	Percent
Yes	27,687	36.70
No	47,749	63.30
Total	75,436	100

**Table A.9.** Existence of Type C Excavation Sites (for example: river stone, sand, lime, kaolin, quartz sand, clay, etc.)

Description	Number of villages	Percent
Yes	16,927	22.44
No	58,509	77.56
Total	75,436	100

**Table A.10.** Village Development Category

Description	Number of villages	Percent
Underdeveloped	14,463	1.17
Developing	55,375	73.41
Developed	5,598	7.42
Total	75,436	100



**Table A.11.** Effect of Instrument Variables on IPD

```
. ivregress 2sls cemar_udara (kat_ipd_mandiri = pdrb_kap tertinggal d_ipd) cemar_ai  
> tanah lok_hut mata_air pemukiman_kumuh reboisasi_masy bakar_ladang lok_gali i.spu
```

First-stage regressions

```
Number of obs      =    75,436  
F( 17, 75418)     =    105.58  
Prob > F          =    0.0000  
R-squared         =    0.0232  
Adj R-squared     =    0.0230  
Root MSE         =    0.2591
```

kat_ipd_mandiri	Coef.	Std. Err.	t	P> t	[95% Conf. Interval]	
cemar_air	.0054479	.0024978	2.18	0.029	.0005522	.0103436
cemar_tanah	.0050105	.0060474	0.83	0.407	-.0068425	.0168635
lok_hut	-.0059986	.0022976	-2.61	0.009	-.0105019	-.0014954
mata_air	.013503	.0022307	6.05	0.000	.0091307	.0178752
pemukiman_kumuh	.0233609	.0042898	5.45	0.000	.0149529	.0317689
reboisasi_masy	.0301171	.0023258	12.95	0.000	.0255585	.0346758
bakar_ladang	-.0336204	.0021616	-15.55	0.000	-.0378573	-.0293836
lok_gali	.0014763	.0023048	0.64	0.522	-.0030412	.0059937
spu						
2	-.0236521	.0124516	-1.90	0.057	-.0480572	.000753
3	.0688668	.0058656	11.74	0.000	.0573702	.0803633
4	.0256855	.0054394	4.72	0.000	.0150243	.0363467
5	-.0086261	.0366748	-0.24	0.814	-.0805086	.0632564
6	.0311763	.0066942	4.66	0.000	.0180557	.044297
7	.0345318	.0116635	2.96	0.003	.0116713	.0573923
pdrb_kap	-.0005563	.0026199	-0.21	0.832	-.0056914	.0045787
tertinggal	-.0479842	.0023886	-20.09	0.000	-.052666	-.0433025
d_ipd	.0002973	.0000923	3.22	0.001	.0001164	.0004781
_cons	.0824759	.0017263	47.78	0.000	.0790923	.0858595

**Table A.12.** The Effect of IPD on Air Pollution

Instrumental variables (2SLS) regression	Number of obs	=	75,436
	Wald chi2(15)	=	3985.06
	Prob > chi2	=	0.0000
	R-squared	=	.
	Root MSE	=	.40689

cemar_udara	Coef.	Std. Err.	z	P> z	[95% Conf. Interval]	
kat_ipd_mandiri	1.119408	.0772379	14.49	0.000	.9680249	1.270792
cemar_air	.12416	.0039727	31.25	0.000	.1163736	.1319464
cemar_tanah	.294055	.0094983	30.96	0.000	.2754386	.3126713
lok_hut	-.0125099	.0036869	-3.39	0.001	-.019736	-.0052838
mata_air	-.0094778	.0036627	-2.59	0.010	-.0166567	-.002299
pemukiman_kumuh	.0180576	.0069741	2.59	0.010	.0043886	.0317267
reboisasi_masy	-.023248	.0043959	-5.29	0.000	-.0318637	-.0146323
bakar_ladang	.0409539	.0047882	8.55	0.000	.0315691	.0503386
lok_gali	.0160493	.0036178	4.44	0.000	.0089585	.0231401
spu						
2	.023041	.0195698	1.18	0.239	-.0153151	.0613971
3	.0821791	.0107738	7.63	0.000	.0610629	.1032953
4	.0072042	.0087938	0.82	0.413	-.0100313	.0244398
5	.0880358	.0576004	1.53	0.126	-.024859	.2009306
6	-.0139283	.0108107	-1.29	0.198	-.0351168	.0072602
7	-.0119369	.0185409	-0.64	0.520	-.0482763	.0244025
_cons	-.0221194	.0064403	-3.43	0.001	-.0347421	-.0094966

Instrumented: kat\_ipd\_mandiri

Instruments: cemar\_air cemar\_tanah lok\_hut mata\_air pemukiman\_kumuh  
reboisasi\_masy bakar\_ladang lok\_gali 2.spu 3.spu 4.spu 5.spu  
6.spu 7.spu pdrb\_kap tertinggal d\_ipd

**Table A.13.** The Effect of IPD on Air Pollution (*Ordinary Least Square*)

```
. reg cemar_udara kat_ipd_mandiri cemar_tanah lok_hut mata_air pemukiman_kumuh reboisasi_ma
> sy bakar_ladang lok_gali i.spu
```

Source	SS	df	MS	Number of obs	=	75,436
Model	433.461818	14	30.9615584	F(14, 75421)	=	354.68
Residual	6583.81084	75,421	.087294133	Prob > F	=	0.0000
				R-squared	=	0.0618
				Adj R-squared	=	0.0616
Total	7017.27265	75,435	.093024096	Root MSE	=	.29546

cemar_udara	Coef.	Std. Err.	t	P> t	[95% Conf. Interval]	
kat_ipd_mandiri	.0272433	.004141	6.58	0.000	.0191271	.0353596
cemar_tanah	.3634672	.0067501	53.85	0.000	.3502371	.3766974
lok_hut	-.0301072	.0025762	-11.69	0.000	-.0351565	-.0250578
mata_air	.004528	.0025327	1.79	0.074	-.0004361	.0094922
pemukiman_kumuh	.0661079	.0048695	13.58	0.000	.0565638	.0756521
reboisasi_masy	.0128557	.0026512	4.85	0.000	.0076594	.0180521
bakar_ladang	-.0094359	.0023632	-3.99	0.000	-.0140678	-.004804
lok_gali	.0218377	.0026241	8.32	0.000	.0166945	.026981
spu						
2	.0461708	.0141573	3.26	0.001	.0184226	.073919
3	.1917323	.0066428	28.86	0.000	.1787124	.2047522
4	.05464	.0061896	8.83	0.000	.0425085	.0667715
5	.0843087	.0418214	2.02	0.044	.0023391	.1662784
6	.034675	.0076219	4.55	0.000	.0197361	.0496138
7	.0408767	.0132982	3.07	0.002	.0148123	.0669411
_cons	.0828386	.0017813	46.50	0.000	.0793472	.0863299

**Table A.14.** Classic assumption test

. swilk e

Shapiro-Wilk W test for normal data

Variable	Obs	W	V	z	Prob>z
embung	75,436	0.75119	6229.364	24.390	0.00000

Note: The normal approximation to the sampling distribution of W' is valid for  $4 \leq n \leq 2000$ .

. estat hettest

Breusch-Pagan / Cook-Weisberg test for heteroskedasticity

Ho: Constant variance

Variables: fitted values of cemar\_udara

chi2(1) = 6808.41

Prob > chi2 = 0.0000

. estat vif

Variable	VIF	1/VIF
kat_ipd_ma~i	1.02	0.982281
cemar_tanah	1.01	0.990288
lok_hut	1.12	0.894965
mata_air	1.06	0.945648
pemukiman_~h	1.04	0.963942
reboisasi_~y	1.04	0.964500
bakar_ladang	1.12	0.891892
lok_gali	1.04	0.965599
spu		
2	1.01	0.993420
3	1.03	0.972596
4	1.04	0.964296
5	1.00	0.998865
6	1.02	0.980513
7	1.00	0.995823
Mean VIF	1.04	