

# Impact of Soil Pollution on Increasing Temperature in Indonesia

*by* Faradiba Faradiba

---

**Submission date:** 13-Sep-2021 11:00AM (UTC+0700)

**Submission ID:** 1647069471

**File name:** Eng-polusi\_vs\_suhu.docx (101.33K)

**Word count:** 3569

**Character count:** 19017

# *Impact of Soil Pollution on Increasing Temperature in Indonesia*

Soi Fatimah Azzahra<sup>1</sup>, Faradiba Faradiba<sup>2</sup>

<sup>1</sup>Chemistry Education Study Program, Universitas Kristen Indonesia

<sup>2</sup>Physics Education Study Program, Universitas Kristen Indonesia

Jl. Mayjen Sutoyo No. 2, Cawang  
Jakarta, Indonesia  
faradiba@uki.ac.id

**Abstract**—The current increase in pollution is important to be a concern because it will have an impact on various aspects of life. The increase in pollution results in global warming in the form of earth's temperature. This study aims to examine the effect of soil pollution on increasing temperatures in Indonesia. This study uses 2018 Village Potential (Podes) data sourced from the Central Statistics Agency (BPS). This study uses multiple linear regression by looking at soil pollution factors, temperature, and involving other factors as supporting factors. The results obtained in this study are soil pollution has a positive effect on increasing temperatures in the territory of Indonesia by 0.055 oC. Java Island as the center of government and economy has a big role in generating pollution. Pollution on the island of Java resulted in an increase in temperature of 0.157 oC. The addition of a control variable in the form of community behavior in burning fields, will affect the nutrients in the soil and also exposure to smoke will interfere with the health of living things, apparently contributing to an increase in temperature of 0.01 oC. Awareness is needed from the community component to pay more attention to activities that can have a negative impact on the environment.

**Keywords:** *Soil Pollution, Temperature Rise, Global Warming*

8

## I. INTRODUCTION

Pollution of the environment can occur anywhere at a very fast rate, and the burden of pollution is getting heavier due to industrial waste from various chemicals including heavy metals. Environmental pollution occurs when the material cycle in the environment changes so that the balance in terms of structure and function is disturbed (Deyanti et al., 2018). The imbalance in the structure and function of the material cycle occurs due to natural processes or also due to human actions.

There are five main types of pollution: air pollution, water pollution, soil pollution, noise pollution and light pollution (Adriyani, 2006; Özyürek & Aydin, 2015). Types of pollution that are closely related to industrial waste are soil and air pollution. Soil pollution or soil pollution is a condition where one or many chemical, physical, or biological substances enter the soil where these objects can damage the soil structure and make it difficult for plants to adapt (Rodríguez-Eugenio et al., 2018; Yaron et al., 1996). This pollution usually occurs due to leakage of liquid waste or chemicals in industrial or commercial facilities. The main source of this soil pollution is the leakage of industrial chemical waste (Mishra et al., 2015). Usually in factories where chemical waste is disposed of in bunkers that are underground, it is very prone to leaks. If the bunker has leaked then what happens next is the entry of various chemicals into the soil and damage the structure of the soil itself. In addition, gas from industry will cause air pollution (Choudhary & Garg, 2013). Mainly because the factory smoke is excessive and not accommodated properly. There is carbon dioxide gas, carbon monoxide, methane gas, and many more (Wei et al., 2020). The carbon content produced by industrial activities is 412 parts per million in the last 150 years. The increase in the amount of industrial waste certainly opens up great opportunities for pollution. Both air pollution and soil pollution (Susanta & Sutjahjo, 2007).

Pollution of the soil can be interpreted as the presence of a damaged top layer of soil. Soil pollution results in the loss of arable land for agriculture, reduced forest cover, and reduced fodder for grazing animals (Hansmann & Köppel, 2000; Moreno-Jiménez et al., 2011). In general, soil temperature and humidity are important elements in the development of nutrients in the soil. According to the soil temperature will be influenced by the amount of absorption of solar radiation by the soil surface. Soil temperatures during the day and night are very different, during the day when the soil surface is heated by the sun, the air close to the ground surface gets a high temperature, while at night the soil temperature decreases. (Karyati et al., 2018) Soil temperature affects water absorption (Andry et al., 2009). The lower the temperature, the less water is absorbed by the roots. Soil moisture is the amount of water stored between the pores of the soil. Soil moisture is very dynamic due to evaporation through the soil surface, transpiration, and percolation (Soulis et al., 2015). Soil moisture has an important role for the government to know information such as potential runoff and flood control, soil erosion failure and slope, water resource management, geotechnical, and water quality. The factors

that determine soil moisture are rainfall, soil type, and the rate of evapotranspiration (Pradiko et al., 2020), where soil moisture will determine the availability of water in the soil.

The existence of an imbalance in soil temperature and moisture, then worsens soil conditions. In addition to soil damage, soil pollution also causes loss of topsoil, toxic groundwater, and others. The effects of soil pollution are very dangerous, causing a loss of ecosystem balance. Polluted soil will directly or indirectly affect climate patterns. The problem at hand is the increase in temperature (Faradiba, 2021), weather activities that are not in season, acid rain and others.

Inappropriate weather activity and the increase in temperature that occurs cause global warming. Global warming now deserves attention. Not because the earth is getting old, but human activities are getting more and more arbitrary. The impact will damage the environment, because the cause of global warming will be out of control if it continues (Leu, 2021; Mulyani, 2021). In addition to what was previously explained regarding the leak of chemical waste, this also contributes greatly to global warming. This arbitrary activity that causes global warming occurs because environmental awareness is still not understood. One form of activity that causes global warming is deforestation (Gervet, 2007). Deforestation causes tree cover to be disrupted and causes a steep imbalance in the rain cycle. The rain cycle will be disrupted by reduced green cover. Trees and plants help balance the atmosphere (Manzoni et al., 2013). Disruption of this balance causes global warming, the greenhouse effect, irregular rainfall, flash floods and others.

Pollution should be able to escape easily to the earth's surface. It's just that when global warming occurs, these pollutants trap radiation and sunlight in the atmosphere (Arty, 2005). When the causes of global warming are not immediately addressed, many disasters will occur (Cahyo, 2010). Radiation and sunlight trapped in the atmosphere will make the earth's temperature rise to 1.1 degrees Celsius and has become the hottest on record (IPCC, 2014). Not without any impact, but can cause disasters such as storms, droughts, melting of the Arctic ice, fires, and floods.

The climate change is also related to the intensity or rainfall that occurred in the Jakarta, Bogor, Depok, Tangerang, Bekasi (Jabodetabek) and surrounding areas some time ago which caused flooding. (Damarlantu, 2014; Faradiba, F., & Zet, 2020). The series of events that cause climate change begins with air pollution that causes urban warming or increases in temperature (Astra, 2010; Faradiba & Azzahra, 2021). Air pollution occurs because it exceeds the existing environmental tolerance (Machdar, 2018). When the atmosphere continues to be at a high temperature, the earth also continues to rotate so naturally cold clouds will come to cool the heat.

In some parts of the world there has been an increase in temperature between 1.4 ° C - 5.8 ° C and a temperature increase of 4 ° C has occurred in Alaska, Siberia and parts of Canada even in New York the temperature has reached 14 ° C, in Manhattan on July 2000 was still 10° C and in January 2001 it had reached 18° C (Syaifullah, 2015). So global warming has hit in cold areas. Even at the North Pole and South Pole, chunks of ice have begun to melt. All this is due to the concentration of CO and CO<sub>2</sub> has increased greatly. Increasing thin and melting ice at the north and south poles and other ice areas, causing sea levels to rise (Ramlan, 2002; Saidal Siburian & Mar, 2020). Increasingly hot weather on earth which results in rapid evaporation of sea water so that rain occurs quickly (Dewantara et al., 2018). The ferocity of the weather that causes very heavy rain, forest fires, sudden floods, sudden hurricanes (Faradiba, 2021). Mass immigration/migration (Suhardjo, 2011). A place inhabited by traditional indigenous people moving from place to place due to natural disasters as well as animal migration which results in outbreaks of both human and animal diseases (Gustaman, 2019).

From the background that has been stated, it is deemed necessary to analyze the impact of pollution, especially soil pollution which can have an impact on other types of pollution. This study fills the gaps of previous research, which in this study uses data at the village level so that the results can be more representative. This study will also use control variables to ensure the strength of the model formed.

## II. METHODS

The data used in this study is the 2018 Village Potential (Podes) data from the Central Statistics Agency (BPS). The data used specific to soil pollution factors, temperature and control variables. This research uses multiple linear regression method. Multiple linear regression analysis is a linear relationship between two or more independent variables ( $X_1, X_2, \dots, X_n$ ) and the dependent variable (Y). the data used is usually an interval or ratio scale. The use of this method is to determine the effect of soil pollution on increasing temperatures in Indonesia. The model that will be formed in this research is as follows:

$$Y = \alpha + \beta_1 X_1 + \beta_2 X_2 + \dots + \beta_n X_n \quad (1)$$

## III. RESULTS AND DISCUSSION

From the results of this study obtained the effect of soil pollution on the increase in temperature. From the results of this study, each relationship is presented in table 1, namely the statistical description of temperature, table 2, the effect of soil pollution on increasing temperature, Table 3, the effect of soil pollution on increasing temperature specifically in Java, Table 4, the effect of soil pollution on increasing temperature with the addition of variables control and Table 5 the effect of soil pollution on temperature increases, especially in Java with the addition of control variables.

TABLE I. STATISTICS OF TEMPERATURE VARIABLES

Variable	Obs	Mean	Std. Dev.	Min	Max
suhu	75,436	27.42243	.880811	24.5525	28.34193

Based on the descriptive analysis of the temperature variable in Indonesia as shown in **17** e 1, it was stated that the temperature degrees ranged from 24.5 °C -28.3 °C with an average of 27°C. Indonesia's normal weather during the day in Indonesia is around 30 degrees Celsius. Based on these data, it can be interpreted that the temperature is still in normal conditions. However, this data represents the overall average temperature **7** in the territory of Indonesia. But in fact, there are some areas in Indonesia that have temperatures above 30°C. In general we almost always experience tropical weather conditions where the bright sun is mixed with heavy rain and thunderstorms. While the average temperature itself over the previous few decades in the observations of 91 BMKG stations, the normal air temperature for the 1981-2010 period in Indonesia was 26.6 °C and the average air temperature in 2020 was 27.3 °C. Overall in all regions of Indonesia in 2016 became the hottest year with an anomaly as high as 0.8 °C throughout the observation period 1981 to 2020. While the second hottest year occurred in 2020 with an anomaly of 0.7 °C, while the third hottest year occurred in in 2019 was with an anomaly value of 0.6 °C.

TABLE II. THE EFFECT OF SOIL POLLUTION ON TEMPERATURE

<b>6</b> Linear regression	Number of obs	=	75,436
	F(1, 75434)	=	7.79
	Prob > F	=	0.0053
	R-squared	=	0.0001
	Root MSE	=	.88077

suhu	<b>2</b> Robust				
	Coef.	Std. Err.	t	P> t	[95% Conf. Interval]
r513bk2	.0557162	.0199607	2.79	0.005	.0165932 .0948391
_cons	27.42096	.0032502	8436.73	0.000	27.41459 27.42733

Based on table 2, information is obtained that pollution has a positive effect on increasing temperature. From these data, it can be seen that **5** ere was an increase of 0.05°C. An increase in soil pollution in an area will result in an increase in temperature. The existence of dry conditions created by pollutants in the soil actually makes it easier for forest fires to occur. Fires can grow rapidly due to dry conditions and widening of polluted land. Polluted land is certainly not able to produce the nutrients needed by plants for their growth, resulting in a long vacancy of land. Empty land tends to have low temperature and humidity .

TABLE III. THE EFFECT OF SOIL POLLUTION ON THE TEMPERATURE OF JAVA ISLAND

6 Linear regression		Number of obs	=	22,472
		F(1, 22470)	=	8.47
		Prob > F	=	0.0036
		R-squared	=	0.0003
		Root MSE	=	1.5524

  

suhu	2 Robust		t	P> t	[95% Conf. Interval]	
	Coef.	Std. Err.				
r513bk2	.157279	.0540437	2.91	0.004	.0513496	.2632084
_cons	27.31008	.0105528	2587.93	0.000	27.2894	27.33077

Specifically, Table 3 shows the effect of soil pollution on temperature in Java. From the table, it can be seen that the increase is much greater, namely 0.157°C. Java Island as the center of government and economy has a big role in generating pollution. Along with the increase in the industrial sector and population growth, this has the potential to have an impact on the environment, both directly and indirectly, one of which is the potential for climate change on the island of Java. One of the parameters to see the climate change is the surface air temperature (SUP). This result is in line with calculations from data from all BMKG stations showing a trend of increasing temperatures in Java for all regions, during the period 1990-2019. The annual temporal variation shows that there is an increase in air temperature over a 30 year period at all stations on the island of Java with a value range of 0.11-1.24 °C (Prasetyo et al., 2021). The impact of this pollution will have an impact on increasing temperatures on the island of Java.

TABLE IV. THE EFFECT OF SOIL POLLUTION ON TEMPERATURE WITH ADDING CONTROL VARIABLES

2 Linear regression		Number of obs	=	75,436
		F(2, 75433)	=	79.78
		Prob > F	=	0.0000
		R-squared	=	0.0016
		Root MSE	=	.88012

  

suhu	2 Robust		t	P> t	[95% Conf. Interval]	
	Coef.	Std. Err.				
r513bk2	.054701	.0199705	2.74	0.006	.0155589	.093843
r515	.0708581	.0057485	12.33	0.000	.0595911	.0821251
_cons	27.39498	.0047053	5822.16	0.000	27.38576	27.4042

Adding control variables to prove the strength of the model, the direction of the model does not change. So it can be explained that the independent variable has a strong effect on the dependent variable. The control variable used is the behavior of the community in burning fields. The phenomenon of the community in burning fields will affect the nutrients in the soil and also exposure to smoke will interfere with the health of living things. From the results of Table 4, it is found that the presence of pollution still has a positive effect on increasing temperature, with a value of 0.054 °C. This result is not much different from the results obtained previously in Table 2. The presence of a control variable that was added turned out to have a positive contribution to an increase in temperature of 0.07°C. The control variable confirms that any field burning activity will result in an increase in temperature.

Land clearing by burning for industrial or mining areas causes a reduction in the number of trees that should be able to absorb carbon dioxide. Forests have an important function as an absorber and trap carbon dioxide which can prevent it from being trapped in the atmosphere (Jiang et al., 2020). The absorption of carbon dioxide can reduce the effects of global warming.

TABLE V. THE EFFECT OF SOIL POLLUTION ON TEMPERATURE WITH ADDING OF CONTROL VARIABLES IN JAVA ISLAND

2		Linear regression		Number of obs = 22,472	
				F(2, 22469) = 16.70	
				Prob > F = 0.0000	
				R-squared = 0.0013	
				Root MSE = 1.5517	

  

suhu	2		Robust		t	P> t	[95% Conf. Interval]
	Coef.	Std. Err.					
r513bk2	.1580702	.0540547	2.92	0.003	.0521193	.2640212	
r515	.1447214	.0288391	5.02	0.000	.0881948	.201248	
_cons	27.29025	.011417	2390.31	0.000	27.26788	27.31263	

Table 5 is the same as Table 4, except that Table 5 is devoted to Java Island with the addition of a control variable in the form of community behavior in burning fields. The results that can be seen in Table 5 are that the presence of pollution still has a positive effect on increasing the temperature with a value of 0.158 °C. This result is not much different from the results obtained previously in Table 3, which is 0.157°C. The added control variable also contributed positively to the increase in temperature of 0.144°C. From these results, it can be interpreted that the model formed is fit, because the direction of the model does not change.

#### 3 IV. CONCLUSION

The results obtained in this study are soil pollution has a positive effect on increasing temperatures in the territory of Indonesia by 0.055 °C. Java Island as the center of government and economy has a big role in generating soil pollution. After being investigated regionally, pollution in Java Island increased by 0.157 °C when the area was polluted. The addition of a control variable in the form of community behavior in burning fields has an effect on the nutrients in the soil and also exposure to smoke will interfere with the health of living things, in fact it contributes to an increase in temperature of 0.01 °C. Cooperation of a number of parties is needed to anticipate worse conditions for living ecosystems.

#### REFERENCES

Adriyani, R. (2006). Usaha pengendalian pencemaran lingkungan akibat penggunaan pestisida pertanian. *Jurnal Kesehatan Lingkungan*, 3(1).

Andry, H., Yamamoto, T., Irie, T., Moritani, S., Inoue, M., & Fujiyama, H. (2009). Water retention, hydraulic conductivity of hydrophilic polymers in sandy soil as affected by temperature and water quality. *Journal of Hydrology*, 373(1–2), 177–183.

Arty, I. S. (2005). Pendidikan Lingkungan Hidup tentang Bahaya Polutan Udara. *Jurnal Cakrawala Pendidikan*, 3.

Astra, I. M. (2010). Energi dan dampaknya terhadap lingkungan. *Jurnal Meteorologi Dan Geofisika*, 11(2), 131–139.

Cahyo, W. E. (2010). Pengaruh pemanasan global terhadap lingkungan bumi. *Berita Dirgantara*, 8(2).

Choudhary, M. P., & Garg, V. (2013). Causes, consequences and control of air pollution. *All India Seminar on Methodologies for Air Pollution Control, Jaipur, Rajasthan*.

Damarlantu, K. (2014). *Kajian Dampak Perubahan Iklim Global Terhadap Karakteristik Hujan Di Wilayah Jabodetabek*. Universitas Gadjah Mada.

Dewantara, I. G. Y., Suyitno, B. M., & Lesmana, I. G. E. (2018). Desalinasi Air Laut Berbasis Energi Surya Sebagai Alternatif Penyediaan Air Bersih. *Jurnal Teknik Mesin (JTM)*, 7(1), 1–4.

Deyanti, R., Muhammad, G., & Rahmadi, A. (2018). Konservasi pencemaran air sungai untuk keberhasilan pertanian berkelanjutan. *Agrotek*.

Faradiba, F., & Zet, L. (2020). The Impact of climate factors, disaster, and social community in rural development. *The Journal of Asian Finance, Economics and Business*, 7(9), 707–717. <https://doi.org/https://doi.org/10.13106/jafeb.2020.vol7.no9.707>

Faradiba, F. (2021). Determination of Climate Factors in Flood and Drought Disaster in Indonesia using Instrumental Variable (IV) Methods. *Jurnal Ilmu Fisika*, 13(1), 54–61.

Faradiba, F., & Azzahra, S. F. (2021). Pollution Analysis in Rural Areas in Indonesia Using the Multiple Correspondence

- Analysis (MCA) Method. *International Journal of Research Publications*, 69(1), 1–15.
- Gervet, B. (2007). Deforestation contributes to global warming. *Department of Civil and Environmental Engineering Luleå University of Technology Luleå, Sweden*.
- Gustaman, B. (2019). Binatang-Binatang di Sekitar Letusan Krakatau 1883. *Jurnal Sejarah*, 2, 1–13.
- Hansmann, W., & Köppel, V. (2000). Lead-isotopes as tracers of pollutants in soils. *Chemical Geology*, 171(1–2), 123–144.
- IPCC. (2014). Climate Change 2014: Mitigation of Climate Change. In *Climate change*.
- Jiang, M., Medlyn, B. E., Drake, J. E., Duursma, R. A., Anderson, I. C., Barton, C. V. M., Boer, M. M., Carrillo, Y., Castañeda-Gómez, L., & Collins, L. (2020). The fate of carbon in a mature forest under carbon dioxide enrichment. *Nature*, 580(7802), 227–231.
- Karyati, K., Putri, R. O., & Syafrudin, M. (2018). *Suhu Dan Kelembaban Tanah Pada Lahan Revegetasi Pasca Tambang Di Pt Adimitra Baratama Nusantara, Provinsi Kalimantan Timur*.
- Leu, B. (2021). Dampak Pemanasan Global dan Upaya Pengendaliannya melalui Pendidikan Lingkungan Hidup dan Pendidikan Islam. *At-Tadbir: Journal of Islamic Education Management*, 1(2), 1–15.
- Machdar, I. (2018). *Pengantar Pengendalian Pencemaran: Pencemaran Air, Pencemaran Udara, dan Kebisingan*. Deepublish.
- Manzoni, S., Vico, G., Porporato, A., & Katul, G. (2013). Biological constraints on water transport in the soil–plant–atmosphere system. *Advances in Water Resources*, 51, 292–304.
- Mishra, R. K., Mohammad, N., & Roychoudhury, N. (2015). Soil pollution: Causes, effects and control. *Tropical Forest Research Institute*, 3(1), 20–30.
- Moreno-Jiménez, E., Beesley, L., Lepp, N. W., Dickinson, N. M., Hartley, W., & Clemente, R. (2011). Field sampling of soil pore water to evaluate trace element mobility and associated environmental risk. *Environmental Pollution*, 159(10), 3078–3085.
- Mulyani, A. S. (2021). *Pemanasan Global, Penyebab, Dampak dan Antisipasinya*.
- Özyürek, C., & Aydin, G. (2015). Students' Opinions on the Light Pollution Application. *International Electronic Journal of Elementary Education*, 8(1), 55–68.
- Pradiko, I., Farrasati, R., Rahutomo, S., Ginting, E. N., Candra, D. A. A., Krissetya, Y. A., & Mahendra, Y. S. (2020). Pengaruh Iklim terhadap Dinamika Kelembaban Tanah di Piringan Pohon Tanaman Kelapa Sawit. *WARTA Pusat Penelitian Kelapa Sawit*, 25(1), 39–51.
- Prasetyo, S., Hidayat, U., Haryanto, Y. D., & Riama, N. F. (2021). Variasi dan Trend Suhu Udara Permukaan di Pulau Jawa Tahun 1990–2019. *Jurnal Geografi: Media Informasi Pengembangan Dan Profesi Kegeografian*, 18(1), 60–68.
- Ramlan, M. (2002). Pemanasan global (global warming). *Jurnal Teknologi Lingkungan*, 3(1), 30–32.
- Rodríguez-Eugenio, N., McLaughlin, M., & Pennock, D. (2018). *Soil pollution: a hidden reality*. FAO.
- Saidal Siburian, M. M., & Mar, M. (2020). *Pencemaran Udara dan Emisi Gas Rumah Kaca*. Kreasi Cendekia Pustaka.
- Soulis, K. X., Elmaloglou, S., & Dercas, N. (2015). Investigating the effects of soil moisture sensors positioning and accuracy on soil moisture based drip irrigation scheduling systems. *Agricultural Water Management*, 148, 258–268.
- Suhardjo, D. (2011). Arti penting pendidikan mitigasi bencana dalam mengurangi resiko bencana. *Jurnal Cakrawala Pendidikan*, 2.
- Susanta, G., & Sutjahjo, H. (2007). *Akankah Indonesia Tenggelam? Penebar Plus+*.
- Syaifulhah, M. D. (2015). Suhu Permukaan Laut Perairan Indonesia dan Hubungannya dengan Pemanasan Global. *Jurnal Segara*, 11(2), 103–113.
- Wei, C., Wang, M., Fu, Q., Dai, C., Huang, R., & Bao, Q. (2020). Temporal characteristics of greenhouse gases (CO<sub>2</sub> and CH<sub>4</sub>) in the megacity Shanghai, China: Association with air pollutants and meteorological conditions. *Atmospheric Research*, 235, 104759.
- Yaron, B., Calvet, R., Prost, R., & Prost, R. (1996). *Soil pollution: processes and dynamics*. Springer Science & Business Media.

# Impact of Soil Pollution on Increasing Temperature in Indonesia

## ORIGINALITY REPORT

13%

SIMILARITY INDEX

7%

INTERNET SOURCES

5%

PUBLICATIONS

4%

STUDENT PAPERS

## PRIMARY SOURCES

1	Dedy Rahman Prehanto, Aries Dwi Indriyanti, Chamdan Mashuri, Ginanjar Setyo Permadi. "Soil Moisture Prediction using Fuzzy Time Series and Moisture sensor Technology on Shallot Farming", E3S Web of Conferences, 2019 Publication	3%
2	<a href="https://pdfs.semanticscholar.org">pdfs.semanticscholar.org</a> Internet Source	2%
3	<a href="https://repository.ugm.ac.id">repository.ugm.ac.id</a> Internet Source	1%
4	<a href="http://www.ejournal.iainpurwokerto.ac.id">www.ejournal.iainpurwokerto.ac.id</a> Internet Source	1%
5	<a href="http://www.conserve-energy-future.com">www.conserve-energy-future.com</a> Internet Source	1%
6	Submitted to Kozep-europai Egyetem Student Paper	1%
7	<a href="http://weather-and-climate.com">weather-and-climate.com</a> Internet Source	1%



8	Submitted to Universiti Teknologi Malaysia	1 %
Student Paper		
9	jif.fmipa.unand.ac.id	1 %
Internet Source		
10	Submitted to Universiti Teknologi MARA	1 %
Student Paper		
11	<p>Julham Julham, Hikmah Adwin Adam, Arif Ridho Lubis, Muharman Lubis. "Development of soil moisture measurement with wireless sensor web-based concept", Indonesian Journal of Electrical Engineering and Computer Science, 2019</p>	1 %
Publication		

Exclude quotes  On

Exclude matches  < 1%

Exclude bibliography  On