

DAFTAR PUSTAKA

1. Thomas JP, Raine T, Reddy S, Belteki G. Probiotics for the prevention of necrotising enterocolitis in very low-birth-weight infants: a meta-analysis and systematic review. *Acta paediatrica*. 2017 Nov;106(11):1729-41.
2. WHO. International statistical classification of diseases and related health problems, tenth revision. 2nd ed. 2004.
3. WHO. (2014a). Low Birth Weight Policy Brief. WHO
4. WHO | Global Nutrition Targets 2025: Low birth weight policy brief. (2018). WHO.
5. Ika. Jumlah Bayi Berat Lahir Rendah Masih Tinggi. 2015. Diunduh dari <https://www.ugm.ac.id/id/berita/10695-jumlah-bayi-berat-lahir-rendah-masih-tinggi>.
6. KC A, Basel PL, Singh S. Low birth weight and its associated risk factors: Health facility-based case-control study. *PloS One*. 2020 Jun 22;15(6):e0234907.
7. Lau C, Ambalavanan N, Chakraborty H, Wingate MS, Carlo WA. Extremely low birth weight and infant mortality rates in the United States. *Pediatrics*. 2013 May 1;131(5):855-60.
8. Fajriana, Amima, Buanasita A. Faktor Risiko yang Berhubungan dengan Kejadian Bayi Berat Lahir Rendah di Kecamatan Semampir Surabaya. *Media Gizi Indonesia*. 2018;71-80.
9. Rajashree K. Study on the Factors Associated with Low Birth Weight among Newborns Delivered in a Tertiary-Care Hospital, Shimoga, Karnataka. *International Journal of Medical Science and Public Health*. 2015;4 (9):1287-1290.
10. Hodek JM, Von der Schulenburg J, Mittendorf T. Measuring economic consequences of preterm birth-Methodological recommendations for the evaluation of personal burden on children and their caregivers. *Health economics review*. 2011 Dec;1(1):1-0.

11. Martinson ML, Reichman NE. Socioeconomic inequalities in low birth weight in the United States, the United Kingdom, Canada, and Australia. *American Journal of Public Health*. 2016 Apr;106(4):748-54.
12. Rismanieta YA, Fatmaningrum W, Perbowo P. HUBUNGAN USIA IBU HAMIL DENGAN KEJADIAN BAYI BERAT LAHIR RENDAH (BBLR) DI RSUD DR. SOETOMO SURABAYA PERIODE JUNI–AGUSTUS 2013. *JUXTA: Jurnal Ilmiah Mahasiswa Kedokteran Universitas Airlangga*. 2016;8(1):35-40.
13. World Health Organization. Global Nutrition Targets 2025: Low birth weight policy brief. World Health Organization.2014.
14. Cutland CL, Lackritz EM, Mallett-Moore T, Bardaji A, Chandrasekaran R, Lahariya C, Nisar MI, Tapia MD, Pathirana J, Kochhar S, Muñoz FM. Low birth weight: Case definition & guidelines for data collection, analysis, and presentation of maternal immunization safety data. *Vaccine*. 2017 Dec 4;35(48Part A):6492.
15. Hughes MM, Black RE, Katz J. 2500-g low birth weight cutoff: history and implications for future research and policy. *Maternal and child health journal*. 2017 Feb;21(2):283-9.
16. Blencowe H, Krusevec J, De Onis M, Black RE, An X, Stevens GA, Borghi E, Hayashi C, Estevez D, Cegolon L, Shiekh S. National, regional, and worldwide estimates of low birthweight in 2015, with trends from 2000: a systematic analysis. *The Lancet Global Health*. 2019 Jul 1;7(7):e849-60.
17. Lawn JE, Cousens S, Zupan J, Lancet Neonatal Survival Steering Team. 4 million neonatal deaths: when? Where? Why?. *The lancet*. 2005 Mar 5;365(9462):891-900.
18. Johnson CD, Jones S, Paranjothy S. Reducing low birth weight: prioritizing action to address modifiable risk factors. *Journal of Public Health*. 2017 Mar 1;39(1):122-31.
19. UNICEF. Low Birthweight. Country, regional and global estimates.2004.
20. United Nations Statistical Division. Composition of macro geographical (continental) regions, geographical sub-regions, and selected economic and

- other groupings. New York: United Nations; 2013 (<http://unstats.un.org/unsd/methods/m49/m49regin.htm#developed>, accessed 13 October 2014)
21. Undernourishment in the womb can lead to diminished potential and predisposes infants to early death. New York: United Nations Children's Fund; 2014 (<http://data.unicef.org/nutrition/low-birthweight>, accessed 13 October 2014).
 22. UNICEF. Maternal and newborn health disparities country profiles.2019. Diunduh dari: <https://data.unicef.org/resources/maternal-newborn-health-disparities-country-profiles/>.
 23. Haksari EL. Historical Perspectives: Low Birthweight and Preterm Infants in Indonesia. *Neoreviews*. 2019 Oct 1;20(10):e548-60.
 24. Yuliani Y, Putra IA, Windiani IT. Risk Factors of Low Birth Weight (LBW) Among Infants at Dr. R. Soedjono General Hospital East Lombok. *Public Health and Preventive Medicine Archive*. 2015;3(2):21509.
 25. Engle WA, Kominiarek MA. Late preterm infants, early term infants, and timing of elective deliveries. *Clinics in perinatology*. 2008 Jun 1;35(2):325-41.
 26. Rahfiludin MZ, Dharmawan Y. Risk factors associated with low birth weight. *Kesmas: National Public Health Journal*. 2018; 13(2): 78.
 27. Kozuki N, Lee AC, Silveira MF, Victora CG, Adair L, Humphrey J, Ntozini R, Black RE, Katz J. The associations of birth intervals with small-for-gestational-age, preterm, and neonatal and infant mortality: a meta-analysis. *BMC Public Health*.2013;13(3):S3
 28. Conde-Agudelo A, Rosas-Bermudez A, Castano F, Norton MH. Effects of birth spacing on maternal, perinatal, infant, and child health: a systematic review of causal mechanisms. *Stud Fam Plann*.2012;43:93–114.
 29. Brannon PM, Taylor CL. Iron supplementation during pregnancy and infancy: uncertainties and implications for research and policy. *Nutrients*. 2017 Dec;9(12):1327.

30. Salem S, Eshra D, Saleem N. Effect of malnutrition during pregnancy on pregnancy outcomes. *J Nurs Care* 2016;5(10):1.
31. Gaillard R, Rurangirwa AA, Williams MA, Hofman A, Mackenbach JP, Franco OH, Steegers EA, Jaddoe VW. Maternal parity, fetal and childhood growth, and cardiometabolic risk factors. *Hypertension*. 2014 Aug;64(2):266-74.
32. Wildemeersch D, Pett A, Jandi S, Hasskamp T, Rowe P, Vrijens M. Precision intrauterine contraception may significantly increase continuation of use: a review of long-term clinical experience with frameless copper-releasing intrauterine contraception devices. *Int J Women's Health*. 2013;5:215–25.
33. Guedes-Martins L, Gaio R, Saraiva J, Cerdeira S, Matos L, Silva E, et al. Reference ranges for uterine artery pulsatility index during the menstrual cycle: a cross-sectional study. *PLoS One*. 2015;10(3):e0119103.
34. Derwig I, Lythgoe DJ, Barker GJ, Poon L, Gowland P, Yeung R, et al. Association of placental perfusion, as assessed by magnetic resonance imaging and uterine artery Doppler ultrasound, and its relationship to pregnancy outcome. *Placenta*. 2013;34(10):885–91
35. Li XQ, Qian HJ, Zhang XY, He Y, Zhang SF, Hua KQ, et al. Analysis of the reproductive outcomes and the size of the unicornuate uterus measured by magnetic resonance imaging and their relationship. *Arch Gynecol Obstet*. 2019;299(5):1321–30.
36. Lin L, Lu C, Chen W, Li C, Guo VY. Parity and the risks of adverse birth outcomes: a retrospective study among Chinese. *BMC pregnancy and childbirth*. 2021 Dec;21(1):1-1.
37. Fosu MO, Munyakazi L, Nsowah-Nuamah NN. Low birth weight and associated maternal factors in Ghana. *J Biol Agric Healthcare*. 2013;3(7).
38. Bach D. Study shows U.S. has greater link between low birth weight and inequality. 2016. Diunduh dari: <https://www.washington.edu/news/2016/01/28/study-shows-u-s-has-greater-link-between-low-birth-weight-and>

47. Gebremedhin M, Ambaw F, Admassu E, Berhane H. Maternal associated factors of low birth weight: a hospital based cross-sectional mixed study in Tigray, Northern Ethiopia. *BMC pregnancy and childbirth*. 2015 Dec;15(1):1-8.
48. Murai U, et al. Pre-pregnancy body mass index as a predictor of low birth weight infants in Japan. *Asia Pac J Clin Nutr*. 2017;26(3):434–7.
49. Sakinah V, Fibriana AI. Upaya peningkatan pengetahuan, sikap dan kunjungan antenatal care (ANC) ibu hamil melalui pemberdayaan kader ANC. *Unnes journal of public health*. 2015 Jan 17;4(1).
50. Tunçalp Ö, Pena-Rosas JP, Lawrie T, Bucagu M, Oladapo OT, Portela A, Metin Gülmezoglu A. WHO recommendations on antenatal care for a positive pregnancy experience—going beyond survival. *BJOG: An International Journal of Obstetrics & Gynaecology*. 2017 May;124(6):860-2.
51. Kementerian Kesehatan Direktur Jenderal Bina Kesehatan Masyarakat. *Pedoman Pelayanan Antenatal Terpadu*. 2010:4,7-11.
52. Xi C, Luo M, Wang T, Wang Y, Wang S, Guo L, Lu C. Association between maternal lifestyle factors and low birth weight in preterm and term births: a case-control study. *Reproductive Health*. 2020 Dec;17(1):1-9.
53. Siramaneerat I, Agushyana F, Meebunmak Y. Maternal risk factors associated with low birth weight in Indonesia. *The Open Public Health Journal*. 2018 Aug 31;11(1).
54. Tellapragada C, Eshwara VK, Bhat P, et al. Risk factors for preterm birth and low birth weight among pregnant Indian women: A hospital-based prospective study. *J Prev Med Public Health*. 2016; 49(3): 165-75.
55. Siugo-Abanihe U, Oke O. Maternal and environmental factors influencing infant birth weight in Ibadan, Nigeria. *Afr Popul Stud*. 2011; 25(2): 250-66.
56. Badshah S, Mason L, McKelvie K, Payne R, Lisboa PJ. Risk factors for low birthweight in the public-hospitals at Peshawar, NWFP-Pakistan. *BMC Public Health*. 2008; 8: 197-206

57. WHO. Congenital Anomalies. 2022. Diunduh dari: https://www.who.int/health-topics/congenital-anomalies#tab=tab_1.
58. Paliwa ASV, Mohan I, Choudhary RM, Sharma BN. Risk factors associated with low birth weight in newborns: a tertiary care hospital based study. *Int J Cur Res Rev*. 2013;05(11):42–8.
59. Chan MY, Smith MA. Infections in Pregnancy. *Comprehensive Toxicology*. 2018;232-249. doi:10.1016/B978-0-12-801238-3.64293-9.
60. Jahanfar S, Lim K, Ovideo-Joekes E. Birth weight discordance and adverse perinatal outcomes. *J Perinat Med*. 2017;45:603.
61. National Vital Statistics Reports. Centers for Disease Control and Prevention. 2016.
62. World Health Organization. Maternal, newborn, child and adolescent health. 2018. Diakses di dari: http://www.who.int/maternal_child_adolescent/newborns/prematurity/en/Organization. http://www.who.int/maternal_child_adolescent/newborns/prematurity/en/.
63. Moreira RS, Magalhães, LC, Alves, Claudia RL. Effect of preterm birth on motor development, behavior, and school performance of school-age children: a systematic review. *Jornal de pediatria*. 2014;90: 119-134.
64. Schieve, Laura A. Population impact of preterm birth and low birth weight on developmental disabilities in US children. *Annals of epidemiology*. 2016;26(4): 267-274.
65. Dereje G, Waller, Michael, Mishra, Gita D. Effects of maternal diets on preterm birth and low birth weight: a systematic review. *British Journal of Nutrition*. 2020;123(4): 446-461.
66. Johns Hopkins University. Pregnancy: first trimester, second trimester, third trimester. 2017. Diakses dari: http://www.hopkinsmedicine.org/healthlibrary/conditions/pregnancy_and_childbirth/second_trimester_85,P01234.
67. Yadav DK, Chaudhary U, Shrestha N. Risk factors associated with low birth weight. *J Nepal Health Res Counc*. 2011;9(19): 159-164.

68. Assefa N, Berhane Y, Worku A. Wealth status, mid upper arm circumference (MUAC) and antenatal care (ANC) are determinants for low birth weight in Kersa, Ethiopia. *PLoS One* 2012;7 (6):e39957.
69. Metgud CS, Naik VA, Mallapur MD. Factors affecting birth weight of a newborn--a community based study in rural Karnataka, India. *PLoS One* 2012;7(7):e40040.
70. Sujianti S. Literature review bayi berat lahir rendah. *Jurnal Kesehatan Ibu dan Anak*. 2017 Nov 30;11(2):75-81.
71. Mahayana SA, Chundrayetti E, Yulistini Y. Faktor Risiko yang Berpengaruh terhadap Kejadian Berat Badan Lahir Rendah di RSUP Dr. M. Djamil Padang. *Jurnal Kesehatan Andalas*. 2015 Sep 1;4(3).
72. Masturoh I, Anggita N. *Metodologi Penelitian Kesehatan*. Jakarta: KEMENKES RI.2018:129.
73. Michelle JK, Osterman MHS, Brady E, Hamilton, Joyce A, Martin. *National Vital Statistics Reports*. U.S. DEPARTMENT OF HEALTH AND HUMAN SERVICES Centers for Disease Control and Prevention National Center for Health Statistics National Vital Statistics System Births. 2020.
74. Stylianiou R, Paraskevi. Maternal socioeconomic factors and the risk of premature birth and low birth weight in Cyprus: a case-control study. *Reproductive health*.2018;15(1):1-8.
75. Walani, Salimah R. Global burden of preterm birth. *International Journal of Gynecology & Obstetrics*.2020;50(1): 31-33.
76. WHO. Preterm Birth. 2018. Diunduh dari: <https://www.who.int/news-room/fact-sheets/detail/preterm-birth>.
77. Pinto, Filomena. Born preterm: a public health issue. *Portuguese Journal of Public Health*. 2019; 37(1): 38-49.
78. World Health Organization. Promoting Optimal Fetal Development Report of A Technical Consultation. 2006.
79. Berhane M, Workneh N, Girma T, Lim R, Lee KJ, Nguyen CD, Neal E, Russell FM. Prevalence of low birth weight and prematurity and associated

- factors in neonates in Ethiopia: results from a hospital-based observational study. *Ethiopian journal of health sciences*. 2019;29(6).
80. Fatimah N, Utama BI, Sastri S. Hubungan antenatal care dengan kejadian bayi berat lahir rendah pada ibu aterm di RSUP Dr. M. Djamil Padang. *Jurnal Kesehatan Andalas*. 2018 Feb 20;6(3):615-20.
81. Kementerian Kesehatan RI. Profil Kesehatan Indonesia Tahun 2019.2020.
82. Londero AP, Rossetti E, Pittini C, Cagnacci A, Driul L. Maternal age and the risk of adverse pregnancy outcomes: a retrospective cohort study. *BMC pregnancy and childbirth*. 2019 Dec;19(1):1-0.
83. Yana Y, Musafaah M, Yulidasari F. Hubungan antara usia ibu pada saat hamil dan status anemia dengan kejadian berat badan lahir rendah (BBLR) Studi Observasional di Wilayah Kerja Puskesmas Martapura. *Jurnal Publikasi Kesehatan Masyarakat Indonesia*. 2016;3(1).
84. Yanti L. Faktor Karakteristik Ibu Terhadap Berat Bayi Lahir Rendah. *InPROSIDING SEMINAR NASIONAL & INTERNASIONAL* .2016;1(1).
85. Delfita N, Desmiwati D, Agus M. Relationship Of Mother Factors With Low Birth Weight (LBW) Infants Which Are Treated In DR. M. Djamil Central Public Hospital Padang. *Journal of Midwifery*. 2017 Dec 21;2(2):66-73.
86. Kementerian Pemberdayaan Perempuan dan Perlindungan Anak. Profil Perempuan Indonesia 2019.2019.
87. Nuryani N, Rahmawati R. Kejadian Berat Badan Lahir Rendah di Desa Tinelo Kabupaten Gorontalo dan Faktor yang Memengaruhinya. *Jurnal Gizi Dan Pangan*. 2017 Sep 6;12(1):49-54.

88. Hanum N, Andiny P. Pengaruh Tingkat Pendidikan, Usia Perkawinan Pertama dan Kematian Bayi terhadap Fertilitas di Kabupaten Aceh Timur. *Jurnal Samudra Ekonomi dan Bisnis*. 2018 Sep 3;9(2):160-70.
89. Rahim FK, Muharry A. Hubungan Karakteristik Ibu Dengan Kejadian Bayi Berat Lahir Rendah (BBLR) di Wilayah Kabupaten Kunigan. *Jurnal Ilmu Kesehatan Bhakti Husada: Health Sciences Journal*. 2018 Dec 3;9(2):75-80.
90. Chuhao Xi, Luo M, Wang T, Wang Y, Wang S, Guo L, Lu C et al. Association between maternal lifestyle factors and low birth weight in preterm and term births: a case-control study. *Reproductive Health*. 2020;17(1): 1-9.
91. Salawati L. Hubungan usia, paritas dan pekerjaan ibu hamil dengan bayi berat lahir rendah. *Jurnal Kedokteran Syiah Kuala*. 2012 Aug 16;12(2):138-42.
92. Septiawan A, Wijaya, Siti H. Determinan Tingkat Partisipasi Angkatan Kerja Perempuan Di Indonesia Tahun 2015-2019 Menggunakan Model Regresi Data Panel. In: *Seminar Nasional Official Statistics*. 2020.449-461.
93. Badan Pusat Statistik (BPS). *Profil Kesehatan Ibu dan Anak 2020*. 2020.
94. Halu SA. Hubungan Status Sosio Ekonomi Ibu Dengan Kejadian Berat Badan Lahir Rendah Di Puskesmas La'o. *Wawasan Kesehatan*. 2019 Dec 20;4(2):74-80.
95. Mahmoodi Z, Karimlou M, Sajjadi H, et al. Association of Maternal Working Condition with Low Birth Weight: The Social Determinants of Health Approach. *Ann Med Health Sci Res*. 2015;5(6):385-391. doi:10.4103/2141-9248.177982.
96. Survei Angkatan Kerja Nasional (Sakernas). 2021. Diunduh dari: <https://www.kompas.tv/article/218255/sebagian-besar-pekerja-di-indonesia-digaji-di-bawah-standar-upah-minimum>.
97. Rini SS. Faktor–Faktor Risiko Kejadian Berat Bayi Lahir Rendah di Wilayah Kerja Unit Pelayanan Terpadu Kesmas Gianyar II. *E-Jurnal Medika Udayana*. 2015.

98. Sholiha H, Sumarmi S. Analisis risiko kejadian berat bayi lahir rendah (BBLR) pada primigravida. *Media Gizi Indonesia*. 2015;10(1):57-63.

