INTERNATIONAL JOURNAL OF PROGRESSIVE SCIENCES AND TECHNOLOGIES

| Journal Help ANNOUNCEMENTS ATOM 1.0 RSS 2.0 RSS 1.0 CURRENT ISSUE ATOM 1.0 RSS 2.0 RSS 1.0 USER Username | HOME ABOUT LOGIN REGISTER SEARCH CURRENT ARCHIVES ANNOUNCEMENTS CALL REVIEWERS PAPER SUBMISSION INDEXING & ABSTRACTING ##PUBLICATION FEES## Home > Archives > Vol 31, No 1 (2022) Vol 31, No 1 (2022) DOI: http://dx.doi.org/10.52155/ijpsat.v31.1 | | ISSN:2509- 0119 ISSN-L: 2509- 0119 ResearcherID: J- 1399-2016 <u>DOI :</u> 10.52155 |
|--|--|--|--|
| Password Remember me Login JOURNAL CONTENT Search Search Scope All | Articles Effect of Current Ratio, Debt to Assets Ratio and Return on Equity on Profit Growth in Insurance Companies registered with the Financial Services Authority in 2018 - 2020 Kurnia Zahra, Djoko Hanantijo E-Module Ethnomathematics on Mathematical Representation Ability of Class XI High School | PDF 01-09 PDF 10-18 | LIPSAT ISSN: 2509-0110 |
| Search Browse • By Issue • By Author • By Title | Students Laila fitriana, Ummu Baroroh, Mardiyana MardiyanaGroynes Placement Angle Pattern to The Depth of Erosion at the River Bend Yeni Novitasari, Achmad SyarifudinWork Engagement within the Employees of Pt. Vector 41 Dwiana Wulandari | <u>PDF</u> 19-27 <u>PDF</u> 28-29 | |
| View Subscribe FONT SIZE INFORMATION For Readers For Authors For Librarians | Anxiety Condition in Children Donika Tahirsylaj Alidemi, Nexhmedin Shala, Syzana Aliqkaj- Prebreza, Feride Fejza A Physical Model Approach to the Depth of Erosion in the Buah River, Palembang, Indonesia Muhammad Nasrullah, Achmad Syarifudin Research on the Physical Model of River Sedimentation: A Case Study in Buah River, Palembang, Indonesia | PDF 30-35 <u>PDF</u> 36-43 <u>PDF</u> 44-52 | IJPSAT SSN:2509-0119 SCHOLAR AI Be Smart |
| KEYWORDS Antananarivo Benin COVID-19 Competence Covid-19 Culture Development Flood discharge | Herlin Taufik Utama, Achmad Syarifudin <u>Innovative Behavior of Hotel Employees In Medan</u> <u>Indonesia</u> Gursweet Kaur, Ferry Novliadi <u>Implementation of Autonomous Maintenance and its</u> <u>Effect on MTBF, MTTR, and Reliability of a Critical</u> <u>Machine in a Beer Processing Plant</u> Jacob Sawai Ben | <u>PDF</u> 53-56 <u>PDF</u> 57-66 | Impact Factor: <i>ICV</i> = 79.77 |
| Gender HEC-RAS program IDF curve Income Initial Ability Pandemic The Buah river Validity Water level fluctuation | Optimizing the Extraction Conditions of Gold in AuCN Solution Jacob Sawai Ben Sulfonated Organic Carbon Waste From Organic Waste As Solid Acid Catalyst For PFAD Esterification: A Brief Review | <u>PDF</u> 67-79 <u>PDF</u> 80-86 | <i>SJIF</i> = 6.662 |

mobilité population. scale models validity

Vol 31, No 1 (2022)

| Vol 31, No 1 (2022) | |
|--|-----------------------|
| Selvi Apriliana Putri, Umar Kalmar Nizar, Budi Oktavia, Syamsi Aini, Rita Sundari | |
| The Influence Of Alcohol Compound On Biodiesel Production Through Esterification Reaction: A Mini | <u>PDF</u> 87-94 |
| <u>Review</u> Niza Lian Pernaid, Umar Kalmar Nizar, Sri Benti Etika, Minda Azhar, Rita Sundari | |
| <u>Place des Antidépresseurs au Cours d'Un Syndrome</u> <u>Délirant</u> Herilanja RATOBIMANANKASINA, Jockman RAZAFILISY, Evah RAOBELLE, Jean de la Croix RASOLONJATOVO, Adeline RAHARIVELO, Bertille RAJAONARISON | <u>PDF</u> 95-98 |
| Emerging Opportunities in the Philippine Higher Education Institutions During the COVID-19 Pandemic Ma. Rosita Ampoyas Hernani, Maria Nancy Quinco- Cadosales | <u>PDF</u> 99-109 |
| Length-weight Relationship and Environmental Parameters of Indonesian Leaffish (Pristolepis Grootii, Bleeker 1852) in Kelekar River, South Sumatera, Indonesia Muslim Muslim, Wira Wisnu Wardani, Helena Afia Sahusilawane, Selly Oktarina, Ratnawati Rifa'i, | <u>PDF</u> 110-117 |
| Obstetric Anal Sphincter Injury: Risk Factors, | PDF |
| <u>Management, and Recommendations, Literature</u> <u>Review</u> Maged Naser, Mohamed M. Naser, Lamia H. Shehata | 118-148 |
| Modes De Transport Entre Abomey-Calavi Et Cotonou Au Benin ZIME LAFIA Issihako, Ponce Kévin DOVONOU, Toussaint VIGNINOU | <u>PDF</u> 149-159 |
| Analyse Des Effets Economiques Du Tourisme Dans Le Département Du Zou Au Benin Eline Tchinhoun, Patrice Senou, Koudjega K. Hervé, Vissin W. Expédit | <u>PDF</u> 160-168 |
| <u>Human Resources Management In Improving</u> Performance And Motivation Of Personnel By Reward <u>System</u> Sukmo Hadi Nugroho | <u>PDF</u> 169-174 |
| Etudes Des Influences Du Filler Calcaire Sur La Maniabilité Et Le Retrait Du Béton Dimbimalala Mavoniaina RATSARAHASINA, Hery Mikaela RATSIMBAZAFY, Guy Joel ROBISONARISON, Huchard Paul Bertin RANDRIANIRAINY, Jean de Dieu RAMAROSON | PDF 175-185 |
| Poetic Speech And Methodological Characteristics In The Novel "Feast Of Demons Or The Great Game" Mansurova Malika Askarovna | <u>PDF</u> 186-190 |
| <u>Technological Foundations for Drilling Rapal Deposits</u> <u>under Difficult Conditions</u> Yuldashev Tashmurza Rakhmanovich, Mirzaev Ergash Safarovich, Yuldashev Tashmurza Raxmanovich, Ergash Safarovich Mirzayev | <u>PDF</u> 191-196 |
| <u>Study Of The Mechanisms Of Formation Of Aggregates</u> <u>In Ethyleneglycol Molecules Using Theoretical</u> <u>Calculations</u> B. Khudaykulov, U. Holikulov, J. Sulaymonov, R. Sayfinov, B. Iltazarov | <u>PDF</u> 197-201 |
| Pricing And Marketing Research Of Chemical Products D. D. Muminova | <u>PDF</u> 202-204 |
| <u>Pobreza Y Cultura De Paz Una Reflexión Teórica</u> Imelda Ortiz Medina, Pedro Severino González, Efraín Tunjo Buitrago, María del Carmen Arreola Medina, Jorge Martínez Pérez | PDF 205-214 |
| Fuzzy Logic and PID Control of Quadrotor Translational Motion Ando Nirina Andriamanalina, Andry Auguste | <u>PDF</u> 215-222 |

Ando Nirina Andriamanalina, Andry Auguste Randriamitantsoa, Paul Auguste Randriamitantsoa IJIFM =7.36 **Indexing &** Abstracting

IFSIJ = 7.625











1/17/23, 10:15 AM

| <u>Normal Vs. Cesarean Delivery Ratio - The Main</u> <u>Reasons For Cesarean Delivery</u> Minire Alilaj - Beqiraj, Behrije Vishi, Nerxhivane Begiri- Arifi | <u>PDF</u> 223-228 |
|---|-----------------------|
| Spatialisation des Transaction Foncière Agricoles dans la Commune d'Abomey-Calavi Antoine AGBANZE, K. Hervé KOUDJEGA, W. Expédit VISSIN | <u>PDF</u> 229-238 |
| Design, Development And Evaluation Of A New Type Of Continuous Downdraft Gasifier To Generate Producer Gas From Rice Husk Ravaka Randriamorasata, Josoa Randriamorasata, François Ravalison | PDF 239-255 |
| Insights on the Mangupa Tradition in Anthropology Studies In the Angkola Community Akhiril Pane | <u>PDF</u> 256-263 |
| <u>The Importance Of Teaching Bukhara Children's</u> Folklore Songs In Music Lessons In General Secondary <u>Schools</u> To'xtasin Ibodovich Rajabov | <u>PDF</u> 264-269 |
| Interpretation Of Lexicographic Research In The Creation Of Parallel Corpus Anorkhon Nasivali qizi Akhmedova | <u>PDF</u> 270-275 |
| <u>Okra (Abelmoschus esculentus L.) as Foodstuff and Its</u> <u>Bioactivity</u> Marina Silalahi | <u>PDF</u> 276-281 |
| <u>Portées Socio-Economiques Des Mouvements</u> <u>Migratoires Dans L'arrondissement D'Ikpinle Au Sud- <u>Est Du Benin</u> Abdel Hack SEIDOU, Satingo Rolette DEKAKON</u> | <u>PDF</u> 282-293 |
| <u>Comparaison Des Techniques De Détection Linéaire ZF</u> <u>Et MMSE En Transmission MIMO</u> Ando Nirina ANDRIAMANALINA, Andry Auguste RANDRIAMITANTSOA, Paul Auguste RANDRIAMITANTSOA | <u>PDF</u> 294-297 |
| <u>Algorithms For The Reliability Of Information Of Non-</u> <u>Stationary Objects Based On Neural Networks</u> Djumanov Olimjon Israilovich, Nazarov Bahrom Mustafaevich | <u>PDF</u> 298-303 |
| Optimization Of Control And Correction Of Spelling Of Texts Of Electronic Documents Jumanov Isroil Ibragimovich, Tolipov Asliddin Erkinovich | <u>PDF</u> 304-310 |
| Facteurs Explicatifs De La Dynamique Foncière Dans Le Département Du Plateau Sevegni Brice TCHAOU, Waïdi SEYDOU, Joël HOUNGUE, Jean Raphael ADELAKOUN, Sylvain VISSOH | PDF 311-322 |
| Techniques De Transformation Du Manioc Et Ses Effets Socio-Economiques Dans La Commune De Pobe Louis Dèdègbê AHOMADIKPOHOU | <u>PDF</u> 323-332 |
| Utilisation Du m-Commerce Dans Les Entreprises Malgaches Nicolas Jacques Mamy RAMAMBAZAFY RALAINONY, Eddy RAKOTOMALALA, Maminiaina René Alexandre TSISAROTINA | <u>PDF</u> 333-341 |
| La Portée Des Parcours Universitaires Sur L'intention Entrepreneuriale Des Jeunes Diplômes Cas Des Jeunes Diplômés Malgaches Hantatiana Henimpitia ANDRIANARIZAKA, Dera Erica RAKOTOSON, Saholiarimanana ANDRIANALY | <u>PDF</u> 342-360 |
| Methods of Solving Problems In Semiconductor Physics Ulug'bek Qodirovich Valiyev | <u>PDF</u> 361-363 |
| The Impact of Climate on Flood Disasters in Indonesia (Faradiba Faradiba | <u>PDF</u> 364-371 |
| | |

Vol 31, No 1 (2022)





TOGETHER WE REACH THE GOAL





Partners



https://ijpsat.org/index.php/ijpsat/issue/view/66

INTERNATIONAL JOURNAL OF PROGRESSIVE SCIENCES AND TECHNOLOGIES

Journal Help

2.0

55 1.0

HOME ABOUT LOGIN REGISTER SEARCH CURRENT ARCHIVES ANNOUNCEMENTS CALL FOR REVIEWERS PAPER SUBMISSION **INDEXING &** ABSTRACTING ##PUBLICATION FEES##

Indexing & Abstracting

Home > Indexing & Abstracting

CURRENT ISSUE 1.0 1.0

ANNOUNCEMENTS

1.0

USER

Username Password

Remember me Login

JOURNAL CONTENT

Search Search Scope All × Search

Browse

- By Issue
- By Author By Title

NOTIFICATIONS

View Subscribe

FONT SIZE

INFORMATION

- For Readers
- For Authors For Librarians

KEYWORDS Antananarivo Benin

COVID-19 Competence Covid-19 Culture <u>Development</u> Flood discharge Gender HEC-RAS program IDF curve Income Initial Ability Pandemic The Buah river Validity Water level fluctuation



Google Scholar is a freely accessible web search engine that indexes the full text or metadata of scholarly literature across an array of publishing formats and disciplines. Released in in beta 2004, November the Scholar Google index includes most peerreviewed online academic journals and books, conference papers, theses

and dissertations, preprints, abstracts, technical reports, and other scholarly literature, including court opinions and patents. While Google does not publish the size of Google Scholar's database, scientometric researchers estimated it to contain roughly 389 million documents including articles, citations and patents making it the world's largest academic search engine in January 2018. Previously, the size was estimated at 160 million documents as of May 2014. An earlier statistical estimate published in PLOS ONE using a Mark and recapture method estimated approximately 80-90% coverage of all articles published in English with an estimate of 100 million. This estimate also determined how many documents were freely available on the web.

RESEARCHERID

ResearcherID is a TR solution to publons the author ambiguity problem within the scholarly research community. Each member is

assigned a unique identifier to enable researchers to manage their publication lists, track their times cited counts and h-index, identify potential collaborators and avoid author misidentification. In addition, the ResearcherID information integrates with the Web of Science and is ORCID compliant, allowing you to claim and showcase your publications from a single one account. Search the registry to find collaborators, review publication lists and explore how research is used around the world!

> WorldCat is the world's largest network of library 0010 content and services. WorldCat libraries are WorldCat dedicated to providing access to their resources on the Web, where most people start their search

for information.



OCLC, a global library cooperative, supports thousands of libraries in making information ISSN:2509-0119

ISSN-L: 2509-0119

ResearcherID: J-1399-2016

DOI: 10.52155







Impact Factor:

ICV =79.77 SJIF =6.662

mobilité population. scale models validity

ResearchBib is open access with high standard indexing database

for researchers and publishers.

Research Bible may freely index

ResearchBib journals, research papers, call for

more accessible and more useful to people around the world.

Academic

Resource

Index

Indexing & Abstracting



papers, research position.

The LOCKSS Program, based at Stanford University Libraries, provides libraries and publishers with awardwinning, low-cost, open source digital preservation tools to preserve and provide access to persistent and authoritative digital content.

The PKP Index is a database of articles, books, and conference proceedings PKPINI using PKP's free, open source Open Journal Systems, Open Monograph Press, and Open Conference Systems software applications. The PKP

Index includes 394230 records indexed from 1495 publications.



The ICI World of Journals gathers information regarding scientific journals from various sources. Thus, we share comprehensive information regarding the scope of journals' activity, editorial offices and articles published by the scientific journals. International journals from all over the world may register in the ICI World of Journals - a dedicated

system has been made available to manage the Journal's Passport.



The CiteFactor server provides indexing of major iournals proceedings. Author can get information about journal impact factor, proceedings (research

upcoming events. All the journal pages have pointers to Web pages of the publishers which are integrated into the CiteFactor stream

international and international papers)

and information on










PKP|INDEX



pages.



sample. This allows you to search for "empirical" versus "historical" studies, for example, under "index terms." You can also view a document's index terms by selecting the complete record from among the search results.



is an international, recognized platform for promoting scientific achievements, as well as supporting publishers and scientific communities interested in state-of-the art research activities in innovation and TOGETHER WE REACH THE GOALapplied science areas.

ISSN: 2509-0119






TOGETHER WE REACH THE GOAL





Partners







Faradiba faradiba

Department of Physics Education, Universitas Kristen Indonesia, Jakarta, Indonesia

(cc) BY

Abstract – Weather changes that are quite extreme at this time are considered quite disturbing to the community. Extreme weather certainly opens up opportunities for disasters such as floods and so on. The occurrence of flooding certainly causes huge losses in an area. The purpose of this study was to determine the effect of climate on household flooding. The data used in this study is sourced from the 2018 National Socio-Economic Survey (SUSENAS) data, with a total of 293,651 households covering all provinces in Indonesia. The data analysis method used is Ordinary Least Square (OLS). The results of this study indicate that rainfall and air humidity have a positive effect of 0.0003% and 0.11%, respectively, on the occurrence of flooding. Another climate element, namely solar radiation, has a negative effect of 0.04% on floods that occur in Indonesia in general. If it is divided into rural and urban areas, the rainfall value in urban areas is higher but air humidity is lower than in rural areas. Meanwhile, solar radiation is relatively the same in urban and rural areas.

Keywords – Climate, Flood, rainfall, Indonesia, Ordinary Least Square (OLS)

I. INTRODUCTION

Climate is the average weather condition in a relatively long time and covers a large area. The process of occurrence of weather and climate is a combination of the same atmospheric variables called climate elements. Climate and its elements are important things to pay attention to, study, and anticipate its effects, because its effects often cause problems for humans and other living things (Faradiba, F., & Zet 2020; Miftahuddin 2018). Some of the climatic elements/factors that have been mentioned previously are certainly an important concern in anticipating disasters that may occur. Climate is a natural phenomenon that is driven by a combination of several elements, namely solar radiation, temperature, humidity, clouds, rain, evaporation, air pressure, and wind (Tjasyono 2004).

Rain is part of the water cycle to maintain the balance of water in the universe. On the other hand, rain has the potential for disaster if the amount and distribution is not controlled. Rainfall intensity is the amount of rainfall expressed in rain height or rainfall volume per unit time, which occurs during a period of concentrated rainwater (Tambunan 2017). The amount of rainfall intensity varies depending on the duration of rainfall and the frequency of occurrence (Juleha 2016). Rainfall An increase in the intensity of extreme rainfall can result in quite a bad situation, among which the most frequent is flooding. Not only floods, several conditions that have a high chance of appearing are wind storms, tsunami waves and many other negative impacts that can be caused (Faradiba 2020).

In addition to rainfall, the element of air humidity also takes part in contributing to the occurrence of floods. Air humidity is the content of water vapor in the air. The amount of water vapor in the air is actually only a small part of the entire atmosphere. Roughly about 2 percent of the total mass (Sherwood et al. 2010). However, the water vapor is one of the most important air components, in terms of weather and climate. The air humidity is large enough in an area, giving an indication that the air in that area contains a lot of water vapor or the air is wet (Pierrehumbert, Brogniez, and Roca 2007). The high percentage of air humidity is in line with the increase in rainfall intensity. The high and low humidity in a place really depends on several factors, namely temperature, air pressure, wind movement, quantity and quality of radiation.

Sunlight affects the rise and fall of the earth's surface temperature and affects other weather elements. Apart from controlling climate and weather, the sun is an important source of energy for life. The potential of solar energy can be utilized for the human environment (Sari, Yulkifli, and Kamus 2015). Solar radiation duration (LPM) is one of several elements of climatology. The duration of solar radiation or the duration of solar radiation (periodicity) is the length of time the sun shines brightly on the earth's surface which is calculated from sunrise to sunset (Matuszko and Węglarczyk 2015). The amount of solar radiation is written in units of hours, the value of tenths, or in units of percent of the maximum day length (Pujiastuti and Harjoko 2016).

Climate change that occurs has a very broad impact on people's lives. The increase in the earth's temperature does not only have an impact on increasing the temperature of the earth but also changes the climate system which affects various aspects of changes in nature and human life, one of which is the quantity of water. An increase in the quantity of water caused by extreme climate change will trigger a flood disaster (Van Aalst 2006; Faradiba 2021).

Indonesia's environmental conditions are very diverse and dynamic, both according to time and space. Indonesia is one of the countries that have been hit by many disasters (Rosyidie 2013). The National Disaster Management Agency (BNPB) reported that there were 2,203 natural disasters that occurred in Indonesia in the last 10 months or starting from January 1, 2021 to October 30, 2021. The most frequent natural disaster events were floods, then tornadoes, landslides, and so on. forest and land fires. The majority of these natural disasters occurred in West Java, East Java, Central Java, and Aceh. Based on BNPB data, there were 891 flood events, 587 tornadoes, 406 landslides, and 258 forest and land fires (BNPB 2021).

For Indonesia, the most frequent disasters occur, especially during the rainy season. The water level can reach 30 cm or even more. Floods not only inundate rural areas but also urban areas. Flood disasters that occur can destroy people's houses, houses of worship, bridges, airports, public and other social facilities.

II. METHODS

The data used in this study was sourced from the 2018 National Socio-Economic Survey (SUSENAS) data, with a total of 293,651 household observations covering all provinces in Indonesia. In this study, several climatic factors were analyzed such as rainfall, air humidity and solar radiation. The method of analysis uses Ordinary Least Square (OLS) with climate factors as the independent variable and flood disaster as the dependent variable. The flood concept used is that it has been inundated by more than 30 cm of water after 2 hours of stopping the rain. The influence between variables can be seen from the coefficient value of the independent variable. In this study, it will also be disaggregated by urban and rural areas for flood cases that occurred in Indonesia. To what extent are the impacts different for urban and rural areas affected by flooding.

III. RESULT AND DISCUSSIONS

The results of this study obtained several forms of relationship patterns related to flood disasters. The first relationship is related to rain and floods in Indonesia in general; The second relationship is related to air humidity to flood disasters in the territory of Indonesia in general; The third relationship is related to solar radiation to flood disasters in Indonesia in general; In addition, the analysis is also carried out by dividing the specific urban and rural areas in relation to the flood disaster that occurred.

Table 1. The Effect of Rainfall on Flood Disasters in Indonesia

. reg r1520 hujan,r

| Linear regres: | inear regression | | | | of obs 3649) = ed = | = = = = | 293,651 15.04 0.0001 0.0001 .18309 |
|----------------|---------------------|---------------------|---------------|----------------|---------------------------------|------------------|--|
| r1520 | Coef. | Robust Std. Err. | t | P> t | [95% (| Conf. | Interval] |
| hujan _cons | .0000287 .029385 | 7.41e-06 .001407 | 3.88 20.89 | 0.000 0.000 | .0000 .02662 | | .0000432 .0321426 |

Rainfall is one of the elements that influence climate change. High rainfall intensity is an indicator that contributes greatly to the occurrence of floods. Based on table 1 the coefficient value of the rainfall variable is 0.00000287. From the results it means that an increase in the value of rainfall by 1 unit (mm) has a positive impact of 0.003% on the flood disaster that occurred. So if there is an increase in the intensity of extreme rainfall, of course, the percentage of flooding is very large.

Based on data analysis of rain and the nature of rain in September 2021 from the Meteorology, Climatology and Geophysics Agency (BMKG), namely high-very high rainfall (>300 mm / month) occurs in parts of North Sumatra, Parts of West Sumatra, Parts of Riau, Jambi Bagan eastern part of Bengkulu, eastern part of Lampung, part of Banten, part of West Kalimantan, part of Central Kalimantan, northern part of North Kalimantan, part of East Kalimantan, eastern part of South Kalimantan, Part of North Sulawesi, part of northern Gorontalo, part of Central Sulawesi, part of southern Sulawesi north, northern Southeast Sulawesi, parts of Maluku, parts of northern Maluku, parts of West Papua and western and central Papua. The nature of the rain in September 2021 in general is above normal (BMKG 2021).

The number of areas that include high – very high rainfall certainly opens up a huge opportunity for floods to occur in the area. As the results in table 1 show that an increase in the intensity of rainfall has a positive impact on the occurrence of floods.

Table 2. Effect of Air Humidity on Flood Disasters in Indonesian Territory

| ion | | Number of obs | | = | 293,651 | |
|--------------------|----------------------|--|---|--|--|--|
| | | | F(1, 29 | 3649) | = | 74.34 |
| | | | Prob > | F | = | 0.0000 |
| | | | R-squar | ed | = | 0.0003 |
| | | | Root MS | E | = | .18307 |
| | | | | | | |
| Coef. | Robust Std. Err. | t | P> t | [95% (| Conf. | Interval] |
| .0011359 053095 | .0001317 .0101643 | 8.62 -5.22 | 0.000 0.000 | | | .0013941 |
| | Coef. .0011359 | Robust Coef. Std. Err. .0011359 .0001317 | Robust Coef. Std. Err. t .0011359 .0001317 8.62 | F(1, 29 Prob > R-squar Root MS Coef. Std. Err. t P> t .0011359 .0001317 8.62 0.000 | F(1, 293649) Prob > F R-squared Robust Coef. Std. Err. T .0011359 .0001317 8.62 0.000 .0001317 | F(1, 293649) = Prob > F = R-squared = Root MSE = Robust Coef. Std. Err. t P> t [95% Conf. .0011359 .0001317 8.62 0.000 .0008777 |

In addition to rainfall, another climatic element is air humidity. Based on table 2 the coefficient value of the air humidity variable is 0.0011359. From the results it means that an increase in the value of air humidity by 1 unit (°C) has a positive impact of 0.11% on the flood disaster that occurred.

Based on data analysis and prediction of surface relative humidity in October 2021 from the Meteorology, Climatology and Geophysics Agency (BMKG), the relative humidity in the surface layer is generally above 80%. The relative humidity of the surface is predicted to generally range from 60-80% and will occur until the First Basis of November 2021 (BMKG 2021).

Tabel 3. The Effect of Sunlight on Flood Disasters in Indonesian Territory

. reg r1520 sinar,r

. reg r1520 lembab,r

| Linear regression | | | | Number F(1, 29 Prob > R-squar Root MS | 3649) F ed | = = = | 293,651 122.88 0.0000 0.0004 .18306 |
|-------------------|---------------------|----------------------|-----------------|---|-------------------|-------------|---|
| r1520 | Coef. | Robust Std. Err. | t | P> t | [95% Co | nf. | Interval] |
| sinar _cons | 0003919 .0581193 | .0000354 .0021718 | -11.08 26.76 | 0.000 0.000 | 000461 .053862 | - | 0003226 .062376 |

The results of the analysis for the climate element, namely solar radiation related to the occurrence of flood disasters, based on table 3 obtained a coefficient value of -0.0003919. From the results it means that an increase in the value of solar radiation by 1 unit (%) has a negative impact of 0.04% on the flood disaster that occurred. So if the increase in the percentage of sunlight is high, the chances of a flood disaster are small.

Furthermore, the analysis is carried out by adding control variables, namely flood disasters in urban and rural areas. This control variable serves to see the influence of climate elements, especially rainfall which is divided into two regions.

Tabel 4. The Effect of Rainfall on Flood Disasters in Urban and Rural Areas

. reg r1520 hujan if r105 ==1,r

| Linear regres: | sion | | | Number o F(1, 1260 Prob > F R-squared Root MSE | 968) = : | = 126,070 = 17.36 = 0.0000 = 0.0001 = .19745 |
|----------------|----------------------|----------------------|---------------|--|----------------------|--|
| r1520 | Coef. | Robust Std. Err. | t | P> t | [95% Cont | f. Interval] |
| hujan _cons | .0000535 .0307444 | .0000128 .0024103 | 4.17 12.76 | 0.000 0.000 | .0000283 .0260202 | .0000787 .0354686 |

a. Urban Areas

. reg r1520 hujan if r105 ==2,r

| Linear regres | sion | | | Number F(1, 16 Prob > R-squar Root MS | 7579) F ed | = = = = | 167,581 3.67 0.0555 0.0000 .17135 |
|---------------|----------------------|----------------------|---------------|---|------------------|------------------|---|
| r1520 | Coef. | Robust Std. Err. | t | P> t | [95% | Conf. | Interval] |
| hujan cons | .0000173 .0270503 | 9.02e-06 .0017267 | 1.91 15.67 | 0.056 0.000 | -4.10e .023 | ••• | .000035 .0304345 |

b. Rural Areas

Based on table 4a. obtained a coefficient value of 0.00000535. From the results it means that an increase in the intensity of rainfall in urban areas has a positive impact of 0.005% on the flood disaster that occurred. based on table 4b. obtained a coefficient value of 0.0000173. From the results it means that an increase in the intensity of rainfall in rural areas has a positive impact of 0.002% on the flood disaster that occurred.

Rain has a significant impact on flood disasters in rural and urban areas. The results of the addition of control variables can be seen in tables 4 and 5. From these results it can be seen that the rainfall coefficient value in urban areas is greater than in rural areas.

Flood is a complex problem, there are many factors that cause it, starting from the geological and geomorphological aspects of an area (Prabawadhani et al. 2016). In urban areas, green open spaces and urban parks are still a lot below the ideal area for a city, now less pressured by settlements and other uses that are considered capable of providing higher economic benefits. As a result of the reduced green open space (RTH) of the city, the infiltration rate in the area decreases while the velocity and runoff rate increase (Rafiq et al. 2016). When it rains heavily for a long time, most of the rainwater will flow over the land surface with great speed and volume and then accumulates into floods.

The causes of flood disasters in urban areas include: Development that is not environmentally sound, the absence of a clean lifestyle of the community, the absence of planning and maintenance of a good drainage system, the absence of consistency of the authorities in the Regional Spatial Plan (RTRW). the absence of conservation efforts to balance the water environment, the occurrence of land subsidence and very high rainfall (Asiedu 2020; Rahardjo 2014).

Tabel 5. The Effect of Air Humidity on Flood Disasters in Urban and Rural Areas

. reg r1520 lembab if r105 ==1,r

| Linear regression | | | | Number F(1, 12 Prob > R-squar Root MS | 6068) F ed | = = = = | 126,070 6.98 0.0082 0.0001 .19746 |
|-------------------|---------------------|---------------------|---------------|---|------------------|------------------|---|
| r1520 | Coef. | Robust Std. Err. | t | P> t | [95% C | onf. | Interval] |
| lembab cons | .0005469 0014633 | .000207 | 2.64 -0.09 | 0.008 0.927 | .00014 | | .0009526 |

a. Urban Areas

. reg r1520 lembab if r105 ==2,r

| Linear regression | | | | Number c F(1, 167 Prob > F R-square Root MSE | (579) = d = | 149.10 0.0000 0.0009 |
|-------------------|---------------------|----------------------|----------------|--|--------------------|----------------------------|
| r1520 | Coef. | Robust Std. Err. | t | P> t | [95% Conf | . Interval] |
| lembab _cons | .0020524 1288991 | .0001681 .0129743 | 12.21 -9.93 | 0.000 0.000 | .001723 1543284 | .0023818 1034698 |

b. Rural Areas

Humidity has a significant positive impact on household flooding, both in rural areas and in urban areas. based on table 5a. obtained a coefficient value of 0.0005469. From the results it means that the level of air humidity in urban areas has a positive impact of 0.055% on the flood disaster that occurred. Meanwhile, based on table 5b. obtained a coefficient value of 0.0020524. From the results it means that the level of air humidity in rural areas has a positive impact of 0.21% on the flood disaster that occurred.

In line with table 4 regarding rainfall, of course, if the intensity of rainfall is high, the humidity level will also be high. However, when compared to urban and rural areas, the humidity in hot areas is much higher than in urban areas (Hage 1975). This is caused by the poor air quality in urban areas. The presence of pollutants produced by factory waste, infrastructure development, motor fuel and so on causes the air temperature in urban areas to increase which has an impact on the low level of air humidity. In contrast to conditions in rural areas that have good air quality (Manisalidis et al. 2020).

Tabel 6. The Effect of Sunlight on Flood Disasters in Urban and Rural Areas

. reg r1520 sinar if r105 ==1,r

| Linear regression | | | | Number of obs | | | 126,070 |
|-------------------|---------|-----------|-------|---------------|--------|-------|-----------|
| | | | | F(1, 12 | 6068) | = | 44.17 |
| | | | | Prob > | F | = | 0.0000 |
| | | | | R-squar | ed | = | 0.0003 |
| | | | | Root MS | E | = | .19743 |
| | r | | | | | | |
| | | Robust | | | | | |
| r1520 | Coef. | Std. Err. | t | P> t | [95% C | Conf. | Interval] |
| sinar | 0004176 | .0000628 | -6.65 | 0.000 | 00054 | -08 | 0002944 |
| _cons | .065601 | .0038441 | 17.07 | 0.000 | .05806 | 666 | .0731354 |

a. Urban Areas

. reg r1520 sinar if r105 ==2,r

| Linear regression | | | | Number (F(1, 16 Prob > 1 R-squar Root MS | 7579) F ed | = = = = | 167,581 87.52 0.0000 0.0004 .17132 |
|-------------------|---------------------|----------------------|----------------|---|------------------|------------------|--|
| r1520 | Coef. | Robust Std. Err. | t | P> t | [95% C | Conf. | Interval] |
| sinar _cons | 0003805 .0529712 | .0000407 .0025135 | -9.36 21.07 | 0.000 0.000 | 00046 .04804 | | 0003008 .0578977 |

b. Rural Areas

Solar radiation has a significant negative impact on household flooding in both urban and rural areas. based on table 6a. obtained a coefficient value of -0.0004176. From the results it means that the level of solar radiation in urban areas has a negative impact of 0.042% on the flood disaster that occurred. Meanwhile, based on table 6b. obtained a coefficient value of -0.0003805. From the results it means that the level of air irradiation in rural areas has a negative impact of 0.041% on the flood disaster that occurred.

The level of sunlight will certainly decrease if the value of rainfall is high and humidity is high. Low sunlight causes the air temperature to drop (Mekhilef, Saidur, and Kamalisarvestani 2012). If the level of sunlight is high, of course, it will reduce the chance of flooding.

IV. CONCLUSIONS

The conclusion in this study is that the intensity of rainfall and air humidity have a positive effect of 0.0003% and 0.11%, respectively, on the occurrence of floods. Another climate element, namely solar radiation, has a negative effect of 0.04% on floods that occur in Indonesia in general. When differentiated into rural and urban areas, the rainfall value in urban areas is higher but air humidity is lower than in rural areas. Meanwhile, solar radiation is relatively similar in urban and rural areas.

References

- [1] Van Aalst, Maarten K. 2006. "The Impacts of Climate Change on the Risk of Natural Disasters." Disasters 30(1):5–18.
- [2] Asiedu, Joel Bernard. 2020. "REVIEWING THE ARGUMENT ON FLOODS IN URBAN AREAS: A LOOK AT THE CAUSES." *Theoretical and Empirical Researches in Urban Management* 15(1):24–41.
- [3] BMKG. 2021. Analisis Dinamika Atmosfer 11 Oktober 2021.
- [4] BNPB. 2021. Banjir Melanda Beberapa Wilayah.
- [5] Faradiba, F., & Zet, L. 2020. "The Impact of Climate Factors, Disaster, and Social Community in Rural Development." *The Journal of Asian Finance, Economics and Business* 7(9):707–17. doi: https://doi.org/10.13106/jafeb.2020.vol7.no9.707.
- [6] Faradiba, Faradiba. 2020. "Analisis Pola Curah Hujan Terhadap Produktifitas Tanaman Padi Sawah Di Provinsi Jawa Barat." Jurnal EduMatSains 4(2):139–52.
- [7] Faradiba, Faradiba. 2021. "Determination of Climate Factors in Flood and Drought Disaster in Indonesia Using Instrumental Variable (IV) Methods." Jurnal Ilmu Fisika 13(1):54–61.
- [8] Hage, K. D. 1975. "Urban-Rural Humidity Differences." Journal of Applied Meteorology and Climatology 14(7):1277-83.
- [9] Juleha, Juleha. 2016. "Analisa Metode Intensitas Hujan Pada Stasiun Hujan Rokan IV Koto, Ujung Batu, Dan Tandun Mewakili Ketersediaan Air Di Sungai Rokan."
- [10] Manisalidis, Ioannis, Elisavet Stavropoulou, Agathangelos Stavropoulos, and Eugenia Bezirtzoglou. 2020. "Environmental and Health Impacts of Air Pollution: A Review." Frontiers in Public Health 8:14.
- [11] Matuszko, Dorota, and Stanisław Węglarczyk. 2015. "Relationship between Sunshine Duration and Air Temperature and Contemporary Global Warming." *International Journal of Climatology* 35(12):3640–53.
- [12] Mekhilef, Saad, Rahman Saidur, and Masoud Kamalisarvestani. 2012. "Effect of Dust, Humidity and Air Velocity on Efficiency of Photovoltaic Cells." *Renewable and Sustainable Energy Reviews* 16(5):2920–25.
- [13] Miftahuddin, Miftahuddin. 2018. "Analisis Unsur-Unsur Cuaca Dan Iklim Melalui Uji Mann-Kendall Multivariat." Jurnal Matematika, Statistika Dan Komputasi 13(1):26–38.
- [14] Pierrehumbert, Raymond T., Hélène Brogniez, and Rémy Roca. 2007. "On the Relative Humidity of the Earth's Atmosphere." *The General Circulation* 143–85.
- [15] Prabawadhani, Destianingrum Ratna, Budi Harsoyo, Tri Handoko Seto, and Bayu Rizky Prayoga. 2016. "Karakteristik Temporal Dan Spasial Curah Hujan Penyebab Banjir Di Wilayah Dki Jakarta Dan Sekitarnya." Jurnal Sains & Teknologi Modifikasi Cuaca 17(1):21–25.
- [16] Pujiastuti, Asih, and Agus Harjoko. 2016. "Sistem Perhitungan Lama Penyinaran Matahari Dengan Metode Otsu Threshold (Studi Kasus: St. Klimatologi Barongan)." Compiler 5(2).
- [17] Rafiq, Farhat, Sirajuddin Ahmed, Shamshad Ahmad, and Amir A. Khan. 2016. "Urban Floods in India." *International Journal of Scientific & Engineering Research* 7(1):721–34.

- [18] Rahardjo, Petrus Nugro. 2014. "7 Penyebab Banjir Di Wilayah Perkotaan Yang Padat Penduduknya." Jurnal Air Indonesia 7(2).
- [19] Rosyidie, Arief. 2013. "Banjir: Fakta Dan Dampaknya, Serta Pengaruh Dari Perubahan Guna Lahan." *Jurnal Perencanaan Wilayah Dan Kota* 24(3):241–49.
- [20] Sari, Mona Berlian, Yulkifli Yulkifli, and Zulhendri Kamus. 2015. "Sistem Pengukuran Intensitas Dan Durasi Penyinaran Matahari Realtime Pc Berbasis Ldr Dan Motor Stepper." J. Oto. Ktrl. Inst (J. Auto. Ctrl. Inst) 7(1):37–52.
- [21] Sherwood, Steven C., William Ingram, Yoko Tsushima, Masaki Satoh, Malcolm Roberts, Pier Luigi Vidale, and Paul A. O'Gorman. 2010. "Relative Humidity Changes in a Warmer Climate." *Journal of Geophysical Research: Atmospheres* 115(D9).
- [22] Tambunan, Mangapul P. 2017. "The Pattern of Spatial Flood Disaster Region in DKI Jakarta." P. 12014 in *IOP Conference Series: Earth and Environmental Science*. Vol. 56. IOP Publishing.
- [23] Tjasyono, Bayong. 2004. Klimatologi. Bandung: ITB.