

DAFTAR PUSTAKA

1. Olander KW, Sato MA, Abrams MA, Jerkins GW, Lu F, DInh P, et al. A Randomized Phase 2 Trial Comparing Omidenepag Isopropyl 0.002% Once and Twice Daily in Subjects with Primary Open-angle Glaucoma or Ocular Hypertension (SPECTRUM-6). *J Glaucoma*. 2021;30(6):473–80.
2. Putri PGAB, Sutyawan IWE, Triningrat AMP. Karakteristik penderita glaukoma primer sudut terbuka dan sudut tertutup di divisi glaukoma di Poliklinik Mata Rumah Sakit Umum Pusat Sanglah Denpasar periode 1 januari 2014 hingga 31 desember 2014. *E-Jurnal Med Udayana* [Internet]. 2018;7(1):16–21. Tersedia pada: <https://ojs.unud.ac.id/index.php/eum/article/view/36493>
3. Pusat Data dan Informasi Kementerian Kesehatan RI. infoDatin Situasi Glaukoma di Indonesia. Widiantini W, editor. Jakarta; 2019. 1–9 hal.
4. Binibrahim IH, Bergström AK. The role of trabeculectomy in enhancing glaucoma patient's quality of life. *Oman J Ophthalmol*. 2017;10(3):150–4.
5. Patrycia F, Gustianty E, Musa I. Korelasi Antara Visual Field Index Dengan Kualitas Hidup Penderita Glaukoma Menggunakan Kuesioner NEI-VFQ-25. 2020;1–20. Tersedia pada: http://perpustakaanrsmcicendo.com/perpus1/index.php?p=show_detail&id=6778
6. Pahlitzsch M, Klamann MKJ, Pahlitzsch ML, Gonnermann J, Torun N, Bertelmann E. Is there a change in the quality of life comparing the micro-invasive glaucoma surgery (MIGS) and the filtration technique trabeculectomy in glaucoma patients? *Graefe's Arch Clin Exp Ophthalmol*. 2017;255(2):351–7.
7. Sawada H, Fukuchi T, Abe H. Evaluation of the relationship between quality of vision and the visual function index in Japanese glaucoma patients. *Graefe's Arch Clin Exp Ophthalmol*. 2011;249(11):1721–7.
8. Nitta K, Wajima R, Tachibana G, Inoue S, Ohigashi T, Otsuka N, et al. Prediction of Visual Field Progression in Patients with Primary Open-

- Angle Glaucoma, Mainly Including Normal Tension Glaucoma. *Sci Rep* [Internet]. 2017;7(1):1–12. Tersedia pada: <http://dx.doi.org/10.1038/s41598-017-15267-y>
9. Quaranta L, Riva I, Gerardi C, Oddone F, Floriano I, Konstas AGP. Quality of Life in Glaucoma: A Review of the Literature. *Adv Ther*. 2016;33(6):959–81.
 10. Racette L, Fischer M, Bebie H, Holló G, Johnson CA, Matsumoto CA. VISUAL FIELD DIGEST A guide to perimetry and the Octopus perimeter. 8 ed. Köniz: Hag-Streit AG. Haag-Streit AG, Köniz, Switzerland 8; 2017.
 11. Nayak B, Dharwadkar S. Interpretation of autoperimetry. *J Clin Ophthalmol Res*. 2014;2(1):31.
 12. Heijl A, Patella ViM, Bengtsson B. Excellent Perimetry. 5 ed. 5300 Central Parkway Dublin, CA 94568 USA: ZEISS; 2021. 3 hal.
 13. JoAnn G, Law SK, Coleman AL, Nouri-Mahdavi K, Caprioli J. Pearls of Glaucoma Management: Second Edition. Pearls Glaucoma Manag Second Ed. 2016;(July 2016):1–582.
 14. Spratt A, Kotecha A, Viswanathan A. Quality of Life in Glaucoma. *Curr J Glaucoma Pract with DVD*. 2008;(May):39–45.
 15. Picanço AAB, Picanço BC, Gusmão BM, Medeiros R, Reis AQ, Guedes HR, et al. Quality of life among people with glaucoma: Analysis according to the defect in the visual field. *Rev Bras Oftalmol*. 2018;77(6):328–33.
 16. Chun YS, Sung KR, Park CK, Kim HK, Yoo C, Kim YY, et al. Vision-related quality of life according to location of visual field loss in patients with glaucoma. *Acta Ophthalmol*. 2019;97(5):e772–9.
 17. Sawada H, Fukuchi T, Abe H. Evaluation of the relationship between quality of vision and visual function in Japanese glaucoma patients. *Clin Ophthalmol*. 2011;5(1):259–67.
 18. Rojananuengnit K, Sudjinda N. Utility index and patient-reported outcome measures in glaucomatous patients comparing with normal participants. *Clin Ophthalmol*. 2021;15:835–43.
 19. Nickels S, Schuster AK, Singer S, Wild PS, Laubert-Reh D, Schulz A, et

- al. The National Eye Institute 25-Item Visual Function Questionnaire (NEI VFQ-25) - reference data from the German population-based Gutenberg Health Study (GHS). *Health Qual Life Outcomes*. 2017;15(1):1–10.
20. Rulli E, Quaranta L, Riva I, Poli D, Hollander L, Galli F, et al. Quality of life among people with glaucoma: analysis according to the defect in the visual field. *Sci Rep*. 2018;8(1):1–12.
21. Picanço AA, Picanço BC, Gusmão BM, Medeiros R, Reis AQ, Brito MFSF, et al. Quality of life among people with glaucoma: analysis according to the defect in the visual field. 2018. hal. 329.
22. Brar VS, Law SK, Lindsey JL, Mackey D, Schultze R. Fundamentals and principles of ophthalmology. Basic and clinical science course 2019-2020. New York Am Acad Ophthalmology. 2019;269.
23. Borges- Giampani AS, Giampani J. Anatomy of Ciliary Body, Ciliary Processes, Anterior Chamber Angle and Collector Vessels. *Glaucoma - Basic Clin Asp*. 2013;(figure 1):3–14.
24. Tamm ER, Lütjen-Drecoll E. Ciliary body. *Microsc Res Tech*. 1996;33(5):390–439.
25. Brar VS, Law SK, Lindsey JL, Mackey D, Schultze R, Singh RJ, et al. Fundamentals and Principles of Ophthalmology. 2019;2:105–12.
26. Sari MD. Aqueous Humor Dynamic. 2018;1–19.
27. Goel M. Aqueous Humor Dynamics. *Open Ophthalmol J*. 2010;4(1):52–9.
28. Faschinger C, Hommer A. Gonioscopy. Springer Heidelberg New York Dordrecht London; 2012.
29. Lee Ann RA. Clinical Anatomy and Physiology of the Visual System. Clinical Anatomy and Physiology of the Visual System. Elsevier; 2012.
30. Shaarawy TM, Sherwood MB, Hitchings RA, Crowston JG. Glaucoma Medical Diagnosis & Therapy. 2 ed. Elsevier; 2015. 333–625 hal.
31. Shahidullah M, Hassan W, A. N. Mechanism of Aqueous Humor Secretion, Its Regulation and Relevance to Glaucoma. *Glaucoma - Basic Clin Concepts*. 2011;(November 2011):7.
32. Ichhpujani P. Current Practices in Ophthalmology: Glaucoma. India:

- Springer Nature Singapore; 2019. 1 hal.
33. Saccà SC, Cartiglia C, Izzotti A. Glaucoma: An Overview. Handb Nutr Diet Eye. 2014;(January 2014):29–40.
 34. Netherlands. Glaucoma Basic and clinical science course 2020-2021. New York Am Acad Ophthalmology. 2020;3.
 35. Sampaolesi R, Sampaolesi JR, Zárate J. The Glaucomas: Volume II open angle glaucoma and angle closure glaucoma. Vol. 2, The Glaucomas: Open Angle Glaucoma and Angle Closure Glaucoma. 2014. 1–945 hal.
 36. Bowling B. Kanski's clinical ophthalmology a systematic approach by Bradley Bowling. 8 ed. Sydney: Elsevier; 2016. 305 hal.
 37. Flowers C, Reynolds D, Irvine J. Pupillary Block, Angle-closure Glaucoma Produced by an Anterior Chamber Air Bubble in a Nanophthalmic Eye. ARCH OPHTHALMOL. 1996;114:1145–6.
 38. Bagnasco L, Bagnis A, Bonzano C. TERMINOLOGI AND GUIDELINES FR GLAUCOMA. 5 ed. European Glaucoma Society Terminology and Guidelines for Glaucoma, 5th Edition. Italy; 2020. 118 hal.
 39. Jonas JB, Aung T, Bourne RR, Bron AM, Ritch R, Panda-Jonas S. Glaucoma. Lancet. 2017;390(10108):2183–93.
 40. Giangiacomo A, Coleman AL. The Epidemiology of Glaucoma. Glaucoma. 2009;(February 2009):13–21.
 41. Weinreb RN, Aung T, Medeiros FA. The Pathophysiology and Treatment of Glaucoma. JAMA - J Am Med Assoc. 2014;311(18):363–81.
 42. Schacknow PN, Samples JR. Glaucoma Book A Practical, Evidence-Based Approach to Patient Care. Springer Heidelberg New York Dordrecht London; 2010. 351–917 hal.
 43. Gustianty E, Prahasta A, Rifada RM. Keberhasilan Operasi Pada Trabekulektomi Dengan Dan Tanpa Hidroksipropil Metilselulosa 2 %. J Oftalmol Oftalmol. 2014;1–10.
 44. Zgryźniak A, Przeździecka-Dołyk J, Szaliński M, Turno-Kręcicka A. Selective laser trabeculoplasty in the treatment of ocular hypertension and open-angle glaucoma: Clinical review. J Clin Med. 2021;10(15).

45. Zhou W, Zhao F, Shi D, Qadri M, Jiang L, Ma L. Argon Laser Peripheral Iridoplasty and Argon Laser Pupilloplasty: Alternative Management for Medically Unresponsive Acute Primary Angle Closure. *J Ophthalmol*. 2019;2019.
46. Sastroasmoro S, Ismael S. Dasar dasar Metodologi Penelitian Klinis Edisi ke 4. 4 ed. Jakarta: Sagung Seto; 2014. 24–44 hal.
47. Christine RN, Sinurat VL, Simanjuntak G, Tan JF. Hubungan Antara Usia , Tekanan Intraokular , dan Komorbid Terhadap Keberhasilan Trabekulektomi pada Pasien Glaukoma Primer. 2021;3(2):33–7.
48. Salim FP. Korelasi Antara Visual Field Index Dengan Kualitas Hidup Penderita Glaukoma Menggunakan Kuesioner NEI-VFQ-25. Perpustakaan RSM Cicendo. UNIVERSITAS PADJAJARAN; 2020.
49. Yusup F. Uji Validitas dan Reliabilitas Instrumen Penelitian Kuantitatif. *J Tarb J Ilm Kependidikan*. 2018;7(1):17–23.
50. Khidzir KAM, Ismail NZ, Abdullah AR. Validity and reliability of instrument to measure social media skills among small and medium entrepreneurs at Pengkalan Datu River. *Int J Dev Sustain* [Internet]. 2018;7(3):1026–37. Tersedia pada: www.isdsnet.com/ijds
51. Schober P, Schwarte LA. Correlation coefficients: Appropriate use and interpretation. *Anesth Analg*. 2018;126(5):1763–8.
52. Alshihry AM. Epidemiology of Postoperative Endophthalmitis (POE) in a Specialized Eye Hospital. *Epidemiol Open Access*. 2014;04(01):29–31.
53. Susanna Jr. R, Vessani RM. Staging Glaucoma Patient: Why and How? *Open Ophthalmol J*. 2009;3(2):59–64.
54. Tham YC, Li X, Wong TY, Quigley HA, Aung T, Cheng CY. Global prevalence of glaucoma and projections of glaucoma burden through 2040: A systematic review and meta-analysis. *Ophthalmology* [Internet]. 2014;121(11):2083. Tersedia pada: <http://dx.doi.org/10.1016/j.ophtha.2014.05.013>
55. Yolanda S, Primitasari Y, Sari DR. Characteristics of Primary Open-Angle Glaucoma Patients in Dr. Soetomo General Hospital Surabaya. *JUXTA J*

- Ilm Mhs Kedokt Univ Airlangga. 2021;12(1):6.
56. Zhang N, Wang J, Chen B, Li Y, Jiang B. Prevalence of Primary Angle Closure Glaucoma in the Last 20 Years: A Meta-Analysis and Systematic Review. *Front Med*. 2021;7(January):1–10.
 57. Zhang N, Wang J, Li Y, Jiang B. Prevalence of primary open angle glaucoma in the last 20 years: a meta-analysis and systematic review. *Sci Rep* [Internet]. 2021;11(1):1–12. Tersedia pada: <https://doi.org/10.1038/s41598-021-92971-w>
 58. Cheng JW, Zong Y, Zeng YY, Wei RL. The prevalence of primary angle closure glaucoma in adult Asians: A systematic review and meta-analysis. *PLoS One*. 2014;9(7).
 59. Cheng HC, Guo CY, Chen YJ, Chen MJ, Ko YC, Huang N, et al. Patient-reported vision-related quality-of-life differences between primary angle-closure glaucoma and primary open-angle glaucoma. *PLoS One*. 2016;11(9):1–12.
 60. Rayungsista A. Characteristics of Primary Glaucoma in Eye Clinic of RA Basoeni Hospital, Mojokerto, Indonesia. *Folia Medica Indones*. 2018;54(3):172.
 61. Hardianti A, Noor NN, Saleh LM, Utami AN, Yanti IH, Muliati M, et al. Correlation of age, gender, and employment status with quality of life glaucoma patient. *Open Access Maced J Med Sci*. 2020;8(T2):47–50.
 62. Ilahi F, Liyanti R. Quality of life assessment glaucoma patients based on glaucoma symptom scale and glaucoma quality of life-15 score at M. Djamil Hospital Padang. *Ophthalmol Indones*. 2019;43(1):57.
 63. Wang YX, Xu L, Wei W Bin, Jonas JB. Intraocular pressure and its normal range adjusted for ocular and systemic parameters. The Beijing eye study 2011. *PLoS One*. 2018;13(5):1–16.
 64. Munarto R, Permata E, T IGA. Klasifikasi Glaucoma Menggunakan Cup-To-Disc Ratio Dan Neural Network. *Simp Nas RAPI XV*. 2016;370–8.
 65. Patil J, Chaudhari S. Determination of Glaucoma Grade with Cup to Disc Ratio. *Acta Sci Ophthalmol*. 2021;4(3):47.

66. Zuo L, Zou H, Zhang J, Fei X, Xu X. Vision Health-Related Quality of Life in Chinese Glaucoma Patients. Hindawi [Internet]. 2015;2015:1–8. Tersedia pada: <http://dx.doi.org/10.1155/2015/271425>
67. Asaoka R. The relationship between visual acuity and central visual field sensitivity in advanced glaucoma. *Br J Ophthalmol.* 2013;97(10):1355–6.
68. Gall C, Lucklum J, Sabel BA, Franke GH. Vision- and health-related quality of life in patients with visual field loss after postchiasmatic lesions. *Investig Ophthalmol Vis Sci.* 2009;50(6):2765–76.
69. Medeiros FA, Gracitelli CP, Boer ER, Weinreb RN, Zangwil LM, Rosen PN. Longitudinal Changes in Quality of Life and Rates of Progressive Visual Field Loss in Glaucoma Patients. *Ophthalmology.* 2015;10(2):293–301.
70. Hirooka K, Sato S, Nitta E, Tsujikawa A. The relationship between vision-related quality of life and visual function in glaucoma patients. *J Glaucoma.* 2016;25(6):505–9.
71. Boampong E. Factors Associated with related quality of life among glaucoma patients. *J Ophthalmol.* 2018;1(July 2018):2–90.
72. Lee JWY, Chan CWS, Wong MOM, Chan JCH, Li Q, Lai JSM. A randomized control trial to evaluate the effect of adjuvant selective laser trabeculoplasty versus medication alone in primary open-angle glaucoma: Preliminary results. *Clin Ophthalmol.* 2014;8(March 2015):1987–92.
73. Sung KR, Chun YS, Park CK, Kim HK, Yoo C, Kim YY, et al. Vision-related Quality of Life in Korean Glaucoma Patients. *J Glaucoma.* 2017;26(2):159–65.
74. Cesareo M, Ciuffoletti E, Ricci F, Missiroli F, Giuliano MA, Mancino R, et al. Visual disability and quality of life in glaucoma patients [Internet]. 1 ed. Vol. 221, *Progress in Brain Research.* Elsevier B.V.; 2015. 359–374 hal. Tersedia pada: <http://dx.doi.org/10.1016/bs.pbr.2015.07.003>
75. Majerníková L, Hudáková A, Obrocníková A, Halász BG, Kaščáková M. Quality of life of patients with glaucoma in slovakia. *Int J Environ Res Public Health.* 2021;18(2):1–13.

76. Cowdin RM, Varma R, Wu J, Hays RD, Azen SP. Severity of Visual Field Loss and Health Related Quality of Life. *Am J Ophthalmol.* 2007;61(6):1013–1023.
77. Floriani I, Quaranta L, Rulli E, Katsanos A, Varano L, Frezzotti P, et al. Health-related quality of life in patients with primary open-angle glaucoma. An Italian multicentre observational study. *Acta Ophthalmol.* 2016;94(5):e278–86.
78. Ezenwa AC, Nwosu SN. Self-reported Quality of Life among Primary Open Angle Glaucoma Patients at Guinness Eye Centre Onitsha,Nigeria. *Heal Sci J.* 2020;14(4):727.
79. Azoulay-Sebban L, Zhao Z, Zenouda A, Lombardi M, Gutman E, Brasnu E, et al. Correlations between subjective evaluation of quality of life, visual field loss, and performance in simulated activities of daily living in glaucoma patients. *J Glaucoma.* 2020;29(10):970–4.
80. Huang W, Gao K, Liu Y, Liang M, Zhang X. The Adverse Impact of Glaucoma on Psychological Function and Daily Physical Activity. *J Ophthalmol.* 2020;2020.
81. Kausar A, Ali M, Masud H, Akhtar F. Vision-related quality of life in Pakistani subjects with early or moderate glaucoma. *Int Health.* 2018;10(6):517–23.
82. Jurowska-Liput J, Nizankowska MH. Quality of life in glaucoma patients. *Klin Oczna.* 2005;107(10–12):707–9.
83. Kung Y, Takusagawa H. Update on Quality of Life in Glaucoma. *Curr Ophthalmol Rep.* 2018;6(2):93–7.
84. Chan EW, Chiang PPC, Liao J, Rees G, Wong TY, Lam JSH, et al. Glaucoma and associated visual acuity and field loss significantly affect glaucoma-specific psychosocial functioning. *Ophthalmology* [Internet]. 2015;122(3):494–501. Tersedia pada: <http://dx.doi.org/10.1016/j.ophtha.2014.09.030>
85. Dhawan M, Hans T, Sandhu PS, Midha N. Evaluation of vision-related quality of life in patients with glaucoma: A hospital-based study. *J Curr*

- Glaucoma Pract. 2019;13(1):9–15.
86. Ismandari F, Helda H. Kebutaan pada Pasien Glaukoma Primer di Rumah Sakit Umum Dr. Cipto Mangunkusumo Jakarta. Kesmas Natl Public Heal J. 2011;5(4):185.
 87. Shukla A, Shrivastava G, Shukla A, Tiwari US, Kujur R. Evaluation of quality of life in open angle glaucoma patients : A prospective study from a tertiary care centre of Madhya Pradesh. Sch J Appl Med Sci. 2015;3:3007–12.
 88. Klink T, Sauer J, Körber NJ, Grehn F, Much MM, Thederan L, et al. Quality of life following glaucoma surgery: Canaloplasty versus trabeculectomy. Clin Ophthalmol. 2014;9:7–16.
 89. Bhatia J. Outcome of trabeculectomy surgery in primary open angle glaucoma. Oman Med J. 2008;23(2):86–9.
 90. Picht G, Mutsch Y, Grehn F. Nachbetreuung von trabekulektomien: Komplikationen und therapeutische konsequenzen. Ophthalmologe. 2001;98(7):629–34.
 91. Francis BA, Hong B, Winarko J, Kawji S, Dustin L, Chopra V. Vision loss and recovery after trabeculectomy: Risk and associated risk factors. Arch Ophthalmol. 2011;129(8):1011–7.
 92. Guo X, Li B, Friedman DS, Boland M V. Surgical Outcomes and Quality Assessment of Trabeculectomy: Leveraging Electronic Health Records for Clinical Data Visualization. J Glaucoma. 2019;28(12):1023–8.
 93. Tavares IM, Melo LAS, Prata JA, Galhardo R, Paranhos A, Mello PAA. No changes in anatomical and functional glaucoma evaluation after trabeculectomy. Graefe's Arch Clin Exp Ophthalmol. 2006;244(5):545–50.
 94. Paletta Guedes RA, Paletta Guedes VM, Freitas SM, Chaoubah A. Quality of life of medically versus surgically treated glaucoma patients. J Glaucoma. 2013;22(5):369–73.